SIX MONTHLY COMPLIANCE REPORT OF

ENVIRONMENTAL CLEARANCE

FOR THE PERIOD OCTOBER 2024 TO MARCH 2025 5MTPA



SUBMITTED BY

Lafarge Umiam Mining Pvt Ltd

FOR NONGTRAI LIMESTONE MINE VILLAGE NONGTRAI, DISTRICT EAST KHASI HILLS, MEGHALAYA

MAY 2025

1



May 31, 2025

Ministry of Environment, Forest and Climate Change Government of India Integrated Regional Office, Shillong – 793021, Meghalaya

Subject: Implementation of conditions stipulated in the Ministry's environmental clearance letter No. J-11015/17/2013 IA. II (M) dated 28 November 2016 and regarding limestone opencast mining project at Phlangkaruh, Nongtrai, Tehsil-Sohra, Distt.East Khasi Hills, Meghalaya of M/S Lafarge Umiam Mining Pvt. Ltd.

Madam,

With reference to the environmental clearance letter stated above, we are pleased to submit following reports as detailed below. This is as per EIA notification 14 September 2006.

Half yearly Environmental Monitoring Report for the month of October to March 2025 along with Compliance status as on 31st March 2025 and the Conditions of Environmental Clearance No. J-11015/17/2013 IA. II (M) dated28 November 2016.

The above report is also displayed on our official website "http://www.lumpl.com"

We are fully committed to comply with environmental safeguards.

Thanking You,

George Chacko Director Corporate Affairs

Enclosure: As stated above

- Cc: 1. The Member Secretary Meghalaya State Pollution Control Board, Arden Lumpyngad Shillong
 - 2. Zonal Officer, Central Pollution Control Board Shillong Meghalaya Zonal Officer, Central Pollution Control Board, CTO Building BSNL Shillong
 - 3. Director (S), Impact Assessment Division Ministry of Environment, Forests and Climate Change Indira Paryavaran Bhavan Jorbagh Road New Delhi - 110 003 INDIA

CONTENTS

1.	I. Compliance Status of Conditions of Environmental Clearance: 4-24(no. J-11015/17/2013-IA. II (M) dated 28th November 2016)				
2.	Environmental Monitoring Conducted from 01 October 2024 to 31 March 2025				
	2.1. Introduction	: 25			
	2.2. Environmental Monitoring	: 26			
	2.3. Micrometeorology	: 26			
	2.4. Ambient Air Quality Monitoring Locations	: 26-28			
	2.5. Surface Water Quality Monitoring Locations	: 29-30			
	2.6. Surface Water Flow Measurement Locations	: 30-31			
	2.7. Noise Levels Monitoring	: 31-33			
	2.8. Vehicular emission`	: 33			
	2.9. Cave protection	: 33			
3.	Conclusion	: 34			
4.	Table, Exhibits & Plates	: 35-130			
	List of Annexure				
An rais	Annexure I – Compliance status of Task identified under Actions Plan on Issues : 132-145 raised during Public Hearing with budgetary provisions				
An	Annexure II - Vehicular Emission Report by MSPCB : 146				
An	Annexure III Discharged waste water quality : 147-152				
An	Annexure IV- Ground water level results for the period October 2024 to March 2025 : 153				

Annexure V - Water Quality Results

: 154-201

1. Compliance Status of Conditions of Environmental Clearance (no. J-11015/17/2013-IA. II (M) dated 28th November 2016) for the period October 1, to March 31, 2025

The Ministry of Environment Forests and Climate Change (MoEFCC), New Delhi through their letter no. J-11015/17/2013-IA. II/M dated 28 November 2016 issued Environmental Clearance for enhancement of Nongtrai Limestone Mine with production capacity from 2.0 million TPA to 5.0 million TPA of limestone by Lafarge Umiam Mining Pvt Ltd, located at village Nongtrai, District East Khasi Hills, Meghalaya (MLA; 100.00 Ha). The compliance status of Conditions of the Environmental Clearance for the period October 1, to March 31, 2025 of Nongtrai Limestone Mine is as following:

Table	1.1:	Compliance	Status	of	Conditions	of	Environmental	Clearance	dated	28
Noven	nber :	2016								

SN	Condition	Compliance Status
Α	Specific Conditions	
1	Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court of Meghalaya, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted
2	This Environmental Clearance is subject to obtaining requisite NBWL Clearance from the Standing Committee of National Board for Wildlife, if any, as applicable for this Mining project.	Not Applicable. The area for 5.0 million TPA Project will continue to remain the same as was being available for 2.0 million TPA opencast limestone mine with total land area of 139.026 Ha including 116.589 Ha of forestland (with mine lease area of 100 Ha). No additional land acquisition is required for 5.0 MTPA limestone mining expansion. No Schedule-I faunal species and threatened floral species have been encountered in the core zone of the existing land.
3	The Project Proponent shall obtain Consent to Operate from the State Pollution Control Board, Meghalaya and effectively implement all the conditions stipulated therein.	LUMPL obtained Consent to Operate from Meghalaya State Pollution Control Board on 09 December 2016 and the amendment to the Consent to Operate on 16 June 2017 valid up to 30 November 2026 LUMPL is complying with the Conditions of the CTO.

SN	Condition	Compliance Status
4	Project Proponent reported that Six Schedule-I species have been reported in the buffer area. An Addendum to Conservation Plan for Schedule I Faunal Species encountered in the Study Area has been prepared by North East Hill University (NEHU). An Addendum Conservation Plan with budgetary provisions of Rs 41 lakhs has been approved by the Additional Chief Conservator of Forests, Wildlife & Wildlife Warden, vide letter no. FWC/G/117/Pt/1058, dated 1st August 2016. Project Implementation of species- specific conservation plan for Schedule I species. The project proponent shall take all precautionary measures for conservation and protection of flora and fauna spotted in the study area.	For implementation of Addendum Conservation Plans, LUMPL deposited amount of INR 41 Lakhs and INR 11 Lakhs in the corporation Bank New Delhi through letter dated No.15.01.2018 and a return receipt through letter No.MFG.3/2014/CAMPA/Vol-1/18646 from the Chief Conservator of Forest (FC Act).
5	Project Proponent shall plant only native species for green belt development. Plantation of local species should be carried out during the Monsoon Season.	Native plant species, as confirmed by the Department of Forests and Environment, Office of the Principal Chief Conservator of Forests, Government of Meghalaya, Shillong (vide letter no. MFG. 16/18/PCCF(T)/Vol.II/71727 dated 12 September 2016 have been considered for greenbelt development i.e. plantation in and around the mine: LUMPL has carried out plantations of 45,429 as on 31 st March 2025 in and around the mine site area with survival rate of ~77.1%. LUMPL will ensure plantation of only the Forest Department specified plant species during monsoon seasons.

SN	Condition	Compliance Status
6	Average ground water level based on	No groundwater abstraction is practiced or
	Piezometer reading in three locations	proposed for the mining Project. Mining will be
	indicates that there is a decrease in ground	restricted to ultimate pit depth up to 90 m RL. Depth
	51 05 m during 2015 Project Proponent	of water table as monitored through plezometers is
	should implement the ground water	intersection of aroundwater regime
	recharge system at several locations in	I UMPL has also established rainwater harvesting
	and around the lease area to augment the	system at two locations by collecting rainwater
	ground water resource.	from roof top of transit camp area and mine office
	-	buildings. The rainwater harvested is used for
		domestic purposes and for recharging of ground
		water regime.
		Replacement of old PVC pipes by UPVC pipes on
		the Transit House buildings and Office buildings
		are in progress.
		LUMPL has identified three recharging sumps to
		augment recharging of rainwater into groundwater
		and open area towards south of the mine at the
		following locations:
		I. Sump no. 1 of 8mx6m at 110m RL adjacent
		to haul road near topsoil storage shed;
		II. Sump no. 2 of 10m x 8m at 68 m RL near
		conveyor take off point; and
		III. Sump no. 3 of 6 m x 4 m at 125 m RL near
		workshop area.
		The above of recharging pits are being developed
		recharge of ground water" published by CGWA
		Overall it is expected that above mentioned
		mitigation measures would help augment the
		groundwater resource.
		The design of all the three sumps has been
		approved by the Central Ground Water Board,
		NER Guwahati as per letter No-
		2017 LUMPL is in process of developing sumps
		as per the approved design
		Overall, it is expected that the above-mentioned
		recharging pits would help augment the
		groundwater resource.

SN	Condition	Compliance Status
7	The Proponent shall install online Ambient	The online Ambient Air Quality Monitoring System
	Air Quality Monitoring System and there	have been installed and operational at three
	should be system for display of digital AAQ	locations to monitor particulate matter (PM10 &
	data within 03 months at least at three	PM _{2.5}), SO2 and NOx as follows;
	locations as per wind direction. Online	
	provisions of pH and turbidity meters at	Station No.1 – Near Light Sections
	discharge points of STP and ETP and also	Station No.2 – Near Old Nursery (magazine area)
	at water storage ponds in the mining area	at Quarry
	may be made. Project Proponent should	Station No.3 – Near Transit House
	display the result digitally in front of the	
	main Gate of the mine site.	Online pH and turbidity meters have been installed
		and operational at discharge points of STP, ETP
		and also at water storage ponds.
		Monitoring results are being displayed digitally in
		front of the main Gate of the mine.
1		

SN	Condition	Compliance Status
8	The project proponent shall implement the Catchment Area Treatment Plan in consultation with the State Government should also implement Community Development and Welfare program in the area of Health Education and	Report on Upper Catchment Area Treatment Plan as prepared by CIMFR, Nagpur and NEERI, Nagpur was submitted to MoEF, New Delhi and its Regional Office, Shillong through a covering letter dated 30 June 2010.
	Environmental Protection.	MoEF vide letter no. F.No.8-64/2007-FC dated 29 December 2011, advised LUMPL to deposit the funds required to implement the Catchment Area Treatment (CAT) Plan amounting to Rs.50, 00,000/- (Rupees Fifty Lakh Only). The requisite amount was deposited by LUMPL in CAMPA Fund in account No. SB01025217 with Corporation Bank on 5 January, 2012 for implementation of CAT Plan.
		As part of the recommendations of Catchment Area Treatment Plan, eight check dams have been constructed in the gullies and area surrounding the mine.
		Drains have been constructed along the active mine benches linking it with siltation ponds. However, most of the rainwater gets percolated down from the mine surface (having crevices and fractured rocks due to karst topography). Greenbelt of 100 m all along the mine is being maintained.
		LUMPL has been implementing community development activities in the surrounding Nongtrai and Shella Villages. The community development activities are focused on the areas of Health Services; Educational Support; Infrastructure Improvement; Income generation programs – development of skill sets, training and awareness programs etc.; and sponsoring, environmental and cultural events.
		As directed by Hon'ble Supreme Court, LUMPL has been contributing a sum of INR 90/- per tonne of the limestone mined from the date on which mining commenced on monthly basis to Special Purpose Vehicles (SPV) notified under the Chairmanship of Chief Secretary, Meghalaya for welfare projects mandated upon it including the development of health, education, economy, irrigation and agriculture in the project area of 50 kms solely for local community and welfare of tribals. As on 31 st March 2025, LUMPL made payments to SPV of INR ~33,863.00 Lakhs.

SN	Condition	Compliance Status
9	Proponent shall appoint an Occupational	Qualified doctors based at the site have been
	Health Specialist for Regular and	providing medical support to the employees and
	Periodical medical examination of the	community in the surrounding villages.
	workers engaged in the Project and	
	maintain records accordingly; also,	Qualified Occupational Health Specialist available
	Occupational health check-ups for workers	at site for Regular and Periodical medical
	having some ailments like BP, diabetes,	examination of the workers engaged in the project.
	nabitual smoking, etc. shall be undertaken	Decender of meniadical mendical exercise tions, dans
	once in six months and necessary	Records of periodical medical examinations done
	remedial/preventive measures taken	in the recent past are being maintained for an
	National Institute for ensuring good	the requirement of Mines Rules 1955: Treatment
	occupational environment for mine	for the identified ailments is being provided to the
	workers shall be implemented: The	workers having ailments BP, diabetes, etc.
	prevention measure for burns, malaria and	
	provision of anti-snake venom including all	Preventive measures for burns, malaria and anti-
	other paramedical safeguards may be	snake venom are in place under direct control and
	ensured before initiating the mining	supervision of onsite Occupational Health
	activities.	Specialist.
		LUMPL has developed a Site Specific Standard
		the guidelines framed by DCMS MHA
		Government of Meghalava and Lafarge Holcim for
		the Quarry operations during the Covid-19
		pandemic or after.
10	Sewage treatment plant for treating	Six package STPs are operational for treatment of
	residential and waste from industrial area	domestic wastewater.
	should be provided. ETP shall also be	
	provided for the workshop and wastewater	An ETP is operational for treatment of wastewater
	generated during the mining operation.	generated during washing of HMMEs at the
		workshop.

SN	Condition	Compliance Status
11	The project proponent shall carry out scientific investigation in respect of "Blast induced ground vibration, fly rock & air blast". Based on this study, Project Proponent should design an effective blast design to curb blast induced menace & public annoyance.	LUMPL conducted the scientific investigation in respect of blast induced ground vibration, fly rock & air blast, by engaging Central Institute of Mining and Fuel Research (CIMFR), Nagpur in the year 2015 and the recommendations of the study are being implemented. Further LUMPL has engaged Central Institute of Mining and Fuel Research (CIMFR), Nagpur in the year 2017- 2018 to carry out scientific investigation in respect of "blast induced ground vibration, fly rock and air blast". Based on the recommendations of the study, LUMPL has further modified the blast design to curb blast induced menace & public annoyance. The study report was submitted during the reporting period April to September 2018.
12	Implementation of Action Plan on the issues raised during the Public Hearing. The Proponent shall complete all the tasks as per the Action Plan submitted with the budgetary provisions during the Public Hearing.	Implementation of action plan of the issues raised in the public hearing is ongoing. Refer to Annexure- I for the current status of implementation of the action plan.
13	The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicles with PUCC only will be allowed to ply. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Project should obtain 'PUC' certificate for all the vehicles from authorized pollution testing center.	Pollution due to transportation within the mine is controlled through mitigation measures including water sprinkling on the haul road and ensuring that all vehicles (including HEMM) hold PUC certificates. PUC certificate obtained from MSPCB is valid up to June 2025. A sample of the report is enclosed as Annexure- II of the six monthly compliance report October to March 2025. LUMPL introduced two electric dumpers as part of its initiative to achieve a 100% green fleet, with an investment of ₹4.05 crore. This initiative supports zero-emission operations and contributes significantly to reducing the company's carbon footprint. Mineral transportation is carried out through covered long belt conveyor. No road transportation outside the mine is done through trucks.
В	Standard Conditions	

SN	Condition	Compliance Status
1	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forest and Climate Change 5 years in advance of final mine closure for approval	Noted. Final Mine Closure Plan with Corpus Fund as approved by IBM shall be submitted to MoEFCC five years in advance of final mine closure for approval.
2	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment, Forest and Climate Change.	Noted.
3	No change in the calendar plan including excavation, quantum of limestone and waste should be made.	Noted.
4	The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water (surface water and ground water) for the project.	No groundwater withdrawal is practiced. Approval for withdrawal of surface water from Phlangkaruh stream has been taken from Nongtrai Village Durbar. As per direction of Ministry of Environment Forest and Climate Change (MoEFCC), Regional Office, vide letter No.RO-NE/E/IA/ML/MI/3,16/2773-74 dated 31st October 2018, LUMPL has been granted the No Objection Certificate for drawl of surface water from the Water Resources Department Covernment of Magheleve
5	Mining shall be carried out as per the provisions outlined in mining plan approved by Indian Bureau of Mines (IBM)/State Mines and Geology Department as well as by abiding to the guidelines of Directorate General Mines Safety (DGMS).	Mining will continue to be carried out as per the IBM approved mining plan and scheme of mining.
6	The lands which are not owned by Proponent, mining will be carried out only after obtaining the consents from all the concerned land owners as per the provisions of the Mineral Concession Rules, 1960 and MMDR Act, 1957.	Mining being carried out within 100 hectare mining lease area.

SN	Condition	Compliance Status
7	Digital processing of the entire lease area using remote sensing technique shall be carried out regularly once in three years for monitoring land use pattern and report submitted to Ministry of Environment, Forest and Climate Change its Regional Office.	The digital processing of the entire lease area using remote sensing technique was carried out for the period of 2020-2022 and the study report was submitted during the reporting period April to September 2023.We are initiating the study for the period 2023-2025.
8	Five ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the station be decided based on the meteorological data topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the state Pollution Control Board.	Ambient Air Quality (AAQ) is being monitored with respect to PM10, PM2.5, SO2 and NOx at five locations within and surrounding areas (covering core and buffer zones) as selected by MSPCB through their letter dated 24 February 2012. The locations are 1) HEMM Workshop 2) Near Magazine 3) Near Phlangkaruh Village 4) Pyrkan Village; and 5) Shella Bazar The observed results of ambient air quality parameters (as monitored from 1 st October to 31 st March 2025) remained within the prescribed limits and have been included in Tables 2 to 11 in the six-monthly monitoring reports.

SN	Condition	Compliance Status
9	The critical parameters as per the Notification 2009 such as PM10, PM2.5, SO2 and NOx etc. in the ambient air within	The ambient air quality (AAQ) is being monitored with respect to PM10, PM2.5, SO2 and NOx at five locations within the core and buffer zones as
	the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be	recommended by Meghalaya State Pollution Control Board. All parameters that were monitored during the period 1 st October to 31 st March 2025)
	monitored periodically. Further, quality of discharged water shall also be monitored	remained within the permissible limits.
	Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board	being measured with every blast. All the measured values remained less than 5 mm/sec at the distance of 200 m to 300 m, which is well within the
	digitally at the project site at a suitable location near the main gate of the Company in public domain. The circular No. 3- 20012/1/2006-IA.II (M) dated	standard of 10 mm/sec (for dominant frequency range of 8 to 25 Hz) as prescribed by Directorate General of Mines Safety – DGMS (Tech.) Circular No.7 dated 29 September 1997).
	27.05.2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.	Discharged waste water quality for TDS, DO, TSS and pH are being monitored by ABNS SCIENTIFIC SERVICES PRIVATE LIMITED recognized by Meghalaya State Pollution Control Board on monthly basis and analyzed in their laboratory. The monitored values remained within the prescribed limits. Monitoring report enclosed as Annexure-III. The monthly monitored results are being displayed (on public domain) as per the requirement of MoEFCC Circular dated 27 May 2009 on:
		 LED screen for digital display of critical pollutants near the main gate entry of the Nongtrai Limestone Mine; and Six monthly compliance reports are available on Company's website ".www.lumpl.com".

10	Effective enfoquered measures such as	L tt	active enforcement measures to control dust and
10	Effective saleguard measures such as		ective saleguard measures to control dust and
	in evitical errors prove to air pollution and	-	Draviaian of dry drilling with dust avtraction
	In critical areas prone to air pollution and	•	Provision of dry drilling with dust extraction
	naving high levels of PIVI10 and PIVI2.5		system in place or wet drilling of noies;
	such as haul road, loading and unloading	•	Use of good quality explosives, implementing
	point and transfer points. Fugitive dust		CIMFR recommended measures during
	emissions from all the sources shall be		blasting i.e. provision of proper stemming after
	controlled regularly. It shall be ensured		charging of explosives and use of delay
	that the Ambient Air Quality parameters		detonators minimizing dust throw and its
	conform to the norms prescribed by the		spread in ambient air;
	Central Pollution Control Board in this	•	Ensuring blasting is done only in the daytime
	regard. Monitoring of Ambient Air Quality		when no strong winds are blowing or there is
	to be carried out based on the Notification		no overcast or lightening event.
	2009, as amended from time to time by the	•	Loading /unloading of limestone from an
	Central Pollution Control Board.		optimum height and use of sharp teeth for
			shovel to reduce dust blow;
		•	Avoiding overloading of haul trucks to eliminate
			spillage during transit on haul road;
		•	Water sprinkling on unpaved areas and haul
			road during drv wind periods through fixed
			sprinklers supplemented with water tankers in
			active mine pit area:
			Ensuring speed controls as already practiced
			to the limit of 20 km/hour on vehicle
			movements on haul roads:
			Preventive maintenance of mine machinery
			and regular fine-tuning of engines of HEMMs in
			use to ensure that the emission levels remain
			within the stipulated norms and maintaining
			Pollution Under Control (PUC) Certificates for
			HEMMe.
			Introduced two electric dumpers to support
		_	zero emission initiativos significantly
			zero-emission initiatives, significantly
			contributing to the reduction of the carbon
			footprint.
		•	Provision of water sprinkling, rain gun and
			fogger system to minimize dust generation
			while unloading of dumper into the crusher
			hopper;
		•	Provision of dust extraction system with bag
			filters in crushing and transfer operations. High
			efficiency dust collection system will continue
			to operate to achieve particulate emission to
			less than 50 mg/Nm ³ through crushers, TB-1
			and TB-2 stacks;
		•	Provision of water sprinkling for transfer of
			crushed limestone through hoods/chutes
			before unloading on long belt conveyor to
			prevent dust emissions;
		•	Provision of close conduit type long belt
			conveyor provided with water sprinkling for
			transportation of crushed limestone;

SN	Condition	Compliance Status
		 Personnel working in dusty area to be provided
		protective gears such as dust masks.
11	Regular monitoring of ground water level and quality shall be carried out in and	Three piezometers installed outside at (i) PWD Road (to the Southwest of the mine), (ii) Near Mine
	around the mine lease by establishing a	Transit House (to the South of the mine), and (iii) Near
	network of existing wells and constructing	aroundwater loyels and ground water quality are
	operation The project proponent shall	being monitored covering all the four seasons. The
	ensure that no natural water course and/or	month wise piezometers monitored ground water
	water resources shall be obstructed due to	levels and ground water quality are included in
	any mining operations. The monitoring	Annexure- IV of this six monthly compliance report
	shall be carried out four times in a year pre-	(as enclosed).
	monsoon (April-May), monsoon (August),	
	post-monsoon (November) and winter	The monitored results are being submitted to
	(January) and the data thus collected may	CGWA/CGWB on six monulity basis.
	Environment, Forest and Climate Change	It is being ensured that no natural water course and
	and its Regional Office, Central Ground	water resources are obstructed due to mining
	Water Authority and Regional Director,	operations.
	Central Ground Water Board.	
12	Regular monitoring of the flow rate of the	Flow rates of the water springs, Phlangkaruh and
	springs and perennial nallahs flowing in	Umiam Rivers are being monitored on monthly
	and around the mine lease shall be carried	to MOEECC on six monthly basis
	water bodies and or streams which are	
	flowing in an around the village, should not	Mining will be restricted to ultimate pit depth up to
	be disturbed. The Water Table should be	90 m RL. Depth of water table as monitored
	nurtured so as not to go down below the	through piezometers is much below 90 m RL
	pre-mining period. In case of any water	hence there will be no intersection of groundwater
	scarcity in the area, the Project Proponent	regime.
	their use A provision for regular	No natural water bodies and or steams are being
	monitoring of water table in open dug wall	disturbed due to mining operations.
	located in village should be incorporated to	
	ascertain the impact of mining over ground	Water table monitoring is done through month wise
	water table.	recording of water levels in three piezometers as
		described in response on condition # 11.
		response to condition no 6
L		

SN	Condition	Compliance Status
13	Regular monitoring of water quality upstream and downstream of water bodies shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.	Monitoring of water quality of Phlangkaruh springs (upstream and downstream), and Umiam River (upstream and down streams) is being carried out by ABNS SCIENTIFIC SERVICES PRIVATE LIMITED recognized by Meghalaya State Pollution Control Board on monthly basis in their laboratory. The water quality results are included in the Annexure- V of this six-monthly compliance report (1 st October to 31 st March 2025)) being submitted to MoEFCC, New Delhi, MoEFCC Regional Office, Shillong, MSPCB and CGWA, CGWB and CPCB RO, Shillong.
14	Transportation of the minerals by road passing through the village shall not be allowed. A 'bypass' road should be constructed (say, leaving a gap of at least 200 meters) for the purpose of transportation of the minerals so that the impact of sound, dust and accidents could be mitigated. The project proponent shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the Project. No road movement should be allowed on existing village road network without appropriately increasing the carrying capacity of such roads.	Not applicable. No mineral transportation through road is involved. The transportation of limestone to Bangladesh is being done through Long Belt Conveyor fully covered from top.
15	The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/ masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.	Measures have been adopted to minimize disturbance to human settlements due to illumination and noise levels. Noise levels are being monitored on regular basis in the surrounding settlements. The noise levels observed at all the settlements remained well within the prescribed equivalent noise limits of 55 dB(A) for day time and 45dB(A) for night time.

SN	Condition	Compliance Status
16	Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. Crusher and material transfer points should invariably be provided with Bag filters and or dry fogging system. Belt- conveyors should be fully covered to avoid air borne dust.	Permanent water sprinklers have been provided on the median of the haul road within the mine site. Water sprinkling is also being done through water tankers at other locations with potential dust emissions. Mitigation measures to control dust emission including provision of water sprinkling, bag filters, fogging system and rain-gun are in place on crushing operations and transfer points. Belt conveyor is covered to avoid air borne dust.
17	Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. Crusher and material transfer points should invariably be provided with Bag filters and or dry fogging system. Belt- conveyors should be fully covered to avoid air borne dust. Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. The material transfer points should invariably be provided with Bag filters and or dry fogging system. In case of Belt- conveyors facilities the system should be fully covered to avoid air borne dust; Use of effective sprinkler system to suppress fugitive dust on haul roads and other transport roads shall be ensured.	Permanent water sprinklers have been provided on the median of the haul road within the mine site. Water sprinkling is also being done through water tankers at other locations with potential dust emissions. Mitigation measures to control dust emission including provision of water sprinkling, bag filters, fogging system and rain-gun are in place on crushing operations and transfer points. Belt conveyor is covered to avoid air borne dust. Other dust control systems as described in response to condition no. 10 are in place.
18	Sufficient number of Gullies to be provided for better management of water. Regular Monitoring of pH shall be included in the monitoring plan and report shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office on six monthly basis.	The mining operations include provision of bunds along the benches to guide water flow. Proper slope is being maintained towards the lowest elevation. Silt traps have been provided before water merges into sumps and cavities down to the south of the mine lease area. Regular cleaning of silt traps and check dams is in place. Monitoring of pH of the water discharging from the sumps during monsoon season being conducted regularly.

SN	Condition	Compliance Status
19	There shall be planning, developing and implementing facility of rainwater harvesting measures on long term basis and implementation of conservation measures to augment ground water resources in the area in consultation with Central Ground Water Board.	Rainwater harvesting and measures to augment ground water resources are as described in response to Condition no. 6. Three water sumps for recharging of ground water are being set up as per design approved by Central Ground Water Board Guwahati as described in response to condition no.6.
20	The Project Proponent has to take care of gullies formed on slopes. Dump mass should be consolidated with proper filling/ levelling with the help of dozer/compactors.	No overburden dumps involved as the mine is devoid of overburden. Hence, no overburden dumps are involved for mining from Nongtrai Limestone Mine. Rain water flow along the limestone mine is guided along the benches through bunds. Silt traps have been provided before water enters the sumps for discharge/ groundwater recharge.
21	The reclamation at waste dump sites shall be ecologically sustainable. Scientific reclamation shall be followed. The local species may be encouraged and species are so chosen that the slope, bottom of the dumps and top of the dumps are able to sustain these species. The aspect of the dump is also a factor which regulates some climatic parameters and allows only species adopted to that micro climate.	Not Applicable. The limestone mine is devoid of any overburden. Hence, no overburden dumps are involved for mining from Nongtrai Limestone Mine.

SN	Condition	Comp	liance Sta	atus		
22	The top soil, if any, shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time. The maximum height of the dumps shall not exceed 8m and width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be	Availability almost ne lease is do soil, encour rocks (due and prope As the lim the minin overburde dumping is Records o	of top so gligible a evoid of a untered fro to Karst to rly stacked estone is g area is n or top s involved.	il in the mir s the area ny overburd om the crev opography) d. exposed or s practically soil, no ov	ning lease within the len. Any vices or f is being o the surf devoid verburder ring the la	e area is he mine trapped fractured collected face and of any n waste
	scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled and afforested. Monitoring and management	years is pr	Clay/ Top Soil Recovere d in tonne	s following: Clay/ Top Soil Used in Greenbelt/ Plantation in tonne	Balanc e Clay Availabl e in tonne	Remarks
	of rehabilitated areas should continue until the vegetation becomes self- sustaining. Compliance status shall be submitted to the Ministry of Environment, Eorest and Climate Change and its	December 2023	3.440	4.000	11.920	Use at Nursery, Safety Zone & Block A
	Regional Office on six monthly basis.	December 2024	3.350	4.800	10.470	Use at Nursery and Safety Zone
		March 2025	0.530	Nil	11.000	
		Measures be done as five years per prior a Departme	for rehabil s per progr prior to d pproval of nt Governi	itation of mi essive mine ecommissio IBM and Mi ment of Meo	ned out a closure oning of n ning and ghalava.	reas will plan and nines as Geology

SN	Condition	Compliance Status
23	Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. The drains settling tanks and	As part of the recommendations of Catchment Area Treatment Plan, eight check dams have been constructed in the gullies and area surrounding the mine. Drains have been constructed along the active mine benches linking it with siltation pond. Deposited silt from the drains and siltation pond is being desilted periodically. However, most of the rainwater gets percolated down from the mine surface (having crevices and fractured rocks due to karst topography).
	check dams of appropriate size, gradient and length shall be constructed both around the mine pit and over burden dumps to prevent run off of water and flow of sediments directly into the river and	Greenbelt of 100 m all along the mine is being maintained. No overburden dumps involved as the mine is devoid of overburden.
	other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals.	 LUMPL has identified three recharging sumps to augment recharging of rainwater into groundwater regime by collecting rainwater through haul roads and open area towards south of the mine at the following locations: Sump no. 1 of 8mx6m at 110m RL adjacent to haul road near topsoil storage shed; Sump no. 2 of 10m x 8m at 68 m RL near conveyor take off point; and Sump no. 3 of 6 m x 4 m at 125 m RL near workshop area. The above of recharging pits are being developed as per design approved by CGWA, Guwahati. Overall, it is expected that above mentioned mitigation measures would help augment the groundwater resource.
24	Plantation shall be raised in a 7.5m wide green belt in the safety zone around the mining lease, backfilled and reclaimed area, around water body, along the roads etc. by planting the native species in consultation with the local DFO/Agriculture Department and as per CPCB Guidelines. The density of the trees should be around	 An area of 7.5 m width has been earmarked as the safety zone as per approved mining scheme and reclamation has been started as per Progressive Mining closure Plan in the year 2017-18. LUMPL has also been carrying out plantation by maintaining a green belt of 100 m width as
	2500 plants per ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.	per the condition of EC no. J-11015/10/2000- IA.II. (M) dated 9 August 2001 and Transferred to LUMPL dated 30 July 2002 modified by MoEFCC on 19 April 2010 for 2.0 MTPA limestone mining. Total plantations carried out in the greenbelt area, along the roads and safety zone are 45,429 as on 31 st March 2025 with survival rate of ~77.1%.

SN	Condition	Compliance Status
25	Project Proponent shall follow the mitigation measures provided in Office Memorandum No. Z-11013/57/2014-IA.II (M), dated 29th October, 2014, titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".	 No National Parks/ Wildlife Sanctuaries / Biosphere Reserves/ Wildlife Corridors/ Tiger/ Elephant Reserves are located within the 10 km study area of the mine lease. No village settlement is located within 1 km from the mine site.
26	The Project Proponent shall make necessary alternative arrangements, where required, in consultation with the State Government to provide alternate areas for livestock grazing, if any. In this context, Project Proponent should implement the directions of the Hon'ble Supreme Court with regard to acquiring grazing land. The sparse trees on such grazing ground, which provide mid-day shelter from the scorching sun, should be scrupulously guarded against felling and plantation of such trees should be promoted.	No livestock grazing land is involved for the existing limestone mine lease area of 100 Ha. No area of Project component is involved in hindering cattle grazing.
27	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna, if any, spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. A copy of action plan shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office.	Noted

SN	Condition	Compliance Status
28	As per the Company Act, the CSR cost	The CSR budget of INR 225.15 Lakhs has been
	should be 2% of average net profit of last	earmarked for the year 2025 based on 2% of last
	three years. Hence CSR expenses should	three years average net profit.
	Socio-Economic Development of the neighborhood Habitats which could be planned and executed by the Project Proponent more systematically based on	LUMPL has been implementing community development activities since 2006 and the company is continuously focusing for improvements and enhancements of the services
	the 'Need based door to door survey' by established Social Institutes/ Workers. The report shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office on six monthly basis.	over time. The community development activities are focused on the areas of Health Services; Educational Support; Infrastructure Improvement; Income generation programs – development of skill sets, training and awareness programs etc.; and Sponsoring social and cultural events.
		The CSR activities from 2006 to present have been taken up in 12 villages with an approximate population of about 4,000 in the Shella Village Durbar and over 1,000 in Nongtrai Village Durbar. From the year 2006 up to 31 st March 2025, LUMPL has contributed INR 1,983.51 Lakhs for community development activities in the villages of Nongtrai and Shella Durbars.
		As directed by Hon'ble Supreme Court, LUMPL has also been contributing to SPV a sum of INR 90/- per tonne of the limestone mined from the date on which mining commenced on monthly basis for welfare projects mandated upon it including the development of health, education, economy, irrigation and agriculture in the project area of 50 kms solely for local community and welfare of tribals. As on 31 st March 2025, LUMPL made payment to SPV of ~INR 33,863.00 Lakhs.
29	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Any construction labour to be deployed will be provided with necessary infrastructure within the existing project footprint and facilities including cooking, toilets, package STP, safe drinking water, health care facility etc.

SN	Condition	Compliance Status
30	Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs	Mitigations measures are in place to minimize noise levels. All working areas will be maintained within 85 dB(A) of noise levels in the work environment area. Workers engaged in operations of HEMM have been provided with ear plugs/ muffs. Introduced two electric dumpers to support zero- emission initiatives, significantly contributing to the reduction of the carbon footprint.
		Electric Dumper
31	Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents.	Waste water generated from mine workshop is collected in effluent treatment plant (ETP) for with physico-chemical treatment including oil and grease trap installed before discharge at workshop is operational.
32	Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.	Personnel working in mine area are provided with personal protective equipment (PPE). Use of PPEs including dust masks, ear plugs, safety shoes, illuminating jacket, hard hat are compulsory for all workers working in the mine. Life Saving talk is held daily. Refresher training on safety and information on health aspects is provided on monthly basis to all the workers.
		Operating Procedures (SOP) incorporating with the guidelines framed by DGMS, MHA, Government of Meghalaya and Lafarge Holcim for the Quarry operations during the Covid-19 pandemic or after.
33	A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.	An Environmental Management Cell has been established and operational. The department is headed by the Location In charge Environment who reports to the Location Head.

SN	Condition	Compliance Status
34	The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office.	Funds earmarked for environment protection are being maintained in the separate bank account. Expenditure incurred on environment protection and monitoring measures during the period 1st October to 31 st March 2025 was INR 26.44 Lakhs.
35	The project authorities should inform to the Regional Office regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	It is an expansion Project of limestone mining from 2.0 MTPA to 5.0 MTPA. No new land development work is involved as the area of the mine lease will remain unchanged to the existing 100 Ha.
36	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Noted
37	The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment, Forest and Climate Change, its Regional Office, Central Pollution Control Board and State Pollution Control Board.	Noted
38	A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.	 Copies were circulated through letters dated 2 December 2016 to Village Dorbar U Sandi Nongtrai; and Dorbar Shnong Shella.
39	State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days.	Complied with

SN	Condition	Compliance Status
40	The project authorities should advertise at	Advertised in the following widely circulated
	least in two local newspapers widely	newspapers:
	circulated, one of which shall be in the	 English Daily Newspaper The Shillong Times
	vernacular language of the locality	dated 5 th December 2016
	concerned, within 7 days of the issue of the	 Khasi Daily Newspaper Mawphor dated 5th
	clearance letter informing that the project	December 2016.
	has been accorded environmental	Copies of advertisements in the above mentioned
	clearance and a copy of the clearance	newspapers were submitted to MoEFCC RO
	letter is available with the State Pollution	Shillong through letter dated 27 th December 2016.
	Control Board and also at web site of the	
	Ministry of Environment, Forest and	
	Climate Change at	
	www.environmentclearance.nic.inand a	
	copy of the same should be forwarded to	
	the Regional Office.	

2. ENVIRONMENTAL MONITORING CONDUCTED FROM 1 OCTOBER 2024 TO 31 MARCH 2025

2.1 INTRODUCTION

Lafarge Umiam Mining Pvt. Ltd. (LUMPL), a company incorporated in India as a 100% subsidiary of LafargeHolcim Bangladesh Ltd., (formerly Lafarge Surma Cement Ltd.) has been operating Nongtrai Limestone Mine located at village Nongtrai, District East Khasi Hills in Meghalaya, India for the purpose of extraction and export of limestone via long belt conveyor to its parent company in Bangladesh for the manufacture of clinker and cement. This report on environmental monitoring for the period from 01 October 2024 to 31 March 2025 covers compliance status of conditions of Environmental Clearances (i) no. J-11015/17/2013-IA. II (M) dated 28th November 2016. The location of Nongtrai Limestone Mine is shown in **Figure 2.1**.



Figure 2.1: Location of Nongtrai Limestone Mine

2.2 ENVIRONMENTAL MONITORING

This six-monthly report covers the environmental monitoring done for the period from 1 October 2024 to 31 March 2025 covering the following environmental monitoring results:

- i) Micrometeorology
- ii) Ambient Air Quality
- iii) Water Quality
- iv) Water Flow
- v) Noise level
- vi) Cave Protection

2.3 Micrometeorology

A weather monitoring station has been installed on rooftop of the mine office building of Nongtrai Limestone Mine for recording of hourly temperature, humidity, wind speed, wind direction and rainfall data. The observed meteorology is described in the following subsections.

a) Wind speed and wind direction

The predominant wind direction recorded was N-NW with wind speed varying from 0.0 to 2.8 km per hour during Oct to Dec 2024 and 0.0 to 5.3 km per hour during Jan to Mar 2025. The details wind direction is given in Table 1.

b) Temperature

The maximum and minimum temperature recorded during Oct - Dec 2024 was 41.6°C and 14.0°C respectively while during Jan to Mar 2025 the maximum and minimum temperature recorded was 37.5°C and 12.0°C respectively (Table No.1). The diurnal variation of temperature is shown in Exhibit No.1 for the month of Oct to Dec 2024 and Exhibit No.2 for the month of Jan to Mar 2025.

c) Humidity:

The maximum and minimum Humidity during Oct to Dec 2024 was 94.4% and 14.3% respectively while during Jan to Mar 2025 the maximum and minimum humidity recorded was 93.6% and 14.2% respectively (Table No.1) The diurnal variation of humidity is shown in Exhibit No.3 for the month of Oct to Dec 2024 and Exhibit No.4 for the month of Jan to Mar 2025.

d) Rainfall:

The total rainfall observed during the period 1 October 2024 to 31 March 2025 was 593.0 mm.

2.4 Ambient Air Quality Monitoring Locations

Ambient air quality monitoring is carried out twice a week at five stations selected as per recommendation of Meghalaya State Pollution Control Board as per their letter no. MPCB/TB-CON-227(Pt-II)/2011-2012/19 24 February 2012. Two monitoring stations are located in the core zone and three in the buffer zone for monitoring of Particulate Matter of size less than 10 micron (PM10), Particulate Matter of size less than 2.5 micron (PM2.5),

Sulphur Dioxide (SO2) and Nitrogen Oxide (NOx) for the study period using Respirable Dust Sampler of Envirotech make. The distance and direction of the ambient air quality monitoring stations are summarized in Table 2.1:

Table 2.1: AAQ Monitoring Locations					
AAQ Monitoring Station Code	Distance and Bearing from Centre of the Mine	AAQ Description			
LA–1: HEMM Workshop (Light section near ETP)	0.7 km to Southeast	Respirable Dust Sampler was placed near HEMM Workshop (Light section near ETP) in the quarry to assess the present pollution level in the core zone.			
LA –2: Magazine Area	0.40 km to West	Respirable Dust Sampler was placed near Magazine area in the core zone.			
LA–3: Phlangkaruh Village (near Security Barrack-I)	1.40 km to South	Respirable Dust Sampler was placed near Phlangkaruh Village (near Security Barrack-I) in the buffer zone.			
LA – 4: Pyrkan Village	2.60 km to South Southeast	Respirable Dust Sampler was placed near Pyrkan Village in the buffer zone.			
LA –5: Shella Bazaar	3.40 km to Southeast	Respirable Dust Sampler was placed near Shella Bazaar in the buffer zone on the roof top of a House.			

The location of five ambient air quality stations is shown in Figure 2.2.

Concentrations of PM₁₀, PM _{2.5}, SO₂ and NOx recorded at all the five locations are described in **Tables 2 to 11**. All the observed values were found to be below the prescribed NAAQS.

Graphical representation of Ambient Air Quality is shown in **Exhibit Nos. 5 & 6** on the Industrial and mixed areas for the months of Oct to Dec 2024 and Jan to Mar 2025 and **Exhibit Nos. 7** & 8 on the Residential areas for the months Oct to Dec 2024 and Jan to Mar 2025 respectively



Figure 2.2: Locations of Ambient Air Quality Stations

2.5 Surface Water Quality Monitoring Locations

Surface water quality was assessed by collecting once a month water samples from four locations as per the recommendations of Meghalaya State Pollution Control Board vide letter no. MPCB/TB-CON-227(Pt-II)/2011-2012/19. The locations of surface water sampling are described as following

Surface Water Sampling Location Code	Surface Water Sampling Description
LWQ - 1:	Upstream of Umiam River
LWQ - 2:	Downstream of Umiam River
LWQ - 3:	Upstream of Phlangkaruh River
LWQ - 4:	Downstream of Phlangkaruh River

Table 2.2: Surface Wa	ter Quality Mo	nitoring Locations
-----------------------	----------------	--------------------

The surface water quality sampling locations are shown in Figure 2.3

Figure 2.3: Surface Water Quality and Flow Measurement Locations



The observed surface water quality is described as following:

LWQ-1 Upstream of Umiam River:

The sample represents the quality of surface water Upstream of Umiam River. The results of samples collected during October 2024 to March 2025 are shown in **Table No. 12**.

The water quality parameters were pH 6.8 - 7.8; Sulphates 21.8 - 27.5 mg/l; Total hardness 48.4 - 74.5 mg/l; Fluorides 0.03 - 0.06 mg/l; TDS 89.0 - 131.5 mg/l; Chlorides 9.0 - 11.5mg/l; Nitrates 0.8 - 4.05 mg/l; and Total Coliform were 80.0 - 120.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

LWQ-2 Downstream of Umiam River:

The results of samples collected during October 2024 to March 2025 are shown in **Table No. 13.** The concentrations were within the prescribed limit.

The analyzed water quality parameters were pH 6.9 - 7.8; Chlorides 6.8 - 10.6 mg/l; Sulphates 32.0 - 41.0 mg/l; Nitrates 2.0 - 4.5 mg/l; Total hardness 60.4 - 162.4 mg/l; TDS 136.0 - 174.0mg/l and Fluorides were 0.02 - 0.04 mg/l and total coliform were 40.0 - 80.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

LWQ-3 Upstream of Phlangkaruh River:

This sample represents the quality of surface water. The results of samples collected during October 2024 to March 2025 are shown in **Table No. 14.**

The analyzed water quality parameters were pH 7.1 - 8.1; Chlorides 34.5 - 40.0 mg/l; Sulphates 40.4 - 43.5 mg/l; Nitrates 0.3 - 3.2 mg/l; Total hardness 52.5 - 68.5 mg/l; Fluorides 0.02 - 0.05 mg/l; TDS were 131.0 - 146.0 mg/l and total coliform were 40.0 - 40.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

LWQ-4 Downstream of Phlangkaruh River:

This sample represents the quality of surface water. The results of October 2024 to March 2025 are shown in **Table No. 15.**

The analyzed water quality parameters were pH 6.9 - 7.8; Chlorides 18.4 - 21.5 mg/l; Sulphates 16.4 - 47.6 mg/l; Nitrates 1.10 - 2.20 mg/l; Total hardness 29.2 - 50.2 mg/l; Fluorides 0.04 - 0.08 mg/l; TDS 89.0 - 104.0 mg/l; and Total coliform were 40.0 - 160.0 MPN/100 ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

2.6 Surface Water Flow Measurement Locations

Surface water flow measurements were carried out once a month at two locations to assess the surface water quantity of the nearby water bodies. The sampling locations are described in Table 2.3 and shown in Figure 2.3.

Table 2.5: Surface Water Flow Measurement Locations				
Surface Sampling Lo Code	Water cation	Surface Water Sampling Description		
LWF - 1:		Downstream of Umiam River (near Shella Bazar)		
LWF - 2:		Downstream of Phlangkaruh River near Phlangkaruh Village		

Water Flow Measurement I

Water Flow Measurements were carried out at two locations using water current meter using Bureau of Indian Standards method IS: 1192 (1959). The results and cross section of the water flow measurements are given in **Tables 16-17 e.** From the table, it can be seen that the water flow downstream of Umiam River near the bridge (during fair weather) (LWF-1) was highest followed by Downstream of Phlangkaruh River (LWF2). The results are given below:

SL.NO	Location	Discharge in m ³ /hour					
		Oct-24	Nov-24	Dec-24	Jan-25	Feb-25	Mar-25
1	LWF-1 UMIAM RIVER	82615.68	67631.76	58792.5	41939.1	38121.3	31720.63
2	LWF-2 PHLANGKARUH RIVER	7695.0	7389.0	7029.0	6898.5	6354.0	5949.0

2.7 **Noise Levels Monitoring**

Monitoring of Noise levels was done at six locations during the period October 2024 to March 2025 by using an integrating sound level meter (Type II Envirotech). Out-door noise level measurements were made at a height of 1.5 meter above the ground, and away from the sound reflecting sources like walls, buildings. Noise levels were measured at six locations once per month as per description given in Table 2.4.

Noise Levels Monitoring	Noise Monitoring Location Description			
Location Code				
LN-1: Shella Bazar (non-	Noise monitoring was done at Shella Bazaar on non-market day in			
market day)	front of PWD guest house			
LN - 2: Pyrkan Village	Noise monitoring was done in Pyrkan Village near Ram Krishna			
	Mission School			
LN-3: Phlangkaruh Village	Noise monitoring was done at Phalangkaruh Village			
LN- 4: Mine lease area	Noise monitoring was done to assess the noise levels within the			
(office area)	core zone.			
LN-5: Shellapunji Village	Noise monitoring was done at Shellapunji village to assess the			
	noise levels.			
LN-6: Mawryngkhong	Noise monitoring was done at Mawryngkhong Village			
Village				
-				

Table 2.4: Noise Levels Monitoring Locations

The noise levels monitoring locations are shown in Figure 2.4.



Figure 2.4: Noise Levels Monitoring Locations

Noise monitoring was carried out at 6 locations during the period October 2024 to March 2025. The Leq (day and night), Lmax and Lmin were analyzed from the recorded sound level meter (SLM). **Refer to Tables 18 - 31.**

OCTOBER TO DECEMBER 2024						
NOISE LEVEL AT THE VILLAGES						
Location	Range in	Leq.Value in dB(A)	Leq.Value in dB(A)	B(A) Permissible	Permissible	
	dB(A)	Day time	Night time	limit Day time	limit Night	
LN 1	44.5-59.2	55.5-55.9	47.1-47.7	65	55	
LN 2	40.5-56.8	53.1-53.8	44.2-44.6	55	45	
LN 3	41.5-57.5	53.4-54.0	44.4-44.5	55	45	
LN 5	41.1-57.1	53.4-54.0	44.2-44.7	55	45	
LN 6	41.2-57.1	52.9-53.9	44.1-44.4	55	45	
		AMBIENT NOISE	INSIDE THE QUAR	RY		
LN 4	46.2-65.8	58.9-60.4	49.0-49.4	75	70	
LN 7	47.5-68.5	61.8-63.8	52.6-52.9	75	70	
		JANUARY T	O MARCH 2025			
		NOISE LEVEL	AT THE VILLAGES			
Location	Range in	Leq.Value in dB(A)	Leq.Value in dB(A)	Permissible	Permissible	
	dB(A)	Day time	Night time	limit Day time	limit Night	
LN 1	43.4-59.4	55.6-56.3	46.8-47.2	65	55	
LN 2	40.5-58.5	53.3-54.8	44.1-44.4	55	45	
LN 3	41.5-57.1	53.3-53.7	44.2-44.7	55	45	
LN 5	41.2-58.7	53.1-54.5	44.2-44.3	55	45	
LN 6	41.7-57.2	53.1-53.9	44.3-44.6	55	45	
AMBIENT NOISE INSIDE THE QUARRY						
LN 4	44.7-65.1	57.3-60.0	48.0-48.3	75	70	
LN 7	46.2-69.5	61.9-64.6	51.9-53.0	75	70	

2.8 Vehicular emission:

Vehicular emission monitored was done once during the study period of October 2024 to March 2025 for all the Heavy Earth Moving Machines (HEMM) operating in the mine by Meghalaya State Pollution Control Board using Smoke Density Meter.

2.9 Cave Protection

Monitoring of cave was conducted by physical inspection. The entry to the cave has been protected by providing fencing and gate which is locked to prevent unauthorized entry as shown in figure (Refer Plate No.1). Photographs of twin sink holes during the study period also shown in plate No.1 of page No.84.

3 CONCLUSION

AIR ENVIRONMENT:

The ambient air quality monitored at the five locations in the core and buffer zones from 1 October 2024 to 31 March 2025 remained well within the permissible limits.

WATER QUALITY:

The surface water quality results indicate that all parameters were well within the permissible limits as prescribed for surface water (IS-2296 Class C).

NOISE ENVIRONMENT:

Noise monitoring results show that noise levels remained were well within the prescribed limits.

CAVE PROTECTION:

Based on visual observation, no change in physical appearance was observed on twin sink holes and cave. Cave openings have been protected as shown in (Plate No.1).

4. Tables, Exhibits and Plates
| SI. No | Parameters | Oct to Dec 2024 | Jan to Mar 2025 |
|--------|--------------------------------------|-----------------|-----------------|
| 1 | Predominant Wind with direction from | N-NW | N-NNE |
| 2 | Temperature ° C | | |
| | I)Minimum | 14.0 ° C | 12.0 ° C |
| | ii)Maximum | 41.6 ° C | 37.5 ° C |
| | Average Temperature | 26.9 ° C | 24.2 ° C |
| 3 | Humidity % | | |
| | I)Minimum | 14.3 % | 14.2 % |
| | ii)Maximum | 94.4 % | 93.6 % |
| | Average humidity | 58.5 % | 52.4 % |
| 4 | Rainfall (mm) | 350.0 mm | 243.0 mm |

LA	FARGE U AMBIEN HEMM Wor	JMIAM I IT AIR Q kshop (Ligi	MINING UALITY ht Section N	PVT. LTD. DATA Vear ETP)			
		STATION	: LA-1	Table :2			
				Table .2			
DATE			24 HOURLY		NO	Permis: (µg/m ³)	sible Limit
1 0 -+ 2024	PN	1 ₁₀	PM _{2.5}	SO ₂	NOx		100
5 Oct 2024	55.8		22.8	6.7	9.2	PM 10	100 μg/m3
9 Oct 2024	55	.0	23.0	6.8	10.0	PIVI 2.5	80 µg/m3
11 Oct 2024	57	.2	24.0	6.8	8.4	New	80 µg/m3
14-Oct-2024	59	5	23.2	6.5	10.4	Nox	00 µg/m3
18-Oct-2024	58	58.9		7.2	10.4		
22-Oct-2024	59	5	26.4	6.8	12.4		
25-Oct-2024	57	.2	25.2	5.8	10.5		
29-Oct-2024	57	.5	25.6	6.4	11.2		
1-Nov-2024	57	.2	24.6	5.2	9.5		
5-Nov-2024	58	.2	26.5	6.2	12.4		
8-Nov-2024	59	.7	24.8	7.5	9.2		
11-Nov-2024	58	.7	24.2	7.8	10.5		
14-Nov-2024	58	.9	24.5	7.2	10.4		
18-Nov-2024	59	.5	26.4	6.8	12.4		
22-Nov-2024	60	.2	27.4	7.9	13.5		
25-Nov-2024	59.2		26.2	7.0	10.2		
29-Nov-2024	58.4		26.2	6.2	12.2		
1-Dec-2024	59.5		26.4	6.8	12.4		
5-Dec-2024	60	.2	25.8	7.6	11.5		
8-Dec-2024	59	.7	24.8	6.8	9.2		
11-Dec-2024	58	.5	25.8	6.5	12.0		
14-Dec-2024	58	.7	26.2	6.8	12.2		
18-Dec-2024	58	.9	26.5	7.2	10.4		
22-Dec-2024	57	.9	24.6	6.8	9.4		
27-Dec-2024	57	.8	23.8	6.7	8.6		
31-Dec-2024	58	.2	25.4	6.2	11.6		
	PM10	PM _{2.5}	SO ₂	NOx			
Number of observation	27	27	27	27			
Arithmetic Mean	58.3	25.3	6.8	10.8			
Geometric Mean	58.3	25.3	6.7	10.7			
STD. GEO. Devn. (24 hrs)	1.5	1.1	0.6	1.3			
Max. Concentration	60.2	27.4	7.9	13.5			
Min. Concentration	53.2	22.8	5.2	8.4			
98 Percentile values	60.2	26.9	7.8	12.9			
Detection Limit (µg/m ³)							
NOTE:	ALL VALU	ES ARE IN	μg/m ³				

LAP	FARGE UMIAN AMBIENT AIR	M MINING F	VT. LTD. DATA			
	Near	Magazine				
	STATIC	ON : LA-2				
				Table:3		
DATE		24 H	OURLY		Permis	sible Limit
	PM ₁₀	PM _{2.5}	SO ₂	NOx	(µg/m³)	
1-Oct-2024	51.7	20.4	5.5	8.2	PM 10	100 µg/m3
5-Oct-2024	53.6	22.6	5.6	8.2	PM 2.5	60 µg/m3
8-Oct-2024	54.7	23.1	5.9	8.8	Sox	80 µg/m3
11-Oct-2024	55.8	23.6	6.2	7.8	Nox	80 µg/m3
14-Oct-2024	55.7	23.8	5.4	6.7		
18-Oct-2024	56.4	22.8	6.2	7.4		
22-Oct-2024	57.5	25.2	6.0	7.6		
25-Oct-2024	55.7	22.6	5.7	8.2		
29-Oct-2024	55.6	23.5	5.8	7.4		
1-Nov-2024	54.7	22.5	4.9	5.8		
5-Nov-2024	56.8	24.2	6.6	10.4		
8-Nov-2024	57.4	23.5	6.4	7.5		
11-Nov-2024	56.2	23.2	6.5	7.2		
14-Nov-2024	56.4	22.8	6.2	7.4		
18-Nov-2024	57.5	25.2	6.0	7.6		
22-Nov-2024	58.9	26.2	6.5	7.8		
25-Nov-2024	57.8	25.8	6.4	7.4		
29-Nov-2024	56.4	24.0	6.2	10.2		
1-Dec-2024	57.5	25.2	6.0	7.6		
5-Dec-2024	57.9	24.2	5.8	6.9		
8-Dec-2024	57.4	23.5	6.2	7.5		
11-Dec-2024	56.2	24.5	5.8	7.6		
14-Dec-2024	56.4	24.6	5.7	7.4		
18-Dec-2024	56.4	22.8	6.2	7.4		
22-Dec-2024	55.6	22.6	6.2	6.9		
27-Dec-2024	55.8	22.4	5.8	6.6		
31-Dec-2024	56.4	24.0	5.8	8.2		
	PM10	PM _{2.5}	SO ₂	NOx		
Number of observations	27	27	27	27		
	27	27	27	2.		
Arithmetic Mean	56.2	23.7	6.0	7.7		
Geometric Man	56.2	23.6	6.0	7.6		
STD. GEO. Devn. (24 hrs)	1.4	1.2	0.4	1.0		
Max. Concentration	58.9	26.2	6.6	10.4		
Min. Concentration	51.7	20.4	4.9	5.8		
98 Percentile values	58.4	26.0	6.5	10.3		
Detection Limit (µg/m ³)						
			3			
NOTE:	ALL VALUES	SARE IN µg/m				

	LAFA	RGE U MBIEN	MIAM MINI T AIR QUAI	NG PV .ITY D	T. LT ATA	D.			
	Near Pl	hlangka	aruh village (Near B	arrac	kI			
		<u>د</u>	IATION ? L	A-3			Table :4		
DATE			24 HO	URLY		1		Permis:	sible Limit
	PM	1 ₁₀	$PM_{2.5}$	S	O ₂	N	Ox	(µg/m)	1
1-Oct-2024	48	.2	20.7	5	.2	6	.5	PM 10	100 µg/m3
5-Oct-2024	51	.2	22.0	4	.9	5	.3	PM 2.5	60 µg/m3
8-Oct-2024	52	.4	22.1	5	.4	6	.3	Sox	80 µg/m3
11-Oct-2024	53	.6	22.5	5	.2	6	.4	Nox	80 µg/m3
14-Oct-2024	53	.5	22.2	4	.8	6	.7	_	
18-Oct-2024	54	.8	22.4	5	.4	6	.4		
22-Oct-2024	55	.8	24.8	5	.6	6	.7		
25-Oct-2024	53	.4	22.4	4	.7	5	.9		
29-Oct-2024	52	.6	22.5	5	.2	6	.2	_	
1-Nov-2024	52	.4	20.2	4	.3	5	.4		
5-Nov-2024	55	.4	23.2	5	.2	6	.8		
8-Nov-2024	55	.4	22.8	5	.6	6	.8		
11-Nov-2024	53	.9	21.8	5	.2	6	.4		
14-Nov-2024	54	.8	22.4	5	.4	6	.4		
18-Nov-2024	55	.8	24.8	5	.6	6	.7		
22-Nov-2024	57	.6	25.8	5	.8	6	.9		
25-Nov-2024	56	.2	25.4	5	.9	6	.7		
29-Nov-2024	54	.6	22.2	5	.2	6	.2		
1-Dec-2024	55	.8	24.8	5	5.6 6		.7		
5-Dec-2024	55	.6	22.8	5	.2	6	.9		
8-Dec-2024	55	.4	22.8	5	.6	6	.8		
11-Dec-2024	54	.5	22.6	5	.4	6	.4		
14-Dec-2024	54	.5	24.2	5	.6	6	.4		
18-Dec-2024	54	.8	22.4	5	.4	6	.4		
22-Dec-2024	53	5	22.8	5	.4	6	.5		
27-Dec-2024	52	8	21.5	4	9	5	8		
31-Dec-2024	54	6	22.2	5	2	6	2		
01-000-2024	54	.0	22.2						
		D	~ ~						
	PM ₁₀	PM _{2.5}	SO ₂	NOx					
Number of observations	27	27	27	27				_	
Arithmetic Mean	54.2	22.8	5.3	6.4					
Geometric Mean	54.2	22.8	53	64					
	51.2	22.0	2.2	0.1					
STD. GEO. Devn. (24 hrs)	1.9	1.3	0.4	0.4				_	
				-				-	
Max. Concentration	57.6	25.8	5.9	6.9					
Min. Concentration	48.2	20.2	4.3	5.3					
98 Percentile values	56.9	25.6	5.8	6.9					
Detection Limit (µg/m ³)									
NOTE:	ALL VA	LUES A	RE IN µg/m ³						

	1	AMBIE	UMIAM MINI	NG PVT. LT	D.			
		AMBIE.	Pyrkan villag	ge				
			STATION : L	4-4		Table:5		
DATE			24 HC	URLY			Permis	sible Limit
	PN	1 10	PM 2.5	SO	2	NOx	(µg/m³)	
1-Oct-2024	45	.8	19.7	3.2	2	5.5	PM 10	100 µg/m3
5-Oct-2024	49	.2	21.0	4.3	3	5.4	PM 2.5	60 µg/m3
8-Oct-2024	50	.2	21.1	4.4	L I	5.4	Sox	80 µg/m3
11-Oct-2024	51	.7	22.4	4.6	5	5.7	Nox	80 µg/m3
14-Oct-2024	51	.2	21.8	3.8	3	5.2		
18-Oct-2024	52		21.8	5.4	L.	5.8		
22-Oct-2024	53	.4	22.6	4.6	5	5.8		
25-Oct-2024	50	.2	20.5	3.8	3	4.7		
29-Oct-2024	50	.4	20.2	3.8	3	5.4		
1-Nov-2024	50	.2	19.7	3.2	2	4.4		
5-Nov-2024	51	.4	21.2	4.2	2	5.5		
8-Nov-2024	52	.4	22.2	4.9		5.9		
11-Nov-2024	51	.4	21.2	4.5	5	5.8		
14-Nov-2024	52	6	21.8	5.4	F .	5.8		
18-Nov-2024	53	.4	22.6	4.6	5	5.8		
22-Nov-2024	55	.7	23.8	5.6	5	6.4	_	
25-Nov-2024	54	54.2		5.4	L.	6.2		
29-Nov-2024	53.5		22.4	4.6	5	5.8	_	
1-Dec-2024	53	53.4		4.6	5	5.8	_	
5-Dec-2024	52	.4	22.8	4.8	3	5.9	_	
8-Dec-2024	52	.4	22.2	4.9	>	5.9	_	
11-Dec-2024	51	.5	21.8	4.2	2	4.8	_	
14-Dec-2024	52	8	22.4	4.6	5	5.4		
18-Dec-2024	52		21.8	5.4	•	5.8		
22-Dec-2024	51	.4	21.2	4.8	3	5.7	_	
27-Dec-2024	50	0.2	20.4	4.2	2	5.6	_	
31-Dec-2024	53	.5	22.4	4.6	>	5.8	_	
							_	
	PM ₁₀	PM 2.5	SO ₂	NOx				
Number of observations	27	27	27	27				
Arithmetic Mean	51.8	21.7	4.5	5.6				
Geometric Mean	51.8	21.7	4.5	5.6				
STD. GEO. Devn. (24 hrs)	1.9	1.0	0.6	0.4				
Max. Concentration	55.7	23.8	5.6	6.4				
Min. Concentration	45.8	19.7	3.2	4.4				
98 Percentile values	54.9	23.6	5.5	6.3				
Detection Lines 3								
Detection Limit (µg/m ⁻)								
NOTE:	ALL VALU	JES ARE IN	Vμg/m ³					

	LAFARGE UMIAI AMBIENT AII	M MINING PV R QUALITY DA	T. LTD. ATA				
	Shel	lla Bazar					
	SIAIA				Table:6		
DATE		24.1	OLDI V			Pormis	sible Limit
DATE	PMio	PM _{2.6}	SURLY	0	NOx	(µg/m ³)	
1-Oct-2024	47.5	19.8	4	2	5.5	PM 10	100 µg/m3
5-Oct-2024	50.7	22.5	4	3	5.5	PM 2.5	60 µg/m3
8-Oct-2024	49.5	21.6	3	9	5.5	Sor	80 µg/m3
11-Oct-2024	52.6	22.5	4	8	5.6	Nox	80 µg/m3
14-Oct-2024	52.5	21.5	3	6	5.0	1 NOA	oo µg/mo
18-Oct-2024	53.7	22.5	1	0	5.6		
22-Oct-2024	54.2	22.0	4	5	5.8		
22-0ct-2024	51.6	10.2	4	5	5.0		
20-Oct-2024	51.0	19.2	3		5.8		
1 Nov 2024	51.0	21.4	4	2	5.2		
F New 2024	51.7	18.0	3	.2	4.8		
5-Nov-2024	52.8	22.4	4	.2	5.4		
8-Nov-2024	53.6	23.2	4	.8	5.9		
11-Nov-2024	53.2	23.4	4	.6	5.8		
14-Nov-2024	53.7	22.6	4	.9	5.6		
18-Nov-2024	54.2	22.4	4	.5	5.8		
22-Nov-2024	53.8	22.8	5	.0	5.7		
25-Nov-2024	52.6	22.2	4	.2	5.4		
29-Nov-2024	9-Nov-2024 52.2 22.0		4	.0	5.2		
1-Dec-2024	54.2	22.4	4.5		5.8		
5-Dec-2024	53.2	23.5	4	.8	5.9		
8-Dec-2024	53.6	23.2	4	.8	5.9		
11-Dec-2024	52.4	21.8	4.2		5.0		
14-Dec-2024	53.7	22.5	4	.2	5.6		
18-Dec-2024	53.7	22.6	4	.9	5.6		
22-Dec-2024	52.4	22.2	4	.5	5.8		
27-Dec-2024	52.4	21.4	4	.5	5.4		
31-Dec-2024	52.2	22.0	4	.0	5.2		
	PM ₁₀	PM _{2.5}	SO ₂	NOx			
Number of observations	27	27	27	27			
Arithmetic Mean	52.6	22.0	4.4	5.5			
Geometric Mean	52.6	22.0	4.3	5.5			
STD. GEO. Devn. (24 hrs)	1.5	1.2	0.5	0.3			
Max. Concentration	54.2	23.5	5.0	5.9			
Min. Concentration	47.5	18.6	3.2	4.8			
98 Percentile values	54.2	23.4	4.9	5.9			
Detection Limit (ug/m ³)							
NOTE	ALL VALUES ADD	TN ug/m ³					
	ALL TALOLS AN	μ ₆ , μ ₆ , μ ₁					

LA	FARGE U	JMIAM N	MINING	PVT. LTD.			
	HEMM Wor	kshop (Lig)	ht Section N	Vear ETP)			
		STATION	: LA-1	Table 7			
				Table :/			
DATE			24 HC	DURLY	1	Permis	sible Limit
	PN	110	PM _{2.5}	SO ₂	NOx	(µg/m)	1
2-Jan-2025	58.5		24.2	7.4	11.2	PM 10	100 µg/m3
5-Jan-2025	60	0.2	25.6	6.9	11.5	PM 2.5	60 µg/m3
8-Jan-2025	8-Jan-2025 59.7 11-Jan-2025 61.5 14-Jan-2025 62.5		24.6	6.8	10.2	Sox	80 µg/m3
11-Jan-2025			26.8	7.5	11.6	Nox	80 µg/m3
14-Jan-2025	59	59.5		6.8	12.4		
18-Jan-2025	58.6		24.8	6.7	10.5		
22-Jan-2025	59	.2	25.6	7.0	11.2		
25-Jan-2025	Jan-2025 58.7		25.8	6.5	11.8		
29-Jan-2025	58	.9	24.5	7.2	10.4		
2-Feb-2025	58	.9	24.5	7.2	10.4		
5-Feb-2025	59	.7	24.8	7.6	9.2		
8-Feb-2025	57	.2	25.4	6.4	10.8		
11-Feb-2025	58	.7	26.5	6.8	12.2		
14-Feb-2025	57	.5	25.6	6.4	11.2		
18-Feb-2025	58	.5	25.8	6.5	12.0		
22-Feb-2025	57.2 57.9 58.6		25.4	6.4 10.8			
25-Feb-2025			23.8	6.8	10.2		
28-Feb-2025			24.2	7.9	11.5		
1-Mar-2025	58.6		24.8	6.7	10.5		
4-Mar-2025	57	.9	23.2	8.9	11.2		
8-Mar-2025	59	.2	25.6	7.0	11.2		
12-Mar-2025	57	.2	24.5	6.4	10.2		
16-Mar-2025	55	.8	22.7	7.6	9.2		
19-Mar-2025	56	.8	23.5	6.8	10.7		
23-Mar-2025	57	.5	22.8	6.5	10.6		
27-Mar-2025	58	.2	25.2	6.8	10.5		
30-Mar-2024	58	.5	23.8	6.6	10.4		
	PM10	PM _{2.5}	SO ₂	NOx			
Number of observation	27	27	27	27			
Arithmetic Mean	58.5	24.8	7.0	10.9			
Geometric Mean	58.5	24.8	6.9	10.8			
STD. GEO. Devn. (24 hrs)	1.2	1.1	0.6	0.8			
Max. Concentration	61.5	26.8	8.9	12.4			
Min. Concentration	55.8	22.7	6.4	9.2			
98 Percentile values	60.8	26.6	8.4	12.3			
Detection Limit (µg/m ³)							
NOTE	ALL VALL	ES APE IN	ug/m ³				
·····	. LLL VALU		P-6/ ***				

LAI	FARGE UMIA	M MINING	PVT. LTD.			
	AMBIENT AI	R QUALITY	Y DATA			
	STAT	ON : LA-2				
	SIAI	ON . LA 2		Table:8		
DATE		24 H	OURLY		Permis	sible Limit
	PM ₁₀	PM _{2.5}	SO ₂	NOx	(µg/m ³)	
2-Jan-2025	56.2	23.2	5.8	9.5	PM 10	100 µg/m3
5-Jan-2025	57.8	23.2	6.2	10.5	PM 2.5	60 µg/m3
8-Jan-2025	56.8	23.2	6.5	10.2	Sox	80 µg/m3
11-Jan-2025	58.7	24.2	6.8	10.4	Nox	80 µg/m3
14-Jan-2025	57.5	25.2	6.0	7.6		
18-Jan-2025	56.3	23.8	5.6	8.5		
22-Jan-2025	57.2	24.5	6.4	10.2		
25-Jan-2025	56.2	24.2	5.8	7.6		
29-Jan-2025	56.4	22.8	6.2	7.4		
2-Feb-2025	56.4	22.8	6.2	7.4		
5-Feb-2025	57.2	23.6	6.8	7.5		
8-Feb-2025	55.2	23.4	5.7	7.2		
11-Feb-2025	56.4	24.6	5.7	7.4		
14-Feb-2025	55.6	23.5	5.8	7.4		
18-Feb-2025	56.2	24.5	5.8	7.6		
22-Feb-2025	55.2	23.4	5.7	7.2		
25-Feb-2025	55.7	22.4	5.6	9.8		
28-Feb-2025	55.9	22.8	6.2	9.5		
1-Mar-2025	56.3	26.8	5.6	8.5		
4-Mar-2025	55.7	22.4	5.9	9.7		
8-Mar-2025	57.2	24.5	6.4	10.2		
12-Mar-2025	55.4	23.2	5.6	8.2		
16-Mar-2025	53.7	21.5	5.2	8.5		
19-Mar-2025	53.7	21.8	5.4	8.7		
23-Mar-2025	55.4	23.2	5.6	8.5		
27-Mar-2025	54.6	22.8	5.6	9.4		
30-Mar-2024	56.4	21.7	6.2	9.2		
	PM10	PM _{2.5}	SO ₂	NOx		
Number of observations	27	27	27	27		
Number of observations	21	27	27	27		
Arithmetic Mean	56.1	23.5	5.9	8.7		
Geometric Mean	56.1	23.4	5.9	8.6		
STD. GEO. Devn. (24 hrs)	1.1	1.1	0.4	1.1		
Max. Concentration	58 7	26.8	6.8	10.5		
Min. Concentration	53.7	21.5	5.2	7.2		
98 Percentile values	58.2	26.0	6.8	10.4		
		20.0	0.0			
a						
Detection Limit (µg/m ⁻)						
NOTE:	ALL VALUES	S ARE IN μg/m	3			

	LAFA AN Near Pi	RGE U ABIEN hlangka	MIAM MINI T AIR QUAL aruh village (NG PV JITY D Near E	T. LT ATA Barrac	TD.			
		S	TATION : L	A-3					
							Table :9		
DATE			24 HO	IPI V				Permise	sible Limit
DITL	PM	1 ₁₀	PM _{2.5}	s	O ₂	N	Ox	(µg/m³)	
2-Jan-2025	54	.3	22.8	5	.5	6	.7	PM 10	100 µg/m3
5-Jan-2025	54	.8	22.4	5	.9	7	.4	PM 2.5	60 µg/m3
8-Jan-2025	53	.7	22.6	5	.9	6	.5	Sox	80 µg/m3
11-Jan-2025	56	.4	23.2	5	.8	7	.2	Nox	80 µg/m3
14-Jan-2025	55	.8	24.8	5	.6	6	.7		
18-Jan-2025	54	.2	22.0	5	.6	6	.4		
22-Jan-2025	55	.8	22.8	5	.4	6	.5		
25-Jan-2025	54	.5	22.8	5	.4	6	.5		
29-Jan-2025	54	.8	22.4	5	.4	6	.4		
2-Feb-2025	54	.8	22.4	5	.4	6	.4		
5-Feb-2025	54	.8	22.6	5	.4	6	.2		
8-Feb-2025	52	.8	22.6	5	.2	6	.5		
11-Feb-2025	54	.5	24.2	5	.6	6	.4		
14-Feb-2025	52	.6	22.5	5	.2	6	.2		
18-Feb-2025	54	.5	22.6	5	.4	6	.4		
22-Feb-2025	52	.8	22.6	5	.2	6	.5		
25-Feb-2025	53	.2	21.4	5	.2	6	.5		
28-Feb-2025	53	.8	21.7	5	.6	6	.7		
1-Mar-2025	54	.2	22.0	5	.6	6	.4		
4-Mar-2025	ar-2025 53.6		21.5	5	.6	6	.8		
8-Mar-2025	55	.8	22.8	5	.4	6	.5		
12-Mar-2025	53	.2	22.5	5	.4	6	.0		
16-Mar-2025	52	.7	20.5	5	.4	6	.8		
19-Mar-2025	50	.5	21.4	5	.4	6	.5		
23-Mar-2025	53	.5	22.4	5	.6	6	.3		
27-Mar-2025	52	.5	22.4	5	.5	6	.2		
30-Mar-2024	54	.5	21.8	5	.4	6	.5		
	PM_{10}	PM2.5	SO ₂	NOx					
Number of observations	27	27	27	27					
Number of observations	21	21	27	21					
Arithmetic Mean	54.0	22.4	5.5	6.5				-	
Geometric Mean	54.0	22.4	5.5	6.5					
STD. GEO. Devn. (24 hrs)	1.3	0.8	0.2	0.3					
Max. Concentration	56.4	24.8	5.9	7.4					
Min. Concentration	50.5	20.5	5.2	6.0					
98 Percentile values	56.1	24.5	5.9	7.3					
Detection Limit (µg/m ³)									
NOTE	ATT VA	LIES A	RE IN us/m ³						
TOTE.	ALL VA	LODSA	ice in µg/m		1				1

	1	LAFARGE	UMIAM MINI	NG PVT. LT	۲D.					
		AMBIE	NT AIR QUAL	ITY DATA					_	
			STATION : L	1-4						
						Table:	10			
DATE			24 HO	URLY				Permis	sible	Limit
	PM10		PM 2.5	SO	2	NOx		(µg/m ³)		
2-Jan-2025	52		22.7	3.8	3	5.4		PM 10	100 µg/	/m3
5-Jan-2025	52		21.4	4.2	2	5.9		PM 2.5	60 µg/n	n3
8-Jan-2025	50	0.7	21.2	3.8	3	5.7		Sox	80 µg/n	n <mark>3</mark>
11-Jan-2025	54	.2	22.6	3.8	3	5.6		Nox	80 µg/n	n <mark>3</mark>
14-Jan-2025	53	.4	22.6	4.6	5	5.8				
18-Jan-2025	52	2.4	21.3	3.0	5	5.2				
22-Jan-2025	53	.2	22.9	3.0	5	5.8				
25-Jan-2025	52		22.2	4.5	5	5.2				
29-Jan-2025	52	2.6	21.8	5.4	1	5.8				
2-Feb-2025	52	2.6	21.8	5.4	1	5.8				
5-Feb-2025	52		22.8	5.2	2	5.8				
8-Feb-2025	50).4	20.5	3.0	5	5.2				
11-Feb-2025	52	8	22.4	4.0	5	5.4				
14-Feb-2025	50).4	20.2	3.8	3	5.4				
18-Feb-2025	51	.5	21.8	4.2	2	4.8				
22-Feb-2025	50).4	20.5	3.0	5	5.2				
25-Feb-2025	51	51.8 51.4 52.4		3.2	2	5.4				
28-Feb-2025	51			3.8	3	5.8				
1-Mar-2025	52			3.6	5	5.2				
4-Mar-2025	51	5	22.5	3.9)	5.8				
8-Mar-2025	53	.2	22.9	3.6	5	5.8				
12-Mar-2025	51	.4	21.2	3.8	3	4.6				
16-Mar-2025	50).2	19.8	3.8	3	5.5				
19-Mar-2025	49	9. <mark>8</mark>	20.7	3.9)	5.7				
23-Mar-2025	51	.7	20.8	3.6	5	4.7				
27-Mar-2025	50	.8	20.6	3.6	5	4.5				
30-Mar-2024	52	2.6	21.5	3.7	7	5.4				
	PM ₁₀	PM 2.5	SO ₂	NOx						
Number of observations	27	27	27	27						
Arithmatia Maan	51.0	21.5	4.0	5.4						
And interest with an	51.5	21.5	4.0	5.4						
Geometric Mean	51.9	21.5	4.0	5.4						
STD. GEO. Devn. (24 hrs)	1.1	1.0	0.6	0.4						
Max. Concentration	54.2	22.9	5.4	5.9						
Min. Concentration	49.8	19.8	3.2	4.5						
98 Percentile values	53.8	22.9	5.4	5.8						
Detection Limit (µg/m ³)										
NOTE:	ALL VALU	JES ARE IN	Vμg/m ³							

	LAFARGE UMIAN AMBIENT AIR	M MINING PV R QUALITY DA	T. LTD. ATA				
	Shel STATI	la Bazar ON : LA-5					
					Table:11		
DATE	24 HOURLY						sible Limit
	PM ₁₀	PM _{2.5}	S	02	NOx	(µg/m³)	
2-Jan-2025	53.6	22.4	4	.8	5.7	PM 10	100 µg/m3
5-Jan-2025	53.5	21.5	4	.5	6.8	PM 2.5	60 µg/m3
8-Jan-2025	52.8	20.7	4.5		5.8	Sox	80 µg/m3
11-Jan-2025	55.4	22.8	4	.7	5.8	Nox	80 µg/m3
14-Jan-2025	54.2	22.4	4	.5	5.8		
18-Jan-2025	53.4	22.1	4	.8	5.7		
22-Jan-2025	54.2	20.4	4	.5	6.2		
25-Jan-2025	53.2	22.5	4	.5	5.4		
29-Jan-2025	53.7	22.6	4	.9	5.6		
2-Feb-2025	53.7	22.6	4	.9	5.6		
5-Feb-2025	53.5	22.4	5	.2	5.6		
8-Feb-2025	51.8	21.5	4	.0	4.8		
11-Feb-2025	53.7	22.5	4	.2	5.6		
14-Feb-2025	51.6	21.4	4	.2	5.2		
18-Feb-2025	52.4	21.8	4	.2	5.0		
22-Feb-2025	51.8	21.5	4.0		4.8		
25-Feb-2025	52.8	20.2	4	.2	5.8		
28-Feb-2025	52.9	21.5	4	.7	5.8		
1-Mar-2025	53.4	22.1	4.8		5.7		
4-Mar-2025	52.6	22.6	4	.4	5.7		
8-Mar-2025	54.2	20.4	4	.5	6.2		
12-Mar-2025	52.6	21.5	4.2		5.2		
10-Mar-2025	51.4	20.7	3	.8	5.5		
19-Mar-2025	51.4	21.2	3	.5	5.6		
23-Mar 2025	52.8	21.4	4	./	5.8		
30-Mar-2024	54.2	21.4	4	8	5.6		_
30-Mai-2024	54.2	21.2	4	.0	5.0		
	PM ₁₀	PM _{2.5}	SO ₂	NOx			
Number of observations	27	27	27	27			
Arithmetic Mean	53.0	21.7	4.5	5.6			
Geometric Mean	53.0	21.7	4.4	5.6			
STD. GEO. Devn. (24 hrs)	1.0	0.8	0.4	0.4			
Max. Concentration	55.4	22.8	5.2	6.8			
Min. Concentration	51.2	20.2	3.5	4.8			
98 Percentile values	54.8	22.7	5.0	6.5			
Detection Limit (µg/m ³)							
NOTE:	ALL VALUES ARE	E IN μg/m ³					

		\$	SURFACE WA	TER QUALIT	Y DATA	1		
Project	: Lafarage Umiam Mining Pvt. Ltd.		State :	Meghalaya				
Code	: LWQ-1		Sampling Loo	ation :Up Strea	m of Umiam Ri	ver		
								Table 12
Sl. No.	Parameter			Re	sults			
		Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	Standard IS - 2296 Class C
1	Temperature (0°C) Air- Water	-	-	-	-	-	-	
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00
3	pH	7.8	7.7	7.5	7.2	6.9	6.8	6.5-8.5
4	Electrical Conductivity (µmhos/cm)	192.4	195.5	192.5	190.5	182.2	178.2	
5	Turbidity (NTU)	3.6	4.2	3.7	4.3	6.8	8.8	
6	Dissolve Oxygen(mg/l)	5.8	6.4	5.8	6.1	6.2	4.2	4.00
7	Biochemical Oxygen Demand(mg/l)	4.00	4.00	5.00	4.00	4.00	4.00	3.00
8	Chemical Oxygen Demand (mg/l)	18.00	11.00	12.00	13.50	13.50	16.00	
9	Total Dissolve Solids (mg/l)	89.00	131.50	127.40	130.50	124.00	120.00	1500.00
10	Total Suspended Solids	12.00	17.00	14.50	15.00	14.40	12.00	100.00
11	Total hardness (mg/l)	72.00	74.50	72.50	70.50	68.40	48.40	
12	Chlorides as Cl (mg/l)	9.80	11.50	10.50	9.00	10.20	10.20	600.00
13	Alkalinity (mg/l)	52.40	57.40	53.40	50.50	49.80	36.00	
14	Calcium as Ca (mg/l)	26.60	33.20	31.40	30.40	26.80	25.80	
15	Sulphates SO4(mg/l)	21.80	27.50	25.50	27.50	26.40	22.40	400.00
16	Sulphides (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	
17	Nitrate (mg/l)	0.80	2.02	3.02	3.05	3.05	4.05	50.00
18	Nitrite (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	
19	Nickel (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	
20	Ammonia Nitrogen (mg/l)	0.18	0.17	0.19	0.20	0.20	0.20	
21	Arsenic as As (mg/l)	BDL	BDL	BDL.	BDL	BDL	BDL	0.20
22	Chromium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.05
23	Iron as Fe (mg/l)	0.08	0.21	0.20	0.24	0.19	0.20	0.50
24	Fluoride as F (mg/l)	BDL	0.04	0.03	0.05	0.06	0.06	1.50
25	Lead as Pb (mg/1)	BDL	BDL	BDL.	BDL	BDL	BDL	0.10
26	Copper as Cu (mg/l)	BDL	BDL	BDL.	BDL	BDL	BDL	1.50
27	Zinc as Zn (mg/l)	0.280	0.120	0.20	0.25	0.25	0.240	15.00
28	Cadmium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.01
29	Sodium (mg/l)	8.20	5.40	4.40	5.40	5.40	5.40	
30	Magnessium (mg/l)	3.80	6.30	6.40	7.10	8.20	5.20	
31	Manganese (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	
32	Phosphate (mg/l)	2.150	2.130	1.97	1.870	1.870	1.870	
33	Potassium (mg/l)	1.80	1.50	1.60	1.50	1.50	1.50	
	Microbiological Parameters							
1	Total Coliform (MPN/100 ml)	90.00	110.00	112.00	120.00	80.00	110.00	5000.00
	Remarks:- Analysis is don Recognized by Meghalaya BDL :- Below Detection Lin	e by ABNS S State Pollut nit	Scientific Ser ion Control B	vices Private L oard, refer to v	imited. Annexure VI			

	SURFACE WATER QUALITY DATA								
Project	· Lafarage Umiam Minin	-	State :	Meghalava					
rioject	Pvt. Ltd.	5	State .	Wegnalaya					
Code	: LWQ-2		Sampling Loc	ation :Down S	tream of Umian	n River			
(a) a:					1.			Table:13	
SI. No.	Parameter	Data of	Data of	Re:	Sults	Data of	Data of	Standard IS	
		Collection	Collection	Collection	Collection	Collection	Collection	2296 Class C	
		29-Oct-24	29-Nov-24	29-Dec-24	30-Jan-25	27-Feb-25	25-Mar-25		
1	Temperature (0°C) Air- Water	-	-	-	-	-	-		
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00	
3	pH	7.8	7.7	7.6	7.3	7.2	6.9	6.5-8.5	
4	Electrical Conductivity (µmhos/cm)	194.0	279.0	235.0	225.0	216.0	210.0		
5	Turbidity (NTU)	9.6	7.80	6.7	5.6	6.6	5.6		
6	Dissolve Oxygen(mg/l)	6.20	6.50	5.50	4.40	4.40	4.20	4.00	
7	Biochemical Oxygen Demand(mg/l)	4.00	2.40	2.10	2.50	2.50	5.00	3.00	
8	Chemical Oxygen Demand (mg/l)	18.00	6.90	7.50	6.50	6.50	18.00		
9	Total Dissolve Solids (mg/l)	142.00	174.00	171.00	170.50	164.00	136.00	1500.00	
10	Total Suspended Solids	32.00	15.00	14.00	15.00	14.00	12.00	100.00	
11	Total hardness (mg/l)	69.00	160.30	161.50	160.50	162.40	60.40		
12	Chlorides as Cl (mg/l)	10.60	9.60	7.90	8.70	7.80	6.80	600.00	
13	Alkalinity (mg/l)	56.40	98.00	95.50	90.50	88.60	46.60		
14	Calcium as Ca (mg/l)	29.40	42.50	40.40	42.50	40.60	38.60		
15	Sulphate as SO4(mg/l)	32.00	41.00	39.50	40.50	38.20	36.20	400.00	
16	Sulphides (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL		
17	Nitrate (mg/l)	4.46	2.24	1.98	2.10	2.40	3.80	50.00	
18	Nitrite (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL		
19	Nickel (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL		
20	Ammonia Nitrogen (mg/l)	BDL	0.13	0.12	0.03	0.03	0.02		
21	Arsenic as As (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.20	
22	Chromium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.05	
23	Iron as Fe (mg/l)	0.18	0.22	0.20	0.25	0.20	0.20	0.50	
24	Fluoride as F (mg/l)	0.04	0.03	0.02	0.03	0.02	0.03	1.50	
25	Lead as Pb (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.10	
26	Copper as Cu (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	1.50	
27	Zinc as Zn (mg/l)	0.120	0.25	0.240	0.250	0.250	0.250	15.00	
28	Cadmium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.01	
29	Sodium (mg/l)	3.20	3.40	5.50	4.50	4.50	4.30		
21	Magnesium (mg/l)	0.20	12.70 PDI	PDI	PDI	0.40	0.40		
51	Manganese (mg/1)	6 200	BDL	BDL	BDL 0.120	6 120	6 120		
32	Potospinare (mg/l)	0.200	1.20	1.40	1.20	1.20	0.020		
22	Fotassium (mg/l)	0.40	1.20	1.40	1.20	1.20	0.80		
<u> </u>	Total Coliform O/IDN/100	15							
1	ml)	40.0	80.00	79.0	80.0	80.0	60.0	5000.0	
	Pamarke: Analysis is d		S Scientific S	enrices Drivet	a Limited				
	Recognized by Meghala	va State Pol	lution Control	Board, refer	to Annexure 1	VI			
	BDL :- Below Detection Limit								

	SURFACE WATER QUALITY DATA										
				2.00 N N.							
Project	: Lafarage Umiam Mining		State :	Meghalaya							
Cada	Pvt. Ltd.		Sampling L	antion The Ste	one of Phiana	Ironah Dirror					
Code	: LwQ-3		Sampling Lo	cation : Op St	ream of Phiang	karun Kiver					
								Table:14			
Sl. No.	Parameter			Res	ults						
2542-2-244		Date of Date of Date of Date of				Date of	Standard IS -				
		Collection	Collection	Collection	Collection	Collection	Collection	2296 Class C			
		29-Oct-24	29-Nov-24	29-Dec-24	30-Jan-25	27-Feb-25	25-Mar-25				
	Temperature (0°C) Air-	-	-	-	-	-	-				
1	Water							200.00			
2	Colour (Hazen Units)	- 0.1	-	- 7.2	- 70	- 71	- 72	300.00			
<u> </u>	Electrical Conductivity	0.1	1.1	7.5	1.2	7.1	1.2	0.5-8.5			
4	(µmhos/cm)	239.00	215.00	197.00	195.00	198.00	188.00				
5	Turbidity (NTU)	5.40	3.50	4.40	5.50	6.40	5.40				
6	Disslove Oxygen(mg/l)	4.60	4.70	4.50	5.50	5.50	4.50	4.00			
7	Biochemical Oxygen Demand(mg/l)	4.00	2.50	1.97	2.00	2.00	2.00	3.00			
8	Chemical Oxygen Demand (mg/l)	20.00	7.90	6.90	6.80	6.80	4.80				
0	Total Dissolve Solids (mg/l)	146.00	142.00	131.00	135.00	138.00	137.00	1500.00			
10	Total Suspended Solids	15.00	17.00	15.00	14.00	12.20	15.00	100.00			
11	Total hardness (mg/l)	58.00	58.50	55.50	52.50	68.50	66.50				
12	Chlorides as Cl (mg/l)	34.50	37.00	35.00	40.00	38.00	36.00	600.00			
13	Alkalinity (mg/l)	42.00	73.40	71.50	70.50	57.60	61.60				
14	Calcium as Ca (mg/l)	23.40	19.50	20.20	21.20	19.20	18.20				
15	Sulphate as SO4(mg/l)	42.00	43.50	41.50	40.50	42.40	40.40	400.00			
16	Sulphides (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	400.00			
17	Nitrate (mg/l)	3.20	0.36	0.31	0.80	0.80	0.80	50.00			
18	Nitrite (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL				
19	Nickel (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL				
20	Ammonia Nitrogen (mg/l)	0.08	0.24	0.20	0.30	0.30	0.30				
21	Arsenic as As (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.20			
22	Chromium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.05			
23	Iron as Fe (mg/I)	0.24	0.12	0.10	0.20	0.10	0.10	0.50			
24	Fluoride as F (mg/l)	0.02	0.05	0.03	0.05	0.04	0.02	1.50			
25	Lead as Pb (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.10			
26	Copper as Cu (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	1.50			
27	Zinc as Zn (mg/l)	BDL	BDL	0.20	0.30	0.30	0.30	15.00			
28	Cadmium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.01			
29	Sodium (mg/l)	6.40	7.40	6.50	7.50	7.50	6.50				
30	Magnessium (mg/l)	6.80	4.80	3.90	4.30	5.40	3.40				
31	Manganese (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL				
32	Phosphate (mg/l)	0.400	1.76	1.700	1.600	1.600	1.600				
33	Potassium (mg/l)	0.50	0.17	0.14	0.15	0.15	0.14				
	Microbiological Parameters										
1	Total Coliform (MPN/100 ml)	40.00	ND	ND	ND	ND	N.D	5000.00			
	Demarke: Analysis is d	hu ADNO O	iontife Or	inne Drivete I	imite d						
	Recognized by Mechalava	State Pollutio	n Control Br	ard, refer to /	Annexure VI						
	BDL :- Below Detection Lim	it									
	ND:-Not Detected										

	SURFACE WATER QUALITY DATA								
Project	· Lafaraga Limiam Mining		State .	Maghalawa					
rioject	Put I td		State .	wiegnalaya					
Code	· I.WO-4		Sampling Lo	cation Down	Stream of Phla	ngkanıh River			
couc			campang 20			- galardi - di - di			
								Table:15	
Sl. No.	Parameter			Re	sults			Standard IS -	
		Date of	Date of	Date of	Date of	Date of	Date of	2296 Class	
		Collection	Collection	Collection	Collection	Collection	Collection	c	
	Temperature (0°C) Air	29-Oct-24	29-Nov-24	29-Dec-24	30-Jan-20	27-Feb-25	20-Mar-20		
1	Water	-	-	-	-	-	-		
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00	
3	pН	7.8	7.4	7.3	7.1	6.9	6.9	6.5-8.5	
4	Electrical Conductivity (µmhos/cm)	162.0	149.0	145.0	155.0	154.0	149.0		
5	Turbidity (NTU)	4.0	6.1	7.2	6.5	5.8	4.5		
6	Disslove Oxygen(mg/l)	6.60	6.20	5.70	5.50	5.40	5.20	4.00	
7	Biochemical Oxygen Demand(mg/l)	4.00	5.00	4.00	5.00	6.00	5.00	3.00	
8	Chemical Oxygen Demand (mg/l)	18.00	18.00	16.00	17.00	18.00	15.00		
9	Total Dissolve Solids (mg/l)	102.00	98.00	94.50	92.40	104.00	89.00	1500.00	
10	Total Suspended Solids	10.00	16.00	20.00	19.00	18.00	18.00	100.00	
11	Chloridas as Cl (mg/l)	43.40	49.50	47.40	48.50	50.20	29.20	(00.00	
12	Alkalinity (mg/l)	19.00	19.30	20.40	21.50	20.40	18.40	600.00	
15	Calcium as Ca (mg/l)	33.00	01.40	10.40	00.30	38.40	20.40		
14	Sulphate as SO4(mg/l)	21.40	20.30	19.40	21.50	20.00	20.00	400.00	
15	Sulphides (mg/l)	30.00	40.40	43.40	47.00	40.40	10.40	400.00	
16		BDL	BDL	BDL	BDL	BDL	BDL		
17	Nitrate (mg/l)	1.40	1.14	1.20	1.30	1.30	2.20	50.00	
18	Nitrite (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL		
19	Nickel (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL		
20	Ammonia Nitrogen (mg/l)	0.22	0.52	0.40	0.50	0.50	0.50		
21	Arsenic as As (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.20	
22	Chromium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.05	
23	Iron as Fe (mg/l)	0.10	0.15	0.20	0.40	0.20	0.20	0.50	
24	Fluoride as F (mg/l)	BDL	0.07	0.08	0.07	0.06	0.04	1.50	
25	Lead as Pb (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.10	
26	Copper as Cu (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	1.50	
27	Zinc as Zn (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	15.00	
28	Cadmium (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL	0.01	
29	Sodium (mg/l)	19.40	9.06	10.40	11.50	3.50	10.50		
30	Magnessium (mg/l)	6.80	4.21	3.37	39.50	38.40	4.40		
31	Manganese (mg/l)	BDL	BDL	BDL	BDL	BDL	BDL		
32	Potassium (mg/l)	0.40	2.34	1.67	1.550	0.400	1.500		
33	r otassium (mg/1)	6.80	2.24	1.97	2.10	0.94	2.10		
	Microbiological Paramete	rs							
1	n otal Coliform (MPN/100 ml)	160.00	60.00	57.0	40.0	50.0	40.0	5000.00	
	Remarks:- Analysis is d Recognized by Meghala BDL :- Below Detection	one by ABN ya State Po Limit	S Scientific	Services Priv ol Board, refe	ate Limited. r to Annexure	VI			

Project :

Lafarage Umiam Mining Pvt. Ltd State :

Meghalaya

Code :

Sampling Loc: Down stream of Umiam River near Temporary Bridge (during fair weather)

Date of Measurement :17.10.2024

LWF-1

Table:No. 16

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m ²)	Discharge (m ³ /sec)		
1	0.0	0.0	0.0	0.0	0.0	0.0		
2	8.40	8.40	2.00	0.15	8.40	0.63		
3	16.80	8.40	2.50	0.22	18.90	3.50		
4	25.20	8.40	2.00	0.20	18.90	3.97		
5	33.60	8.40	2.00	0.30	16.80	4.20		
6	42.00	8.40	1.50	0.30	14.70	4.41		
7	50.40	8.40	1.00	0.20	10.50	2.63		
8	58.80	8.40	0.00	0.10	4.20	0.63		
					Total	19.96		
Discharge $m^3/hr = 82615.68$								

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. Ltd State :

Meghalaya

Code :

LWF-1

Sampling Loc: Down stream of Umiam River Top of the bridge (during fair weather)

Date of Measurement :22.11.2024

Table No: 16 a

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m ²)	Discharge (m ³ /sec)		
1	0.0	0.0	0.0	0.0	0.0	0.0		
2	8.40	8.40	1.00	0.15	4.20	0.32		
3	16.80	8.40	2.00	0.25	12.60	2.52		
4	25.20	8.40	2.20	0.30	17.64	4.85		
5	33.60	8.40	2.00	0.33	17.64	5.56		
6	42.00	8.40	1.00	0.30	12.60	3.97		
7	50.40	8.40	0.50	0.20	6.30	1.58		
8	54.60	4.20	0.00	0.00	1.10	0.11		
					Total	18.79		
Discharge $m^3/hr = 67631.76$								

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. Ltd State :

Meghalaya

Code :

Sampling

Sampling LocDown stream of Umiam River Top of the bridge

(during fair weather)

Date of Measurement :27.12.2024

LWF-1

Table No: 16 b

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m ²)	Discharge (m ³ /sec)			
1	0.0	0.00	0.0	0.0	0.0	0.0			
2	5.00	5.00	1.00	0.10	2.50	0.13			
3	10.00	5.00	1.5	0.20	6.25	0.94			
4	15.00	5.00	2.00	0.25	8.75	1.97			
5	20.00	5.00	2.50	0.33	11.25	3.26			
6	25.00	5.00	3.00	0.40	13.75	5.02			
7	30.00	5.00	2.50	0.33	13.75	5.02			
8	35.00	5.00	1.50	0.34	10.00	3.35			
9	40.00	5.00	1.50	0.30	7.50	2.40			
10	45.00	5.00	1.00	0.20	6.25	1.56			
11	50.00	5.00	0.00	0.00	2.50	0.25			
	-			-	Total	16.33			
	Discharge $m^3/hr = 58792.5$								

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. Ltd State :

Meghalaya

Code :

Sampling Loc Down stream of Umiam River Top of the bridge (during fair weather)

Date of Measurement :24.01.2025

LWF-1

Table No: 16 c

SL No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m ²)	Discharge (m ³ /sec)				
1	0.0	0.00	0.0	0.0	0.0	0.0				
2	4.2	4.20	1.00	0.10	2.10	0.11				
3	8.4	4.20	1.50	0.22	5.25	0.84				
4	12.6	4.20	2.00	0.25	7.35	1.73				
5	16.8	4.20	2.00	0.30	8.40	2.31				
6	21.0	4.20	2.00	0.35	8.40	2.73				
7	25.2	4.20	3.00	0.40	10.50	3.94				
8	29.4	4.20	2.00	0.33	10.50	3.83				
9	33.6	4.20	1.50	0.22	7.35	2.02				
10	37.8	4.20	1.00	0.20	5.25	1.10				
11	42.0	4.20	0.70	0.20	3.57	0.71				
12	46.2	4.20	0.50	0.20	2.52	0.50				
13	50.0	4.20	0.00	0.00	1.05	0.11				
					Total	11.65				
	Discharge m ³ /hr =41939.1									

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. Ltd State :

Meghalaya

Code :

Sampling LocDown stream of Umiam River Top of the bridge (during fair weather)

Date of Measurement :22.02.2025

LWF-1

Table No: 16 d

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m ²)	Discharge (m ³ /sec)				
1	0.0	0.00	0.0	0.0	0.0	0.0				
2	5.0	5.00	1.00	0.10	2.10	0.11				
3	10.0	5.00	1.50	0.22	5.25	0.84				
4	15.0	5.00	2.00	0.20	7.35	1.54				
5	20.0	5.00	2.50	0.22	9.45	1.98				
6	25.0	5.00	2.00	0.20	9.45	1.98				
7	30.0	5.00	2.50	0.22	9.45	1.98				
8	35.0	5.00	1.50	0.11	8.40	1.39				
9	40.0	5.00	1.00	0.10	5.25	0.55				
10	45.0	5.00	0.00	0.10	2.10	0.21				
					Total	10.59				
	Discharge $m^3/hr = 38121.3$									

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. Ltd State :

Meghalaya

Code: LWF-1

Sampling LocDown stream of Umiam River Top of the bridge (during fair weather)

Date of Measurement :28.03.2025

Table No: 16 e

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)		
1	0.0	0.00	0.0	0.0	0.0	0.0		
2	5.0	5.00	0.60	0.11	1.26	0.07		
3	10.0	5.00	1.0	0.20	3.36	0.52		
4	15.0	5.00	1.20	0.11	4.62	0.72		
5	20.0	5.00	1.50	0.22	5.67	0.94		
6	25.0	5.00	2.00	0.33	7.35	2.02		
7	30.0	5.00	2.50	0.25	9.45	2.74		
8	35.0	5.00	1.50	0.11	8.40	1.51		
9	40.0	5.00	0.00	0.08	3.15	0.30		
					Total	8.81		
Discharge m 3 /hr = 31720.63								

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. State : Meghalaya

Code :

Sampling L Down stream of Phlangkaruh River

.....

-

Date of Measurement : 17.10.2024

LWF-2

						Table No: 17
Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.02	0.50	0.005
3	4	2.00	1.00	0.04	1.50	0.045
4	6	2.00	1.50	0.22	2.50	0.325
5	8	2.00	1.00	0.25	2.50	0.588
6	10	2.00	1.00	0.25	2.00	0.500
7	12	2.00	2.00	0.20	3.00	0.675
8	14	2.00	1.00	0.20	3.00	0.600
10	16	2.00	0.50	0.11	1.50	0.233
11	18	2.00	0.50	0.04	1.00	0.075
12	20	2.00	0.40	0.00	0.90	0.018
13	22	2.00	0.00	0.00	0.40	0.000
					Total	2.13750

<u>Discharge</u> m³/hr =7695 CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



Project :

t: Lafarage Umiam Mining Pvt. State: Meghalaya

Code :

Sampling L Down stream of Phlangkaruh River

.....

Date of Measurement : 22.11.2024

LWF-2

						Table No: 17 a
Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.04	0.50	0.010
3	4	2.00	1.00	0.06	1.50	0.075
4	6	2.00	1.50	0.10	2.50	0.200
5	8	2.00	1.50	0.11	3.00	0.315
6	10	2.00	2.00	0.25	3.50	0.630
7	12	2.00	1.50	0.22	3.50	0.823
8	14	2.00	1.50	0.15	3.00	0.555
9	16	2.00	1.00	0.11	2.50	0.325
10	18	2.00	0.50	0.10	1.50	0.158
11	20	2.00	0.30	0.05	0.80	0.060
12	21	1.00	0.00	0.00	0.30	0.008
					Total	2.05250

Discharge m³/hr =7389

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. State : Meghalaya

Code :

Sampling L Down stream of Phlangkaruh River

Date of Measurement : 27.12.2024

LWF-2

						Table No: 17 b
Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.10	0.50	0.025
3	4	2.00	1.00	0.11	1.50	0.158
4	6	2.00	1.50	0.20	2.50	0.388
5	8	2.00	2.00	0.15	3.50	0.613
6	10	2.00	1.50	0.11	3.50	0.455
7	12	2.00	1.50	0.10	3.00	0.315
8	14	2.00	1.00	0.05	2.50	0.188
9	16	2.00	1.00	0.05	2.00	0.100
10	18	2.00	0.50	0.03	1.50	0.060
11	20	2.00	0.00	0.00	0.50	0.008
					Total	1.95250

Discharge m³/hr =7029

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. State : Meghalaya

Code :

Sampling L. Down stream of Phlangkaruh River

Date of Measurement :24 .01.2025

LWF-2

						Table No: 17 c
Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.05	0.75	0.019
3	4	2.00	1.00	0.10	2.25	0.169
4	6	2.00	1.50	0.11	3.75	0.394
5	8	2.00	2.00	0.15	5.25	0.683
6	10	2.00	1.00	0.14	4.50	0.653
7	12	2.00	1.00	0.10	3.00	0.360
8	14	2.00	1.00	0.10	3.00	0.300
9	16	2.00	0.50	0.05	2.25	0.169
10	18	2.00	0.20	0.07	1.05	0.063
11	20	2.00	0.00	0.00	0.30	0.011
					Total	1.91625
					Discharge	$m^{3}/hr = 6898.5$

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. State : Meghalaya

Code :

Sampling L Down stream of Phlangkaruh River

Date of Measurement : 22.02.2025

LWF-2

						Table No: 17 d
Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.02	0.50	0.005
3	4	2.00	1.00	0.07	1.50	0.068
4	6	2.00	1.50	0.10	2.50	0.213
5	8	2.00	1.50	0.11	3.00	0.315
6	10	2.00	1.50	0.20	3.00	0.465
7	12	2.00	2.00	0.20	3.50	0.700
8	14	2.00	1.00	0.10	3.00	0.450
9	16	2.00	0.50	0.08	1.50	0.135
10	18	2.00	0.50	0.00	1.00	0.040
11	20	2.00	0.00	0.00	0.50	0.000
					Total	1.76500

Discharge m³/hr =6354

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



Project :

Lafarage Umiam Mining Pvt. State : Me

Meghalaya

Code :

Sampling Loc Down stream of Phlangkaruh River

Date of Measurement : 28.03.2025

LWF-2

Та	b	le	N	0:	17	e
				υ.		-

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m²)	Discharge (m ³ /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.05	0.50	0.013
3	4	2.00	1.00	0.10	1.50	0.113
4	6	2.00	1.50	0.20	2.50	0.375
5	8	2.00	1.00	0.11	2.50	0.388
6	10	2.00	2.00	0.15	3.00	0.390
7	12	2.00	1.00	0.10	3.00	0.375
8	14	2.00	0.50	0.05	1.50	0.113
9	16	2.00	0.40	0.06	0.90	0.050
10	18	2.00	0.00	0.00	0.40	0.012
					Total	1.65250

Discharge m³/hr =5949

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



PROJECT : LAFARGE UMIAM MINING	G PVT.LTD	STATE : MEGHALAYA			
SAMPLING LOCATION : SHELLA BA	ZAR (NON MARKET DAY)	CODE : LN - 1			
MONTH OCTOPER DECEMPER 20	04				
WONTH OCTOBER - DECEMBER, 20	24				
LOCATION CATEGORY : COMMERC	IAL AREA	Table No. 18			
Time of Monitoring	Permissible Limit dB(A)	in	dB(A)		Bemarks
		Leq	Lmin	Lmax	rtomanto
Day Time (6.00 AM to 10.00 PM)	65	55.5 - 55.9	44.5	50.0	
Night Time (10.00 PM to 6.00 AM)	55	47.1 - 47.7	44.0	09.2	

PROJECT: LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHA	ALAYA		
SAMPLING LOCATION: PYRKAN VILLAGE		CODE : LN - 2			
MONTH: OCTOBER - DECEMBER, 2024					
LOCATION CATEGORY: RESIDENTIAL AREA		Table No. 19			
Time of Monitoring	Permissible Limit	in dB(A)			Remarks
Time of Monitoring	dB(A)	Leq	Lmin	Lmax	Reillaiks
Day Time (6.00 AM to 10.00 PM)	55	53.1 - 53.8			
Night Time (10.00 PM to 6.00 AM)	45	44.2 - 44.6	40.5	56.8	

PROJECT : LAFARGE UMIAM MINING P	VT.LTD	STATE : MEGH	ALAYA		
SAMPLING LOCATION : PHALANGKAR	UH VILLAGE	CODE : LN - 3			
MONTH: OCTOBER - DECEMBER, 2024					
LOCATION CATEGORY : RESIDENTIAL	AREA	Table No. 20			
Time of Monitoring	Permissible Limit dB(A)	Leq	in dB(A) Lmin	Lmax	Remarks
Day Time (6.00 AM to 10.00 PM)	55	53.4 - 54.0	41 5	53.5	
Night Time (10.00 PM to 6.00 AM)	45	44.4 - 44.5	41.5	67.6	

PROJECT : LAFARGE UMIAM MINI	NG PVT.LTD.	STATE: MEGHA	ALAYA		
SAMPLING LOCATION : OFFICE AN	REA	CODE : LN - 4			
MONTH: OCTOBER - DECEMBER,	2024				
LOCATION CATEGORY : INDUSTRI	AL AREA		Table No. 21		
Time of Monitoring	Permissible Limit	1.57	in dB(A)	1	Remarks
	UD(A)			LIIIdX	
Day Time (6.00 AM to 10.00 PM)	75	58.9 - 60.4			
			46.0	0F 0	
			46.2	00.8	
Night Time (10.00 PM to 6.00 AM)	70	49.0 - 49.4			

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHAL	AYA		
SAMPLING LOCATION : SHELLA PUNJEE		CODE : LN - 5			
MONTH: OCTOBER - DECEMBER, 2024					
LOCATION CATEGORY RESIDENTIAL AREA		Table No. 22			
Time of Manitaring	Permissible Limit	in dB(A)			Pomarke
Time of Monitoning	dB(A)	Leq	Lmin	Lmax	Relidiks
Day Time (6.00 AM to 10.00 PM)	55	53.4 - 54.0	41.1	E7 1	
Night Time (10.00 PM to 6.00 AM)	45	44.2 - 44.7	41.1	57.1	

PROJECT : LAFARGE UMIAM MININ	G PVT.LTD.	STATE: MEGHALA	YA		
SAMPLING LOCATION :MAWRYNG	KHONG	CODE : LN - 6			
MONTH: OCTOBER - DECEMBER, 20)24				
LOCATION CATEGORY RESIDENTL	AL AREA	Table No. 23			
Time of Monitoring	Permissible Limit		in dB(A)	T	Remarks
	GR(Y)	Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	52.9 - 53.9	41.2	571	
Night Time (10.00 PM to 6.00 AM)	45	44.1 - 44.4	41.2	07.1	

PROJECT : LAFARGE UMIAM MINI	NG PVT.LTD.	STATE: MEGHA	LAYA		
SAMPLING LOCATION :QUARRY		CODE : LN - 7			
MONTH: OCTOBER - DECEMBER,	2024				
LOCATION CATEGORY : INDUSTR	IAL AREA	Table No. 24			
Time of Monitoring	Dormiccible Limit dP(A)	in dB(A)			Remarks
Time of Monitoring		Leq	Lmin	Lmax	Remains
Day Time (6.00 AM to 10.00 PM)	75	61.8-63.8	175		
Night Time (10.00 PM to 6.00 AM)	70	52.6 - 52.9	47.5	68.5	

PROJECT : LAFARGE UMIAM MINING	G PVT.LTD	STATE : MEGHALAYA			
SAMPLING LOCATION : SHELLA BA	ZAR (NON MARKET DAY)	CODE : LN - 1			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY : COMMERC	IAL AREA	Table No. 25			
Time of Monitoring	Permissible Limit dB(A)	in	dB(A)		Remarks
Time of Monitoning		Leq	Lmin	Lmax	rtemarks
Day Time (6.00 AM to 10.00 PM)	65	55.6 - 56.3		50.4	
Night Time (10.00 PM to 6.00 AM)	55	46.8 - 47.2	43.4	59.4	

PROJECT LAFARGE UMIAM MINING PVT LTD		STATE MEGHA	LAVA		
		JINIE . MEDIN	LATA		
SAMPLING LOCATION: PYRKAN VILLAGE		CODE : LN - 2			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY: RESIDENTIAL AREA		Table No. 26			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)		Domestic	
		Leq	Lmin	Lmax	Remarks
Day Time (6.00 AM to 10.00 PM)	55	53.3 - 54.8	40.5	58.5	
Night Time (10.00 PM to 6.00 AM)	45	44.1 - 44.4			
PROJECT : LAFARGE UMIAM MINING	PVT.LTD	STATE : MEGHAI	AYA		
----------------------------------	-------------------	----------------	-------------	------	---------
SAMPLING LOCATION : PHALANGKA	RUH VILLAGE	CODE : LN - 3			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY : RESIDENTIAL	L AREA	Table No. 27			
Time of Monitoring	Permissible Limit		in dB(A)		Pomarke
Time of Monitoning	dB(A)	Leq	Lmin	Lmax	Temers
Day Time (6.00 AM to 10.00 PM)	55	53.3 - 53.7	vorte the a		
Night Time (10.00 PM to 6.00 AM)	45	44.2 - 44.7	41.5	57.1	

PROJECT : LAFARGE UMIAM MININ	G PVT.LTD.	STATE: MEGHA	ALAYA		
SAMPLING LOCATION : OFFICE AR	EA	CODE : LN - 4			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY : INDUSTRIA	AL AREA		Table No. 28		
Time of Manitaring	Permissible Limit		in dB(A)		Demortice
	dB(A)	Leq	Lmin	Lmax	Remarks
Day Time (6.00 AM to 10.00 PM)	75	57.3 - 60.0	447	of 1	
Night Time (10.00 PM to 6.00 AM)	70	48.0 - 48.3	44.7	бђ.I	

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALA	AYA		
SAMPLING LOCATION : SHELLA PUNJEE		CODE : LN - 5			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY RESIDENTIAL AREA		Table No. 29			
Time of Monitoring	Permissible Limit		in dB(A)		Remarke
	dB(A)	Leq	Lmin	Lmax	Remarks
Day Time (6.00 AM to 10.00 PM)	55	53.1 - 54.5	41.2	58.7	
Night Time (10.00 PM to 6.00 AM)	45	44.2-44.3	11.2	00.1	

PROJECT : LAFARGE UMIAM MINING	G PVT.LTD.	STATE: MEGHALA	YA		
SAMPLING LOCATION :MAWRYNGR	CHONG	CODE : LN - 6			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY :RESIDENTIA	AL AREA	Table No. 30	1		
Time of Monitoring	Permissible Limit		in dB(A)		Remarks
	dB(A)	Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	53.1 - 53.9	41.7	57.2	
Night Time (10.00 PM to 6.00 AM)	45	44.3 - 44.6	41.0	07.2	

PROJECT : LAFARGE UMIAM MININ	NG PVT.LTD.	STATE: MEGHAL	AYA		
SAMPLING LOCATION : QUARRY		CODE : LN - 7			
MONTH: JANUARY - MARCH, 2025					
LOCATION CATEGORY : QUARRY		_	Table No. 31		
Time of Monitoring	Permissible Limit		in dB(A)		Remarks
	dB(A)	Leq	Lmin	Lmax	Tomana
Day Time (6.00 AM to 10.00 PM)	75	61.9-64.6	46.2	69.5	
Night Time (10.00 PM to 6.00 AM)	70	51.9-53.0	10.2	03.0	



Exhibit-1

Diurnal Variation of Temperature (Jan - Mar 2025)



Date











Exhibit-3

80







Exhibit-4



Exhibit No: 5



Exhibit No: 6



Exhibit No: 7



Exhibit No: 8

CAVE PROTECTION

Plate 1



DAILY WEATHER MONITORING DATA FOR THE PERIOD OCTOBER 2024 TO MARCH 2025

	Lafarge Umiam Mining Pvt.Limited										Lafarge Umiam Mining Pvt.Limited																		
				Daily (E	Weather Based on Ho	Monitori ourly Reach	ng Data Fo ngs from 00	or the Mon	ath of Oct 23:00 Hrs.	2024									Daily (E	Weather Based on Hi	Monitori ourly Reach	n <mark>g Data Fo</mark> ngs from OC	or the Mon	nth of Nov 23:00 Hrs.)	2024				
Date	Win	d Speed k	m/hr	Wind Dir.*	Am	bient Tem	p.°C		Solar CCN	i İ	R	. Humidity	7 %	Rainfall	Date	Win	d Speed k	m/hr	Wind Dir *	Ami	bient Tem	.°C		Solar CCM	Ċ	R.	Humidity	96	Rainfall
	Min	Max	Avg.	DIII	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	in mm		Min	Max	Avg.	DI	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	in mm
01.10.24	0.0	1.1	0.08	N	24.1	31.1	26.6	0.0	0.0	0.00	70.3	94.4	90.2	22.5	01.11.24	0.0	1.2	0.09	NNE	28.0	39.8	31.4	0.0	0.6	0.08	30.1	93.4	60.5	0.0
02.10.24	0.0	0.5	0.03	NNE	23.1	39.8	29.2	0.0	0.6	0.04	35.2	94.2	78.9	2.5	02.11.24	0.0	1.1	0.07	NW	27.3	38.6	30.2	0.0	0.6	0.10	35.0	87.5	67.2	0.0
03.10.24	0.0	1.5	0.09	NE	24.1	30.4	26.0	0.0	0.0	0.00	79.1	94.4	92.3	192.5	03.11.24	0.0	1.4	0.09	SW	26.8	37.9	29.6	0.0	0.8	0.12	37.5	90.2	68.2	0.0
04.10.24	0.0	1.2	0.07	N	23.1	29.5	24.9	0.0	0.0	0.00	75.5	94.2	91.5	0.0	04.11.24	0.0	1.1	0.08	NE	27.1	38.4	29.2	0.0	0.5	0.07	40.2	91.5	70.2	0.0
05.10.24	0.0	0.9	0.06	SSE	23.0	36.1	25.3	0.0	0.1	0.00	50.0	94.2	89.2	0.0	05.11.24	0.0	0.9	0.11	N	23.0	39.4	28.2	0.0	0.6	0.10	27.1	93.3	63.2	0.0
06.10.24	0.0	1.1	0.09	SW	23.1	41.6	28.5	0.0	0.3	0.06	38.3	94.4	78.9	0.0	06.11.24	0.0	1.2	0.10	NNW	25.0	38.4	29.1	0.0	0.3	0.05	40.3	94.1	74.2	0.0
07.10.24	0.0	0.8	0.08	N	24.3	40.2	30.2	0.0	0.5	0.09	39. <mark>5</mark>	94.1	69.7	0.0	07.11.24	0.0	0.6	0.06	SSE	27.2	39.8	28.4	0.0	0.5	0.10	25.1	77.5	56.5	0.0
08.10.24	0.0	0.5	0.06	NNW	23.2	40.0	26.9	0.0	0.5	0.05	40.0	94.2	84.1	0.0	08.11.24	0.0	0.9	0.07	SW	26.4	39.6	30.4	0.0	0.5	0.08	25.0	87.5	52.5	0.0
09.10.24	0.0	1.5	0.10	N	23.0	35.2	25.6	0.0	0.0	0.00	49.4	94.2	89.9	0.0	09.11.24	0.0	1.5	0.08	SSE	27.5	38.6	29.8	0.0	0.2	0.02	25.2	94.1	60.8	0.0
10.10.24	0.0	1.8	0.11	N	24.0	38.2	27.4	0.0	0.5	0.07	46.0	94.4	85.3	0.0	10.11.24	0.0	1.4	0.09	SW	28.0	39.2	30.4	0.0	0.6	0.11	23.2	62.6	46.7	0.0
11.10.24	0.0	0.8	0.07	NE	23.0	40.4	27.2	0.0	0.6	0.05	40.6	94.1	84.0	0.0	11.11.24	0.0	0.6	0.06	NE	25.0	37.1	29.4	0.0	0.6	0.08	23.3	94.1	46.7	0.0
12.10.24	0.0	1.5	0.12	N	24.0	41.3	29.7	0.0	0.5	0.12	38.1	94.2	73.8	0.0	12.11.24	0.0	1.4	0.14	NW	28.2	39.6	30.1	0.0	0.6	0.12	22.5	70.1	40.8	0.0
13.10.24	0.0	1.8	0.16	NNE	25.0	40.6	29.6	0.0	0.5	0.08	35.2	91.5	65.0	0.0	13.11.24	0.0	1.1	0.09	NNE	26.2	37.4	28.6	0.0	0.6	0.13	23.1	91.0	48.7	0.0
14.10.24	0.0	2.1	0.13	NW	25.0	41.2	30.0	0.0	0.5	0.08	32.5	92.3	65.4	0.0	14.11.24	0.0	1.2	0.07	NW	27.0	36.8	27.5	0.0	0.6	0.13	27.1	71.4	52.3	0.0
15.10.24	0.0	1.4	0.09	SE	24.0	40.1	28.9	0.0	0.5	0.07	36.1	84.3	67.6	0.0	15.11.24	0.0	0.6	0.05	SW	24.0	34.6	25.8	0.0	0.6	0.12	28.3	79.4	55.2	0.0
16.10.24	0.0	1.0	0.11	SW	23.0	41.0	30.6	0.0	0.6	0.09	32.1	92.0	59.7	0.0	16.11.24	0.0	0.8	0.05	SSE	26.0	38.5	27.4	0.0	0.5	0.10	30.1	78.0	54.7	0.0
17.10.24	0.0	1.1	0.14	N	23.2	41.2	30.2	0.0	0.5	0.06	36.5	90.0	58.4	1.5	17.11.24	0.0	1.0	0.07	NNE	26.1	38.7	26.8	0.0	0.6	0.11	24.4	68.0	52.8	1.0
18.10.24	0.0	1.2	0.15	N	22.4	36.0	26.3	0.0	0.2	0.02	50.1	93.6	84.5	4.0	18.11.24	0.0	1.2	0.30	NE	14.3	36.4	27.9	0.0	0.6	0.15	27.1	93.0	57.9	0.0
19.10.24	0.0	1.5	0.13	NNE	23.2	38.6	29.2	0.0	0.6	0.11	43.1	93.6	73.7	1.0	19.11.24	0.0	0.6	0.08	NW	26.1	38.4	28.2	0.0	0.6	0.15	26.0	58.4	47.5	0.0
20.10.24	0.0	1.1	0.13	N	24.3	37.8	29.1	0.0	0.6	0.09	30.2	88.2	58.2	6.0	20.11.24	0.0	0.5	0.06	NNE	27.1	39.4	30.2	0.0	0.5	0.12	27.0	58.6	46.1	0.5
21.10.24	0.0	1.4	0.15	NW	24.0	34.5	30.1	0.0	0.4	0.05	29.1	84.5	61.5	0.5	21 11 24	0.0	12	0.34	NNW	25.0	37.5	30.8	0.0	0.6	0.14	32.3	62.2	50.1	0.0
22.10.24	0.0	0.7	0.07	SSE	23.2	37.6	29.4	0.0	0.5	0.08	27.2	74.4	54.0	0.0	22 11 24	0.0	0.8	0.11	NW	25.1	38.0	28.8	0.0	0.0	0.07	37.2	59.3	48.7	0.0
23.10.24	0.0	1.1	0.11	SSW	25.0	39.5	30.5	0.0	0.3	0.03	46.2	93.0	69.5	116.0	23 11 24	0.0	11	0.17	N	25.0	38.4	27.9	0.0	0.5	0.12	30.3	61.4	50.9	0.0
24.10.24	0.0	0.9	0.10	SW	27.4	40.2	32.1	0.0	0.6	0.09	32.1	88.2	60.1	0.0	24 11 24	0.0	14	0.23	NNE	25.0	39.1	28.8	0.0	0.5	0.11	30.1	64.4	53.0	0.0
25.10.24	0.0	0.6	0.05	N	26.3	40.2	31.1	0.0	0.4	0.04	43.3	94.1	/1.1	0.0	25 11 24	0.0	0.3	0.05	NW	24.2	36.8	20.0	0.0	0.5	0.12	27.2	63.1	50.0	0.0
26.10.24	0.0	1.6	0.14	NE	27.0	41.4	32.2	0.0	0.4	0.07	3/.4	94.0	63.1	0.0	26 11 24	0.0	0.7	0.15	N	25.0	38.4	26.8	0.0	0.5	0.10	27.0	64.4	51.0	0.0
27.10.24	0.0	1.2	0.09	N	26.5	40.1	31.6	0.0	0.6	0.08	29.1	92.2	60.2	0.0	27 11 24	0.0	0.7	0.03	NE	25.0	36.4	20.0	0.0	0.5	0.13	21.0	58.0	45.1	0.0
28.10.24	0.0	0.9	0.05	N	26.2	39.8	30.5	0.0	0.5	0.06	30.5	93.2	67.2	0.0	27.11.24	0.0	0.2	0.03	N	20.2	22.8	20.1	0.0	0.5	0.13	20.4	51.5	38.0	0.0
29.10.24	0.0	1.1	0.07	NW	27.3	40.2	31.4	0.0	0.6	0.10	32.0	86.5	62.0	0.0	20.11.24	0.0	1.1	0.10	NW	01.2	25.0	25.4	0.0	0.0	0.14	22.1	27.5	21.4	0.0
30.10.24	0.0	1.4	0.09	N	26.2	41.2	31.9	0.0	0.5	0.09	39.0	93.2	70.4	0.0	29.11.24	0.0	0.4	0.42	N	21.3	25.6	23.2	0.0	0.5	0.13	23.5	75.0	12.7	0.0
31.10.24	0.0	1.2	0.05	NW	26.2	39.8	30.2	0.0	0.5	0.10	36.2	92.5	66.8	0.0	30.11.24	0.0	0.4	0.00	NU	21.5	33.0	24.0	0.0	0.5	0.14	24.0	75.0	40.1	0.0
-	0.0		0.1	N	00.4	11.6	00.1		0.6		07.0	01.1	70.5	246.5		0.0	1.5	0.1	14.44	14.2	20.0	00.4	0.0	0.0	0.1	00.1	04.1	50.0	1.5
-	0.0	2.1	0.1		22.4	41.6	29.1	0.0	0.6	0.1	21.2	94.4	12.5	346.5		Min	1.5 Mor	0.1 Area	ķ	14.3	J9.0	20.4	Min	U.0	0.1	22.1 Min	74.1 Mor	32.0	Total
	Min	Max	Avg	W.d.	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Deinfelt		MIII	Max	Avg	Wind	MIII	Max	Avg	MIII	Max	Avg	MIII	MdX	Avg	Dainfall
	Win	d Speed K	m/hr	Dir.*	Am	bient Tem	p.°C	1	Solar CCN		R	. Humidity	7 %	in mm		Win	d Speed K	m/hr	Dir.*	Ami	bient Tem	p.°C		Solar CCM		R.	Humidity	%	in mm

	Lafarge Umiam Mining Pvt.Limited																Lafarge	Umiam Mi	ining Pvt.	Limited									
	Daily Weather Monitoring Data For the Month of Dec 2024														Daily Wea	ther Mon	itoring Da	ta For the	Month	of Jan 20	25								
				(1	Based on H	lourly Read	ings from O	0:00 Hrs. to	23:00 Hrs.)							_	_	(Based	on Hourly i	Readings fro	om 00:00 H	rs. to 23:0	00 Hrs.)	_	-			
Date	Win	d Speed k	m/hr	Wind Dir.*	An	ibient Ten	ıp.°C		Solar CCM		R	. Humidit	y %	Rainfall	Date	, i	Wind Speed ki	n/hr	Wind Dir.*	Am	bient Tem	p.°C		Solar CCI	M	R	Humidity	%	Rainfall
	Min	Max	Avg.	2	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	in mm		Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	in mm
01.12.24	0.0	1.2	0.09	N	22.4	32.6	31.1	0.0	0.6	0.15	28.1	74.4	47.9	0.0	01.01.25	0.0	0.8	0.07	N	12.0	31.5	19.9	0.0	0.3	0.05	35.0	92.6	74.9	0.0
02.12.24	0.0	0.6	0.17	NE	20.0	37.2	26.1	0.0	0.5	0.09	24.1	72.1	46.0	0.0	02.01.25	0.0	0.8	0.05	NW	13.1	30.5	19.7	0.0	0.3	0.05	37.1	92.6	76.7	0.0
03.12.24	0.0	0.8	0.25	NW	20.0	38.5	25.3	0.0	0.8	0.10	21.0	72.6	40.7	0.0	03.01.25	0.0	0.9	0.06	NNE	14.2	33.6	21.6	0.0	0.3	0.05	27.0	92.6	64.7	0.0
04.12.24	0.0	0.6	0.04	NNW	19.0	33.3	24.1	0.0	0.4	0.07	32.0	75.4	51.1	0.0	0401.25	0.0	1.0	0.05	N	14.4	34.4	22.8	0.0	0.3	0.05	23.1	92.5	58.8	1.5
05.12.24	0.0	0.3	0.01	NE	17.2	34.5	23.9	0.0	0.4	0.08	28.1	80.2	58.0	0.0	05.01.25	0.0	2.2	0.30	SW	16.1	37.2	25.2	0.0	0.2	0.04	21.5	79.5	44.2	0.5
06.12.24	0.0	0.7	0.09	NW	18.1	29.4	22.5	0.0	0.2	0.03	43.2	83.1	58.5	0.0	06.01.25	0.0	1.2	0.15	N	21.1	37.0	28.9	0.0	0.4	0.07	23.1	74.4	47.2	0.0
07.12.24	0.0	1.0	0.02	SW	16.5	33.0	21.7	0.0	0.4	0.07	27.5	91.3	55.7	0.0	07.01.25	0.0	0.8	0.04	SSW	18.0	34.3	23.6	0.0	0.2	0.03	29.2	77.4	55.3	0.0
08.12.24	0.0	1.2	0.19	SSW	16.5	34.2	22.6	0.0	0.4	0.08	25.1	77.1	50.3	0.0	08.01.25	0.0	1.1	0.08	SW	16.2	24.4	18.7	0.0	0.0	0.00	61.5	90.1	79.3	0.0
09.12.24	0.0	0.9	0.17	N	17.2	34.0	22.6	0.0	0.5	0.08	23.5	77.1	45.8	0.0	09.01.25	0.0	0.6	0.02	NE	13.1	26.2	19.4	0.0	0.2	0.02	34.2	86.6	60.9	0.0
10.12.24	0.0	0.8	0.09	NE	16.1	32.3	22.4	0.0	0.4	0.07	32.3	90.2	59.0	0.0	10.01.25	0.0	0.8	0.04	N	16.2	32.1	27.1	0.0	0.2	0.03	28.1	63.3	49.0	0.0
11.12.24	0.0	1.1	0.12	NW	17.2	34.2	22.1	0.0	0.4	0.08	27.0	82.5	58.4	0.0	11.01.25	0.0	1.0	0.17	N	15.6	32.5	23.1	0.0	0.2	0.04	23.1	60.1	39.9	0.0
12.12.24	0.0	0.8	0.09	NNW	14.4	31.3	20.9	0.0	0.4	0.07	33.2	92.5	67.1	0.0	12.01.25	0.0	2.7	0.40	NNW	18.0	35.5	24.4	0.0	0.3	0.05	18.3	50.6	36.9	0.0
13.12.24	0.0	1.4	0.13	NNE	15.3	31.2	20.8	0.0	0.4	0.08	36.0	93.0	67.9	1.5	13.01.25	0.0	0.5	0.10	N	16.3	31.1	22.5	0.0	0.2	0.03	33.2	80.1	53.4	0.0
14.12.24	0.0	0.8	0.08	NW	14.0	32.0	20.3	0.0	0.4	0.08	34.0	92.6	72.4	0.5	14.01.25	0.0	1.0	0.20	N	17.2	33.4	22.7	0.0	0.2	0.03	24.5	62.2	42.8	0.0
15.12.24	0.0	1.1	0.13	N	15.0	35.5	23.4	0.0	0.4	0.08	18.5	64.6	35.9	0.0	15.01.25	0.0	1.2	0.15	SW	16.3	34.3	24.1	0.0	0.2	0.04	21.1	65.2	41.0	0.0
16.12.24	0.0	2.8	0.42	SSW	17.3	37.0	25.0	0.0	0.4	0.08	14.3	44.0	27.3	0.0	16.01.25	0.0	1.3	0.14	SSE	19.1	35.2	24.8	0.0	0.2	0.04	20.2	53.2	40.2	0.0
17.12.24	0.0	2.5	0.50	SW	18.2	38.3	25.7	0.0	0.4	0.08	16.2	54.5	31.6	0.0	17.01.25	0.0	1.1	0.16	NNE	15.0	34.4	23.7	0.0	0.2	0.04	23.3	72.6	40.1	0.0
18.12.24	0.0	1.1	0.10	N	18.2	34.0	23.9	0.0	0.4	0.05	30.2	76.1	52.5	0.0	18.01.25	0.0	0.5	0.04	N	14.1	34.4	23.3	0.0	0.2	0.04	23.3	90.1	53.8	0.0
19.12.24	0.0	0.5	0.07	NW	17.1	35.3	23.8	0.0	0.4	0.07	28.5	74.2	49.4	0.0	19.01.25	0.0	0.5	0.04	N	16.1	34.2	23.3	0.0	0.2	0.04	24.4	01.0	5/.5	0.0
20.12.24	0.0	0.9	0.19	NE	18.2	31.2	22.6	0.0	0.3	0.05	32.0	76.1	46.9	0.0	20.01.25	0.0	0.0	0.00	N	16.0	21.5	21.0	0.0	0.2	0.02	26.0	91.2	67.0	0.0
21.12.24	0.0	0.6	0.06	NW	16.5	30.0	20.6	0.0	0.4	0.03	33.4	81.0	55.8	0.0	21.01.25	0.0	0.9	0.00	em.	10.3	20.1	21.0	0.0	0.1	0.02	J0.2	93.1	72.7	0.0
22.12.24	0.0	0.9	0.10	N	15.1	32.5	22.0	0.0	0.4	0.07	28.5	76.1	54.2	0.0	22.01.25	0.0	0.3	0.03	OW	15.9	29.1	10.6	0.0	0.1	0.02	41.1	93.0	74.6	0.0
23.12.24	0.0	1.3	0.25	NNW	17.5	35.3	23.6	0.0	0.4	0.07	20.0	60.3	42.6	0.0	23.01.23	0.0	0.5	0.01	N	16.0	20.0	10.0	0.0	0.1	0.01	40.2	93.0	73.3	0.0
24.12.24	0.0	0.6	0.09	NE	17.0	34.1	23.6	0.0	0.4	0.08	22.1	58.0	41.6	0.0	25.01.25	0.0	0.6	0.04	NNE	14.2	28.4	19.6	0.0	0.1	0.01	40.3	92.6	69.2	0.0
25.12.24	0.0	0.5	0.09	NW	16.1	33.6	22.9	0.0	0.3	0.06	23.1	67.4	47.3	0.0	26.01.25	0.0	0.7	0.03	NW	15.1	31.3	20.4	0.0	0.1	0.02	25.4	70.0	24.2	0.0
26.12.24	0.0	0.6	0.07	N	16.0	34.3	23.4	0.0	0.3	0.06	24.1	67.2	45.8	0.0	27 01 25	0.0	12	0.07	N	15.1	30.2	20.9	0.0	0.1	0.01	31.0	74.1	56.2	0.0
27.12.24	0.0	0.5	0.06	SW	16.4	35.1	23.9	0.0	0.4	0.06	22.6	70.0	41.2	0.0	28 01 25	0.0	0.9	0.07	N	15.3	29.0	20.5	0.0	0.0	0.00	35.2	87.3	64.4	0.0
28.12.24	0.0	0.6	0.12	N	18.0	35.6	24.0	0.0	0.4	0.07	21.2	56.0	41.1	0.0	29.01.25	0.0	0.8	0.07	SE	15.0	28.6	20.7	0.0	0.0	0.00	33.0	91.3	59.5	0.0
29.12.24	0.0	0.8	0.15	NW	14.4	33.2	23.0	0.0	0.3	0.05	29.0	76.0	48.6	0.0	30.01.25	0.0	1.0	0.11	SSE	16.0	28.2	21.0	0.0	0.0	0.00	36.2	59.6	50.0	0.0
30.12.24	0.0	0.7	0.03	NW	15.2	33.4	22.8	0.0	0.3	0.05	30.0	84.1	54.8	0.0	30.01.25	0.0	1.4	0.09	NE	18.1	29.6	21.7	0.0	0.0	0.00	44.2	85.4	64.8	0.0
31.12.24	0.0	0.8	0.07	N	15.3	33.6	22.0	0.0	0.3	0.05	27.2	92.0	64.1	0.0	31.01.25	0.0	1.1	0.12	N	17.5	28.4	22.2	0.0	0.2	0.04	46.2	92.3	67.9	0.0
				NW					1	1	1	1	ĺ.				1		N							-			
2	0.0	2.8	0.1		14.0	38.5	23.3	0.0	0.8	0.1	14.3	93.0	50.3	2.0		0.0	2.7	0.1		12.0	37.2	22.2	0.0	0.4	0.0	18.3	93.1	57.3	2.0
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total		Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total
	Win	d Speed K	m/hr	Wind Dir.*	Am	bient Ten	1p.'C		Solar CCN	1	R	. Humidit	y %	Rainfall in mm		1	Wind Speed Ki	n/hr	Wind Dir.*	Am	bient Tem	p.°C		Solar CCI	N	R	Humidity	%	Rainfall in mm

	Lafarge Umiam Mining Pvt.Limited Daily Weather Monitoring Data For the Month of Feb 2025											Lafarge Umiam Mining Pvt.Limited Daily Weather Monitoring Data For the Month of Mar 2025																	
				(1	Based on H	lourly Readi	ings from O):00 Hrs. to	23:00 Hrs.										(Ba:	sed on Hou	rly Reading	s from 00:0	0 Hrs. to 2.	3:00 Hrs.)					
Date	Win	id Speed k	m/hr	Wind Dir *	Аш	bient Tem	ıp.°C		Solar CCN	ř	R	. Humidit	y %	Rainfall	Date	W	ind Speed k	m/hr	Wind Dir.*	Am	bient Tem	p.°C		Solar CCM	1	R	Humidity	%	Rainfall
	Min	Max	Avg.	DII	Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	in mm		Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	In mm
01.02.25	0.0	0.4	0.08	NNE	18.1	31.3	22.4	0.0	0.1	0.01	39.3	84.2	55.1	0.0	01.03.25	0.0	0.2	0.01	NW	21.0	34.6	26.2	0.0	0.2	0.03	30.2	66.0	49.7	0.0
02.02.25	0.0	0.5	0.06	NW	15.3	31.6	22.0	0.0	0.1	0.01	30.6	68.2	46.8	0.0	02.03.25	0.0	0.8	0.04	NNE	22.3	34.6	26.7	0.0	0.2	0.03	30.2	88.1	61.4	0.0
03.02.25	0.0	12	0.14	N	17.2	31.1	22.7	0.0	0.1	0.01	34.1	65.1	48.0	0.0	03.03.25	0.0	0.7	0.16	N	20.5	36.2	26.2	0.0	0.2	0.02	28.1	64.0	43.6	0.0
0402.25	0.0	0.9	0.05	NNW	15.4	32.3	22.5	0.0	0.1	0.01	29.1	83.1	54.0	0.0	0403.25	0.0	0.8	0.25	NNW	10.2	36.0	26.6	0.0	0.4	0.08	10.1	51.3	35.1	1.5
05.02.25	0.0	1.5	0.15	N	16.1	31.4	22.6	0.0	0.1	0.01	34.1	84.2	52.4	0.0	05.03.25	0.0	2.5	0.20	NNE	10.5	35.5	25.7	0.0	0.5	0.08	15.0	54.2	30.1	3.0
06.02.25	0.0	1.5	0.29	NE	15.1	33.1	22.9	0.0	0.2	0.01	20.3	77.2	47.6	0.0	07.03.25	0.0	0.8	0.08	NW	19.6	36.1	26.5	0.0	0.4	0.00	16.3	51.1	36.0	0.5
07.02.25	0.0	1.3	0.30	N	15,4	33.5	23.0	0.0	0.2	0.03	21.0	73.5	42.8	0.0	08.03.25	0.0	0.8	0.19	SW	17.0	35.4	26.0	0.0	0.3	0.06	20.1	69.0	38.8	2.5
08.02.25	0.0	1.5	0.26	SW	16.1	32.5	22.6	0.0	0.2	0.03	21.1	69.4	39.3	0.0	09.03.25	0.0	0.2	0.06	NNE	21.0	36.6	27.0	0.0	0.4	0.07	16.3	57.5	42.3	6.0
09.02.25	0.0	1.5	0.08	SSE	13.2	31.4	21.6	0.0	0.1	0.01	26.2	78.2	47.8	0.0	10.03.25	0.0	0.8	0.18	N	22.0	37.5	27.9	0.0	0.3	0.06	19.1	49.0	35.5	2.5
10.02.25	0.0	0.6	0.10	NW	17.0	30.5	21.7	0.0	0.1	0.01	30.3	73.2	47.1	0.0	11.03.25	0.0	0.6	0.06	NE	20.6	36.0	26.9	0.0	0.4	0.05	26.1	55.3	40.6	0.0
11.02.25	0.0	1.0	0.17	NNE	16.3	30.2	21.6	0.0	0.1	0.01	35.3	93.1	59.3	0.0	12.03.25	0.0	5.3	0.77	SSE	20.3	36.3	26.6	0.0	0.4	0.07	29.0	93.4	54.2	2.0
12.02.25	0.0	0.9	0.06	N	16.2	31.1	22.9	0.0	0.0	0.00	41.3	85.2	56.3	0.0	13.03.25	0.0	0.9	0.03	NE	19.5	36.4	26.1	0.0	0.5	0.06	35.0	93.5	64.9	81.5
13.02.25	0.0	0.5	0.09	NW	19.0	33.1	24.1	0.0	0.1	0.01	30.0	85.3	59.0	0.0	14.03.25	0.0	0.7	0.13	NNE	21.0	37.4	26.8	0.0	0.6	0.10	22.1	93.4	53.1	86.5
14.02.25	0.0	1.6	0.18	NE	15.1	32.5	22.8	0.0	0.2	0.03	21.1	91.1	52.0	0.0	15.03.25	0.0	1.2	0.08	NW	20.0	37.5	26.0	0.0	0.5	0.07	39.0	93.5	68.8	7.5
15.02.25	0.0	1.3	0.37	N	16.1	33.1	22.9	0.0	0.1	0.02	17.1	50.1	35.8	0.0	16.03.25	0.0	0.7	0.07	NNE	20.6	35.4	25.8	0.0	0.5	0.08	42.4	93.6	69.7	0.0
16.02.25	0.0	1.6	0.29	SW	16.3	34.0	23.7	0.0	0.1	0.02	20.1	52.1	35.1	0.0	12.03.25	0.0	0.5	0.02	NNW	21.0	30.2	27.5	0.0	0.6	0.10	40.3	93.5	65.0	0.0
17.02.25	0.0	0.9	0.10	SE	18.2	35.3	25.2	0.0	0.1	0.02	22.3	52.3	40.2	0.0	10.03.25	0.0	1.4	0.03	NNE	20.0	36.5	20.0	0.0	0.8	0.07	19.0	93.5	48.9	23.5
18.02.25	0.0	0.8	0.04	N	20.1	34.1	25.3	0.0	0.1	0.01	31.2	78.5	55.0	0.0	20.03.25	0.0	2.2	0.15	NNE	21.0	35.0	26.9	0.0	0.6	0.10	31.0	92.4	56.8	0.0
19.02.25	0.0	0.7	0.18	NNW	20.0	34.2	25.4	0.0	0.2	0.03	26.0	61.2	47.5	0.0	21.03.25	0.0	2.2	0.17	N	21.3	31.0	24.6	0.0	0.3	0.04	33.0	93.5	68.7	0.0
20.02.25	0.0	2.9	0.67	N	18.2	37.4	26.1	0.0	1.3	0.28	18.5	66.0	37.1	0.0	22.03.25	0.0	0.8	0.06	NW	20.0	31.5	23.4	0.0	0.3	0.04	37.0	93.3	72.8	0.0
21.02.25	0.0	1.9	0.48	NE	18.1	36.3	25.7	0.0	1.3	0.30	14.2	52.5	29.4	0.0	23.03.25	0.0	0.7	0.03	NNE	18.0	36.3	26.5	0.0	0.6	0.11	27.1	81.1	53.2	5.5
22.02.25	0.0	1.5	0.07	N	18.1	31.0	22.8	0.0	0.5	0.08	49.3	93.5	77.3	0.0	24.03.25	0.0	0.3	0.02	NW	21.2	36.9	28.7	0.0	0.9	0.13	19.4	59.1	39.3	0.0
23.02.25	0.0	1.7	0.32	SW	17.0	33.1	22.8	0.0	0.6	0.08	42.2	93.3	72.6	8.0	25.03.25	0.0	0.4	0.04	N	18.3	36.2	28.6	0.0	1.0	0.13	24.0	73.1	44.0	0.0
24.02.25	0.0	1.2	0.12	N	18.0	34.4	24.2	0.0	1.0	0.17	39.3	93.3	66.2	0.0	26.03.25	0.0	1.4	0.10	NNE	22.2	36.4	28.4	0.0	0.6	0.08	24.3	57.0	42.5	0.0
25.02.25	0.0	1.1	0.17	NE	15.5	33.5	23.6	0.0	0.5	0.11	26.1	69.1	45.8	0.0	27.03.25	0.0	0.4	0.02	NE	21.0	37.5	29.3	0.0	0.6	0.10	28.3	77.3	46.5	0.0
26.02.25	0.0	1.8	0.46	NNE	17.2	34.5	24.7	0.0	0.6	0.12	24.1	63.1	40.5	0.0	28.03.25	0.0	0.2	0.02	NNW	25.1	36.2	30.6	0.0	0.4	0.03	31.0	62.2	45.4	2.0
27.02.25	0.0	1.9	0.39	NW	17.2	34.3	24.7	0.0	0.5	0.10	24.1	60.3	41.9	0.0	29.03.25	0.0	0.4	0.02	NNE	25.0	36.5	29.2	0.0	0.6	0.08	31.0	84.2	55.5	0.0
28.02.25	0.0	1.3	0.13	N	18.6	33.5	24.5	0.0	0.4	0.07	28.1	72.0	49.9	0.0	30.03.25	0.0	0.8	0.05	NNE	25.5	37.2	30.2	0.0	0.5	0.10	20.1	70.5	53.9	0.5
1				N	1			4	1	÷					31.03.25	0.0	2.4	0.25	NNE	24:2	37.1	29.0	0.0	0.5	0.06	51.5	12.5	50.1	0.0
	0.0	2.9	0.2	-	13.2	37.4	23.5	0.0	1.3	0.1	14.2	93.5	49.4	8.0	-	0.0	5.3	01	MAL	17.0	37.5	27.1	0.0	10	01	15.0	93.6	50.7	233.0
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total		Min	Max	Avg		Min	Max	Avg	Min	Max	Ave	Min	Max	Ave	Total
	Win	d Speed K	m/hr	Wind Dir *	Аш	bient Tem	ıp.°C		Solar CCN	i.	R	. Humidit	y %	Rainfall in mm		Wi	ind Speed K	m/hr	Wind Dir t	Am	bient Tem	p.°C		Solar CCM	l.	R	Humidity	7 96	Rainfall

		LAFARG	E UMIAM MINING	PVT. LTD.								
NOISE LEVEL DATA												
			DATE : 03 - 10 - 20	024								
STATIO	N : SHEL	LA BAZAR (INFI	RONT OF PWD GU	EST HOUSE) (NO	N MARKET DAY)							
		S	STATION CODE : L	N-1								
			Time (- 1	٦							
() N	1		lime (i	n nour)								
SI. No.		Date	From	То	Hourly Leq dB(A)							
1	-		6:00	7:00	50.4							
2	-		7:00	8:00	51.2							
3			8:00	9:00	52.5							
4			9:00	10:00	53.6							
5			10:00	11:00	54.8							
6			11:00	12:00	55.7							
7			12:00	13:00	56.2							
8	Dav	2 Oct 24	13:00	14:00	58.5							
9	Day	3-001-24	14:00	15:00	59.2							
10			15:00	16:00	58.4							
11]		16:00	17:00	57.6							
12]		17:00	18:00	57.2							
13			18:00	19:00	56.7							
14			19:00	20:00	55.4							
15			20:00	21:00	53.2							
16			21:00	22:00	52.8							
			Leq day	in dB(A)	55.9							
17			22:00	23:00	49.5							
18			23:00	0:00	47.5							
19			0:00	1:00	46.4							
20	Night	03 & 04 Oct 24	1:00	2:00	45.7							
21	rugin	05 & 04-001-24	2:00	3:00	44.6							
22			3:00	4:00	45.8							
23			4:00	5:00	46.7							
24			5:00	6:00	48.2							
			Leq Night	t in dB(A)	47.1							

	LAFARGE UMIAM MINING PVT. LTD. NOISE LEVEL DATA										
		NOISI	E LEVEL DATA								
		DATE	E: 07- 10 - 2024								
	STATION : PY	RKAN VILLAGE	(INFRONT OF	RAMKRISHNA	SCHOOL)						
		SIAIR	JN CODE : LN-	2							
			Time	(in hour)							
Sl. No.		Date	From	То	Hourly Leq dB(A)						
1			6:00	7:00	48.5						
2	1		7:00	8:00	49.2						
3	1		8:00	9:00	50.1						
4	1		9:00	10:00	51.4						
5	1		10:00	11:00	52.6						
6	1		11:00	12:00	53.5						
7	1		12:00	13:00	54.8						
8		7 0 + 24	13:00	14:00	55.7						
9	Day	/-Oct-24	14:00	15:00	56.8						
10	1		15:00	16:00	55.4						
11	1		16:00	17:00	54.2						
12	1		17:00	18:00	53.6						
13]		18:00	19:00	52.7						
14]		19:00	20:00	51.4						
15]		20:00	21:00	50.7						
16]		21:00	22:00	48.5						
			Leq da	y in dB(A)	53.1						
17			22:00	23:00	46.2						
18]		23:00	0:00	45.1						
19]		0:00	1:00	44.2						
20	Niste	7880-124	1:00	2:00	43.1						
21		/ & 8-Oct-24	2:00	3:00	42.5						
22]		3:00	4:00	43.4						
23]		4:00	5:00	44.2						
24			5:00	6:00	45.6						
			Leq Nig	tht in dB(A)	44.5						

	LAFARGE UMIAM MINING PVT. LTD. NOISE LEVEL DATA												
		NOI	SE LEVEL DAT	ΓA									
		DA	TE : 14-10-202	4									
		STATION : PH	ALANG KA RU	JH VILLAGE									
		SIAI	ION CODE : L.	N-3									
			Time (in hour)	<u>ן</u>								
Sl. No.		Date	From	То	Hourly Leq dB(A)								
1			6:00	7:00	49.2								
2	1		7:00	8:00	50.1								
3	1		8:00	9:00	51.6								
4	1		9:00	10:00	52.4								
5	1		10:00	11:00	53.2								
6	1		11:00	12:00	54.6								
7]		12:00	13:00	55.7								
8	Den	14 0 + 24	13:00	14:00	56.2								
9	Day	14-Oct-24	14:00	15:00	57.5								
10]		15:00	16:00	56.4								
11]		16:00	17:00	55.2								
12]		17:00	18:00	54.6								
13]		18:00	19:00	53.2								
14]		19:00	20:00	52.8								
15]		20:00	21:00	51.7								
16			21:00	22:00	49.2								
			Leq day	in dB(A)	54.0								
17			22:00	23:00	46.8								
18			23:00	0:00	45.2								
19]		0:00	1:00	44.1								
20	Night	14 & 15 Oct 24	1:00	2:00	43.2								
21	right	14 & 15-0ct-24	2:00	3:00	41.5								
22]		3:00	4:00	42.6								
23]		4:00	5:00	44.2								
24			5:00	6:00	45.8								
			Leq Nigh	t in dB(A)	44.5								

]	LAFARGE UMIA	M MINING PV	T. LTD.			
		NOISE	LEVEL DATA				
		DATE : -	18 - 10 - 2024				
		STATION	CODE · I N-4	ł			
		SIAHOI	CODE : LIN-4				
			Time (i	n hour)	1		
Sl. No.		Date	From	То	Hourly Leq dB(A)		
1			6:00	7:00	53.5		
2]		7:00	8:00	55.8		
3]		8:00	9:00	58.7		
4]		9:00	10:00	59.4		
5]		10:00	11:00	61.2		
6]		11:00	12:00	63.5		
7]		12:00	13:00	64.7		
8		18 0 + 24	13:00	14:00	65.8		
9	Day	18-Oct-24	14:00	15:00	62.5		
10]		15:00	16:00	60.4		
11]		16:00	17:00	58.6		
12]		17:00	18:00	55.7		
13			18:00	19:00	56.4		
14]		19:00	20:00	54.8		
15]		20:00	21:00	53.7		
16			21:00	22:00	52.4		
			Leq day	in dB(A)	60.4		
17			22:00	23:00	50.8		
18			23:00	0:00	49.5		
19			0:00	1:00	47.6		
20	Night	18 & 19-Oct-24	1:00	2:00	46.8		
21	Tight	10 & 19-00-24	2:00	3:00	47.2		
22			3:00	4:00	48.5		
23]		4:00	5:00	49.6		
24			5:00	6:00	51.2		
			Leq Nigh	t in dB(A)	49.2		

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	-21 -10 - 2024		
		STATION :	SHELLA PUNJ	EE	
		SIAIIO	CODE : LIV-1		
			Time (in hour)	
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	49.2
2]		7:00	8:00	50.1
3]		8:00	9:00	51.6
4]		9:00	10:00	52.5
5]		10:00	11:00	53.8
6]		11:00	12:00	54.3
7]		12:00	13:00	55.6
8	Deu	Day 21-Oct-24	13:00	14:00	56.8
9	Day		14:00	15:00	55.4
10]		15:00	16:00	54.8
11]		16:00	17:00	54.2
12]		17:00	18:00	53.6
13			18:00	19:00	52.4
14]		19:00	20:00	51.7
15]		20:00	21:00	50.2
16			21:00	22:00	48.6
			Leq day	in dB(A)	53.4
17			22:00	23:00	46.5
18			23:00	0:00	44.2
19]		0:00	1:00	42.1
20	Night	21 8 22 0 + 24	1:00	2:00	41.7
21		21 & 22-Oct-24	2:00	3:00	42.6
22			3:00	4:00	43.5
23			4:00	5:00	44.8
24			5:00	6:00	45.6
			Leq Nigh	t in dB(A)	44.2

	1	LAFARGE UMIAN	M MINING PV	T. LTD.	
		NOISE I	LEVEL DATA		
		DATE :	- 25-10-2024		
		STATION : M	AWRYNGKHO	ONG	
		STATION	CODE : LIN-0		
			Time (i	n hour)	٦
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	49.2
2			7:00	8:00	50.1
3			8:00	9:00	51.4
4			9:00	10:00	52.6
5			10:00	11:00	53.5
6			11:00	12:00	54.8
7			12:00	13:00	55.9
8	Davi	25-Oct-24	13:00	14:00	56.2
9	Day		14:00	15:00	57.1
10			15:00	16:00	56.5
11			16:00	17:00	54.3
12			17:00	18:00	53.8
13			18:00	19:00	53.2
14			19:00	20:00	52.1
15			20:00	21:00	51.9
16			21:00	22:00	49.5
			Leq day	in dB(A)	53.9
17			22:00	23:00	45.8
18			23:00	0:00	44.2
19			0:00	1:00	43.2
20	Night	25 & 26 Oct 24	1:00	2:00	41.5
21	Tright	25 & 20-Oct-24	2:00	3:00	42.8
22			3:00	4:00	43.5
23			4:00	5:00	44.6
24			5:00	6:00	45.8
			Leq Night	t in dB(A)	44.1

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE : - 29-10-2024								
		ST	ATION : QUARRY	-				
		514	ATION CODE : LN-	/				
			Time (in h	lour)				
Sl. No.		Date	From	То	Hourly Leg dB(A)			
1			6:00	7:00	55.7			
2			7:00	8:00	56.8			
3			8:00	9:00	59.2			
4			9:00	10:00	61.5			
5			10:00	11:00	63.4			
6	1		11:00	12:00	65.5			
7	1		12:00	13:00	66.4			
8		20.0+24	13:00	14:00	67.9			
9	Day	29-Oct-24	14:00	15:00	65.8			
10			15:00	16:00	64.2			
11			16:00	17:00	63.5			
12			17:00	18:00	61.2			
13			18:00	19:00	59.8			
14			19:00	20:00	58.2			
15			20:00	21:00	57.5			
16			21:00	22:00	58.2			
			Leq day in	dB(A)	63.0			
17			22:00	23:00	56.5			
18			23:00	0:00	54.2			
19			0:00	1:00	51.7			
20	Night	29 & 30-Oct-24	1:00	2:00	49.8			
21	rugit	25 00 50-000-24	2:00	3:00	47.5			
22			3:00	4:00	49.8			
23			4:00	5:00	51.2			
24			5:00	6:00	53.4			
			Leq Night in	dB(A)	52.6			

LAFARGE UMIAM MINING PVT. LTD.								
			NOISE LEVEL D	ATA				
			DATE : 01 - 11 - 1	2024				
STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)								
			STATION CODE :	LN-1				
		r						
			Time (i	n hour)				
Sl. No.		Date	From	To	Hourly Leq dB(A)			
1			6:00	7:00	51.2			
2			7:00	8:00	52.4			
3			8:00	9:00	53.5			
4			9:00	10:00	54.8			
5			10:00	11:00	55.6			
6			11:00	12:00	56.2			
7			12:00	13:00	57.8			
8	Derr	1 Nov 24	13:00	14:00	58.9			
9	Day	1-100-24	14:00	15:00	59.1			
10			15:00	16:00	57.6			
11			16:00	17:00	56.8			
12			17:00	18:00	55.4			
13			18:00	19:00	55.8			
14			19:00	20:00	54.6			
15			20:00	21:00	53.2			
16			21:00	22:00	52.1			
			Leq day	in dB(A)	55.9			
17			22:00	23:00	50.4			
18			23:00	0:00	49.2			
19			0:00	1:00	47.1			
20	Night	01 & 02 Nov 24	1:00	2:00	46.1			
21	right	01 & 02-1100-24	2:00	3:00	44.5			
22			3:00	4:00	45.7			
23			4:00	5:00	46.8			
24			5:00	6:00	48.5			
			Leq Night	t in dB(A)	47.7			

		NOISI	E LEVEL DATA		
		DATE	8: 04- 11 - 2024		
	STATION : PY	RKAN VILLAGE	(INFRONT OF	RAMKRISHNA	SCHOOL)
		STATIC	ON CODE : LN-	2	
			Time	(in hour)	
Sl. No.		Date	From	To	Hourly Leg dB(A)
1			6:00	7:00	49.2
2			7:00	8:00	50.1
3	1		8:00	9:00	51.4
4			9:00	10:00	52.3
5	1		10:00	11:00	53.6
6	1		11:00	12:00	54.8
7	1		12:00	13:00	55.7
8]	4 Nov 24	13:00	14:00	55.9
9	Day	Day 4-Nov-24	14:00	15:00	56.8
10]		15:00	16:00	56.2
11]		16:00	17:00	55.4
12			17:00	18:00	54.3
13			18:00	19:00	53.2
14			19:00	20:00	51.7
15]		20:00	21:00	49.8
16			21:00	22:00	47.7
			Leq da	y in dB(A)	53.8
17			22:00	23:00	46.2
18			23:00	0:00	45.1
19			0:00	1:00	44.3
20	Night	4 & 5 Nov 24	1:00	2:00	42.2
21	Tright	+ & 3-1100-24	2:00	3:00	40.5
22			3:00	4:00	42.6
23			4:00	5:00	44.2
24			5:00	6:00	45.8
			Leq Nig	tht in dB(A)	44.2

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE : 08-11-2024								
		STATION : PH	ALANG KA KU	JH VILLAGE				
		SIAI	ION CODE : LI	N-5				
			Time (i	in hour)	1			
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	49.7			
2	1		7:00	8:00	50.4			
3	1		8:00	9:00	51.2			
4	1		9:00	10:00	52.4			
5	1		10:00	11:00	53.6			
6	1		11:00	12:00	54.8			
7	1		12:00	13:00	55.4			
8		8 N	13:00	14:00	55.8			
9	Day	8-1NOV-24	14:00	15:00	56.2			
10	1		15:00	16:00	55.7			
11	1		16:00	17:00	54.2			
12	1		17:00	18:00	53.2			
13			18:00	19:00	52.1			
14	1		19:00	20:00	51.4			
15]		20:00	21:00	50.2			
16	1		21:00	22:00	48.5			
			Leq day	in dB(A)	53.4			
17			22:00	23:00	46.7			
18]		23:00	0:00	45.1			
19	1		0:00	1:00	43.2			
20	NUL	8 & 0 Nov 24	1:00	2:00	42.1			
21	INIght	o & 9-1NOV-24	2:00	3:00	41.5			
22]		3:00	4:00	43.7			
23			4:00	5:00	44.8			
24			5:00	6:00	45.9			
			Leq Nigh	t in dB(A)	44.5			

	1	LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE : -	- 11 - 11- 2024	21	
		STATION	OFFICE AREA	1	
		STATION	N CODE : LN-4		
			Time (i	n hour)	7
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	52.8
2]		7:00	8:00	54.6
3]		8:00	9:00	55.7
4]		9:00	10:00	56.9
5]		10:00	11:00	58.7
6]		11:00	12:00	59.4
7]		12:00	13:00	60.2
8	Deu	11-Nov-24	13:00	14:00	62.5
9	Day		14:00	15:00	63.8
10]		15:00	16:00	61.2
11]		16:00	17:00	60.5
12]		17:00	18:00	59.8
13			18:00	19:00	58.7
14]		19:00	20:00	56.4
15			20:00	21:00	54.8
16			21:00	22:00	52.7
			Leq day	in dB(A)	59.2
17			22:00	23:00	50.5
18			23:00	0:00	48.7
19			0:00	1:00	47.6
20	Night	11 & 12 Nov-24	1:00	2:00	46.2
21	, ingin	11 00 12-1100-24	2:00	3:00	47.5
22]		3:00	4:00	48.4
23			4:00	5:00	49.2
24			5:00	6:00	51.5
			Leq Nigh	t in dB(A)	49

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	-15 -11 - 2024		
		STATION :	SHELLA PUNJ	EE	
		SIAIIO	CODE : LIV-1	, 	
			Time (in hour)	
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	49.2
2]		7:00	8:00	50.5
3]		8:00	9:00	51.8
4]		9:00	10:00	52.7
5]		10:00	11:00	53.9
6]		11:00	12:00	54.8
7]		12:00	13:00	55.6
8		15-Nov-24	13:00	14:00	56.8
9	Day		14:00	15:00	57.1
10]		15:00	16:00	56.4
11]		16:00	17:00	55.2
12			17:00	18:00	54.3
13			18:00	19:00	53.2
14			19:00	20:00	51.5
15			20:00	21:00	49.4
16			21:00	22:00	48.6
			Leq day	in dB(A)	54.0
17			22:00	23:00	46.2
18			23:00	0:00	45.1
19			0:00	1:00	43.6
20	Night	15 & 16 Nov 24	1:00	2:00	41.1
21	rught	15 @ 10-100-24	2:00	3:00	43.5
22			3:00	4:00	44.6
23			4:00	5:00	45.2
24			5:00	6:00	46.3
			Leq Nigh	t in dB(A)	44.7

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	- 20-11-2024		
		STATION : M	AWRYNGKHO N CODE · I N-6	DNG	
		SIAIIOI	CODE : EIV-0		
			Time (i	in hour)	1
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	48.7
2	1		7:00	8:00	49.5
3]		8:00	9:00	50.1
4]		9:00	10:00	51.2
5]		10:00	11:00	52.6
6]		11:00	12:00	53.8
7]		12:00	13:00	54.7
8	D	Day 20-Nov-24	13:00	14:00	55.8
9	Day		14:00	15:00	56.4
10]		15:00	16:00	57.1
11]		16:00	17:00	56.4
12]		17:00	18:00	55.2
13			18:00	19:00	54.3
14			19:00	20:00	52.1
15			20:00	21:00	50.5
16			21:00	22:00	48.5
			Leq day	in dB(A)	53.8
17			22:00	23:00	46.2
18			23:00	0:00	45.1
19			0:00	1:00	43.2
20	Night	20 & 21 Nov 24	1:00	2:00	41.2
21	Taight	20 & 21-1NOV-24	2:00	3:00	42.3
22			3:00	4:00	43.4
23			4:00	5:00	44.5
24			5:00	6:00	45.8
			Leq Nigh	t in dB(A)	44.3

LAFARGE UMIAM MINING PVT. LTD.									
NOISE LEVEL DATA									
STATION - OUAPPV									
		STAT	ION CODE : LN	-7					
			Time (in	n hour)					
Sl. No.		Date	From	То	Hourly Leq dB(A)				
1			6:00	7:00	57.5				
2			7:00	8:00	59.4				
3			8:00	9:00	60.2				
4			9:00	10:00	62.5				
5]		10:00	11:00	64.8				
6			11:00	12:00	65.9				
7]		12:00	13:00	67.8				
8	Den	26 Nov 24	13:00	14:00	68.5				
9	Day	20-1NOV-24	14:00	15:00	66.4				
10]		15:00	16:00	65.2				
11			16:00	17:00	63.8				
12]		17:00	18:00	61.5				
13			18:00	19:00	59.7				
14			19:00	20:00	58.4				
15]		20:00	21:00	56.5				
16			21:00	22:00	55.4				
			Leq day i	n dB(A)	63.8				
17			22:00	23:00	55.2				
18]		23:00	0:00	53.2				
19]		0:00	1:00	52.1				
20	Night	26 & 27 Nov 24	1:00	2:00	50.4				
21	Inght	20 & 27-100v-24	2:00	3:00	48.7				
22]		3:00	4:00	50.6				
23]		4:00	5:00	52.4				
24			5:00	6:00	55.9				
			Leq Night	in dB(A)	52.9				

LAFARGE UMIAM MINING PVT. LTD.									
NOISE LEVEL DATA									
STATION - SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAV)									
STATION CODE : LN-1									
			Time (i	n hour)					
Sl. No.		Date	From	То	Hourly Leq dB(A)				
1			6:00	7:00	50.5				
2			7:00	8:00	51.2				
3			8:00	9:00	52.3				
4]		9:00	10:00	53.6				
5			10:00	11:00	54.8				
6	1		11:00	12:00	55.7				
7	1		12:00	13:00	56.8				
8	D	2. D 24	13:00	14:00	57.2				
9	Day	2-Dec-24	14:00	15:00	58.5				
10	1		15:00	16:00	57.6				
11	1		16:00	17:00	57.4				
12	1		17:00	18:00	56.8				
13	1		18:00	19:00	55.4				
14	1		19:00	20:00	54.8				
15	1		20:00	21:00	53.1				
16	1		21:00	22:00	52.7				
			Leq day	in dB(A)	55.5				
17			22:00	23:00	50.5				
18			23:00	0:00	48.2				
19			0:00	1:00	47.4				
20	Night	02 & 03 Day 24	1:00	2:00	45.1				
21	rught	02 & 05-Dec-24	2:00	3:00	44.6				
22		[3:00	4:00	45.8				
23		[4:00	5:00	46.7				
24			5:00	6:00	47.9				
			Leq Night	t in dB(A)	47.4				

		NOISI	E LEVEL DATA		
		DATE	8:06-12-2024		
	STATION : PY	(RKAN VILLAGE	(INFRONT OF	RAMKRISHNA S	SCHOOL)
		SIAIR	JN CODE : LN-	2	
			Time	(in hour)	
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	49.5
2			7:00	8:00	50.2
3			8:00	9:00	51.4
4			9:00	10:00	52.6
5			10:00	11:00	53.8
6			11:00	12:00	54.7
7			12:00	13:00	55.6
8	D	(D 24	13:00	14:00	56.2
9	Day	6-Dec-24	14:00	15:00	55.8
10	1		15:00	16:00	55.4
11	1		16:00	17:00	54.6
12]		17:00	18:00	53.2
13	1		18:00	19:00	52.1
14			19:00	20:00	50.7
15	1		20:00	21:00	48.9
16	1		21:00	22:00	47.5
			Leq da	y in dB(A)	53.4
17			22:00	23:00	46.2
18]		23:00	0:00	45.3
19]		0:00	1:00	44.2
20	NI-1+	6 8 7 0 24	1:00	2:00	43.1
21	INIght	0 & /-Dec-24	2:00	3:00	42.5
22			3:00	4:00	43.7
23			4:00	5:00	44.7
24			5:00	6:00	45.6
			Leq Nig	ht in dB(A)	44.6

		LAFARGE UN	IAM MINING	PVT. LTD.					
NOISE LEVEL DATA									
DATE : 09-12-2024									
		STATION : PH	ALANG KA RU	JH VILLAGE					
		STAT	TON CODE : L.	N-3					
			Time (]					
Sl. No.		Date	From	То	Hourly Leg dB(A)				
1		9-Dec-24	6:00	7:00	49.2				
2	1		7:00	8:00	50.1				
3	1		8:00	9:00	51.4				
4]		9:00	10:00	52.3				
5]		10:00	11:00	53.6				
6			11:00	12:00	54.8				
7			12:00	13:00	55.6				
8	Davi		13:00	14:00	56.8				
9	Day		14:00	15:00	56.4				
10			15:00	16:00	55.2				
11			16:00	17:00	54.1				
12			17:00	18:00	53.6				
13			18:00	19:00	52.7				
14			19:00	20:00	51.8				
15			20:00	21:00	49.8				
16]		21:00	22:00	48.2				
	Leq day in dB(A)			53.5					
17		9 & 10-Dec-24	22:00	23:00	46.4				
18			23:00	0:00	45.3				
19			0:00	1:00	43.2				
20	Night		1:00	2:00	41.8				
21			2:00	3:00	42.7				
22			3:00	4:00	43.8				
23			4:00	5:00	44.5				
24			5:00	6:00	45.7				
			Leq Nigh	44.4					

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	- 13- 12- 2024	•	
		STATION	: OFFICE AREA	A	
		SIAIIOI	CODE LIN-4		
			Time (i		
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	51.7
2	1		7:00	8:00	52.6
3]		8:00	9:00	54.8
4]		9:00	10:00	56.7
5]		10:00	11:00	58.9
6]		11:00	12:00	60.4
7]		12:00	13:00	62.8
8	Dev	13-Dec-24	13:00	14:00	63.4
9	Day		14:00	15:00	61.9
10]		15:00	16:00	60.2
11]		16:00	17:00	58.7
12]		17:00	18:00	58.6
13]		18:00	19:00	56.5
14	-		19:00	20:00	55.4
15			20:00	21:00	54.2
16			21:00	22:00	53.7
			Leq day	58.9	
17		13 & 14-Dec-24	22:00	23:00	52.5
18	Night		23:00	0:00	50.4
19			0:00	1:00	48.5
20			1:00	2:00	47.2
21			2:00	3:00	46.8
22			3:00	4:00	47.9
23			4:00	5:00	48.5
24			5:00	6:00	50.2
			Leq Night in dB(A)		49.4

		LAFARGE UMIA	M MINING P	T. LTD.			
		NOISE DATE :	LEVEL DATA				
		STATION :	SHELLA PUNI	FF			
		STATIO	N CODE : LN-5	5			
		Time (in hour)					
Sl. No.		Date	From	То	Hourly Leq dB(A)		
1			6:00	7:00	48.5		
2			7:00	8:00	49.7		
3]		8:00	9:00	50.2		
4			9:00	10:00	51.3		
5]		10:00	11:00	52.8		
6]		11:00	12:00	53.4		
7]		12:00	13:00	54.6		
8]	16 D - 24	13:00	14:00	55.8		
9	Day	16-Dec-24	14:00	15:00	56.2		
10	1		15:00	16:00	55.7		
11	1		16:00	17:00	55.4		
12	1		17:00	18:00	54.3		
13	1		18:00	19:00	53.5		
14			19:00	20:00	52.4		
15			20:00	21:00	51.7		
16			21:00	22:00	49.8		
			Leq day in dB(A)		53.4		
17			22:00	23:00	46.4		
18]		23:00	0:00	44.8		
19	Night	16 & 17-Dec-24	0:00	1:00	43.1		
20			1:00	2:00	41.2		
21			2:00	3:00	42.5		
22			3:00	4:00	43.7		
23			4:00	5:00	44.8		
24			5:00	6:00	45.6		
			Leq Night in dB(A)		44.3		
LAFARGE UMIAM MINING PVT. LTD.							
---	-------	------------------	---------------	------------	------------------	--	--
NOISE LEVEL DATA DATE - 20-12-2024							
DATE : - 20-12-2024 STATION : MAWRYNGKHONG							
		STATION	N CODE : LN-6	JNG			
			Time (i	in hour)			
Sl. No.		Date	From	То	Hourly Leq dB(A)		
1			6:00	7:00	48.2		
2			7:00	8:00	49.7		
3			8:00	9:00	50.1		
4			9:00	10:00	51.4		
5			10:00	11:00	52.6		
6			11:00	12:00	53.4		
7			12:00	13:00	54.8		
8	Den	20 Dec 24	13:00	14:00	55.6		
9	Day	20-Dec-24	14:00	15:00	55.8		
10			15:00	16:00	54.7		
11			16:00	17:00	54.2		
12			17:00	18:00	53.6		
13			18:00	19:00	52.1		
14			19:00	20:00	51.4		
15			20:00	21:00	49.8		
16			21:00	22:00	47.6		
			Leq day	in dB(A)	52.9		
17			22:00	23:00	46.2		
18			23:00	0:00	45.1		
19			0:00	1:00	43.2		
20	Night	20 & 21 - Dec 24	1:00	2:00	41.5		
21	Tagin	20 @ 21-Dec-24	2:00	3:00	42.6		
22			3:00	4:00	43.8		
23			4:00	5:00	44.7		
24			5:00	6:00	45.8		
			Leq Nigh	t in dB(A)	44.4		

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE : - 30-12-2024 STATION - OHARRY								
		9	STATION CODE · LN	r I-7				
		~						
			Time (in	hour)				
Sl. No.		Date	From	To	Hourly Leq dB(A)			
1			6:00	7:00	57.4			
2			7:00	8:00	59.6			
3			8:00	9:00	60.2			
4			9:00	10:00	62.5			
5			10:00	11:00	64.5			
6			11:00	12:00	65.8			
7		ıy 30-Dec-24	12:00	13:00	66.4			
8	Den		13:00	14:00	64.8			
9	Day		14:00	15:00	62.1			
10			15:00	16:00	60.8			
11			16:00	17:00	59.4			
12]		17:00	18:00	58.4			
13			18:00	19:00	57.6			
14]		19:00	20:00	56.4			
15			20:00	21:00	55.8			
16			21:00	22:00	55.4			
			Leq day i	n dB(A)	61.8			
17			22:00	23:00	54.6			
18			23:00	0:00	52.4			
19			0:00	1:00	50.2			
20	Night	30 & 31-Dec-24	1:00	2:00	47.6			
21	rught	50 @ 51-Dec-24	2:00	3:00	49.8			
22			3:00	4:00	51.5			
23			4:00	5:00	53.7			
24			5:00	6:00	55.8			
			Leq Night	in dB(A)	52.7			

LAFARGE UMIAM MINING PVT. LTD. NOISE LEVEL DATA DATE : 03 -01- 2025

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1						
			Time (i	n hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)	
1			6:00	7:00	50.1	
2	1		7:00	8:00	51.2	
3	1		8:00	9:00	52.4	
4	1		9:00	10:00	53.2	
5	1		10:00	11:00	54.2	
6	1		11:00	12:00	55.6	
7	1		12:00	13:00	56.2	
8	D	2 1 25	13:00	14:00	57.2	
9	Day	3-Jan-25	14:00	15:00	58.6	
10	1		15:00	16:00	59.4	
11	1		16:00	17:00	58.4	
12	1		17:00	18:00	58.2	
13	1		18:00	19:00	56.5	
14	1		19:00	20:00	54.2	
15	1		20:00	21:00	53.1	
16	1		21:00	22:00	51.4	
			Leq day	in dB(A)	55.9	
17			22:00	23:00	49.5	
18			23:00	0:00	48.2	
19			0:00	1:00	46.4	
20	Night	02 & 04 Jan 25	1:00	2:00	44.2	
21	rught	05 & 04-Jaii-25	2:00	3:00	45.2	
22			3:00	4:00	45.8	
23			4:00	5:00	47.2	
24			5:00	6:00	48.5	
			Leq Night	t in dB(A)	47.2	

LAFARGE UMIAM MINING PVT. LTD. NOISE LEVEL DATA DATE: 06- 01 - 2025 STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SC STATION CODE : LN-2 STATION CODE : LN-2 STATION CODE : LN-2 STATION CODE : LN-2 SI No. Date From To 1 6:00 7:00 SI No. Date From To 1 6:00 7:00 8:00 10:00 10:00 10:00 10:00 11:00 12:00 13:00 10:00 13:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00 10:00							
	NOISE LEVEL DATA DATE: 06- 01 - 2025						
		DATE	E: 06- 01 - 2025				
	STATION : PY	RKAN VILLAGE	(INFRONT OF	RAMKRISHNA S	CHOOL)		
		SIAIIC	JN CODE : LN-	2			
			Time	(in hour)	7		
Sl. No.		Date	From	То	Hourly Leq dB(A)		
1			6:00	7:00	49.7		
2			7:00	8:00	50.1		
3			8:00	9:00	51.2		
4	1		9:00	10:00	52.3		
5	1		10:00	11:00	54.5		
6	1		11:00	12:00	55.6		
7]		12:00	13:00	56.8		
8		t 6 & 7-Jan-25	13:00	14:00	56.2		
9	Day		14:00	15:00	55.4		
10			15:00	16:00	54.8		
11			16:00	17:00	54.3		
12]		17:00	18:00	53.2		
13]		18:00	19:00	52.7		
14]		19:00	20:00	51.8		
15]		20:00	21:00	49.8		
16			21:00	22:00	48.4		
			Leq da	y in dB(A)	53.6		
17			22:00	23:00	46.5		
18			23:00	0:00	44.8		
19			0:00	1:00	43.2		
20	Night	6 & 7 Jan 25	1:00	2:00	41.5		
21	Tright	0 & 7-Jai-25	2:00	3:00	42.8		
22			3:00	4:00	43.7		
23			4:00	5:00	44.8		
24			5:00	6:00	45.9		
			Leq Nig	ht in dB(A)	44.4		

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE : 10-01-2025								
		STATION : PH	ALANG KA RU TON CODE : LI	JH VILLAGE				
		SIAI						
			Time (in hour)	7			
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	48.9			
2	1		7:00	8:00	49.7			
3	1		8:00	9:00	50.2			
4	1		9:00	10:00	51.6			
5	1		10:00	11:00	52.8			
6	1		11:00	12:00	53.4			
7	1		12:00	13:00	54.7			
8		10 1	13:00	14:00	55.6			
9	Day	Day 10-Jan-25	14:00	15:00	55.8			
10	1		15:00	16:00	56.2			
11	1		16:00	17:00	55.4			
12	1		17:00	18:00	54.3			
13	1		18:00	19:00	53.5			
14	1		19:00	20:00	51.7			
15]		20:00	21:00	50.2			
16	1		21:00	22:00	48.5			
			Leq day	in dB(A)	53.3			
17			22:00	23:00	46.2			
18]		23:00	0:00	44.3			
19]		0:00	1:00	42.8			
20	NU	10 8 11 1- 25	1:00	2:00	41.7			
21	INight	10 & 11-Jan-25	2:00	3:00	42.6			
22]		3:00	4:00	43.5			
23]		4:00	5:00	44.7			
24]		5:00	6:00	45.8			
			Leq Nigh	t in dB(A)	44.2			

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	- 13- 01- 2025	•	
		STATION	N CODE : LN-4	1	
			Time (i	in hour)	
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	51.8
2]		7:00	8:00	52.6
3			8:00	9:00	54.7
4]		9:00	10:00	56.8
5]		10:00	11:00	58.9
6]		11:00	12:00	60.2
7]		12:00	13:00	62.5
8	D	13/1/2025	13:00	14:00	64.2
9	Day		14:00	15:00	65.1
10]		15:00	16:00	62.7
11			16:00	17:00	61.5
12			17:00	18:00	59.8
13]		18:00	19:00	57.4
14]		19:00	20:00	55.3
15]		20:00	21:00	54.2
16			21:00	22:00	52.9
			Leq day	in dB(A)	60.0
17			22:00	23:00	50.4
18]		23:00	0:00	48.7
19]		0:00	1:00	47.5
20	Night	12 & 14 In 25	1:00	2:00	46.8
21	Inight	15 & 14-Jan-25	2:00	3:00	44.7
22			3:00	4:00	46.5
23]		4:00	5:00	47.6
24		Date 13/1/2025	5:00	6:00	49.4
			Leq Nigh	t in dB(A)	48.0

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	-17 -01- 2025		
		STATION :	SHELLA PUNJ	EE	
		SIAIIO			
			Time (in hour)	
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	48.5
2	1		7:00	8:00	49.7
3			8:00	9:00	50.1
4]		9:00	10:00	51.6
5]		10:00	11:00	52.3
6]		11:00	12:00	54.5
7]		12:00	13:00	55.6
8	D	17-Jan-25	13:00	14:00	56.4
9	Day		14:00	15:00	55.8
10]		15:00	16:00	55.2
11			16:00	17:00	54.3
12]		17:00	18:00	52.7
13]		18:00	19:00	51.8
14			19:00	20:00	51.2
15			20:00	21:00	50.4
16			21:00	22:00	48.6
			Leq day	in dB(A)	53.1
17			22:00	23:00	46.5
18			23:00	0:00	44.8
19			0:00	1:00	43.1
20	Night	17 & 18 Jap 25	1:00	2:00	41.5
21	Taight	17 cc 10-Jaii-25	2:00	3:00	42.8
22			3:00	4:00	43.6
23			4:00	5:00	44.7
24			5:00	6:00	45.6
			Leq Nigh	t in dB(A)	44.3

		LAFARGE UMIA	M MINING PV	T. LTD.			
NOISE LEVEL DATA DATE : - 20-01-2025							
DATE : - 20-01-2025 STATION : MAWRYNGKHONG							
		STATION	N CODE · LN-6	JNG			
			Time (i	in hour)			
Sl. No.		Date	From	То	Hourly Leq dB(A)		
1			6:00	7:00	49.2		
2]		7:00	8:00	50.1		
3			8:00	9:00	51.5		
4]		9:00	10:00	52.6		
5			10:00	11:00	53.4		
6]		11:00	12:00	54.8		
7]		12:00	13:00	55.6		
8	D	20-Jan-25	13:00	14:00	56.4		
9	Day		14:00	15:00	55.7		
10]		15:00	16:00	55.4		
11			16:00	17:00	54.3		
12]		17:00	18:00	53.6		
13]		18:00	19:00	52.7		
14			19:00	20:00	51.2		
15			20:00	21:00	49.6		
16			21:00	22:00	48.5		
			Leq day	in dB(A)	53.4		
17			22:00	23:00	46.2		
18			23:00	0:00	44.5		
19]		0:00	1:00	43.2		
20	Night	20 & 21 Jan 25	1:00	2:00	41.7		
21	Inight	20 & 21-Jan-25	2:00	3:00	42.8		
22			3:00	4:00	43.6		
23]		4:00	5:00	44.5		
24			5:00	6:00	45.8		
			Leq Nigh	t in dB(A)	44.3		

		LAFARGE UMI	AM MINING	PVT. LTD.	
		NOIS	E LEVEL DATA	A	
		DATE	E : - 27-01-2025	5	
		STAT	ION : QUARRY	7	
		SIAIIC	JN CODE : LN	-/	
			Time (ir	hour)]
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	58.4
2			7:00	8:00	59.7
3			8:00	9:00	61.2
4			9:00	10:00	63.5
5			10:00	11:00	64.8
6			11:00	12:00	65.9
7			12:00	13:00	67.9
8	Dev	27 Jan 25	13:00	14:00	69.5
9	Day	Day 27-Jan-25	14:00	15:00	68.7
10			15:00	16:00	66.4
11			16:00	17:00	64.2
12			17:00	18:00	62.1
13			18:00	19:00	60.5
14			19:00	20:00	58.6
15			20:00	21:00	56.4
16			21:00	22:00	54.2
			Leq day i	n dB(A)	64.6
17			22:00	23:00	52.1
18			23:00	0:00	50.4
19			0:00	1:00	48.5
20	Night	27 & 28 Inn 25	1:00	2:00	46.2
21	rught	21 00 20-Jan-25	2:00	3:00	48.9
22			3:00	4:00	51.5
23			4:00	5:00	53.4
24			5:00	6:00	56.2
			Leq Night	in dB(A)	51.9

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE: 03-02-2025 STATION - SHELLA BAZAR (INFRONT OF DWD GUEST HOUSE) (NON MARKET DAV)								
STATION CODE · LN-1								
			Time (i	n hour)				
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	51.4			
2	1		7:00	8:00	52.3			
3	1	-	8:00	9:00	53.8			
4	1		9:00	10:00	54.8			
5	1		10:00	11:00	55.7			
6]		11:00	12:00	56.4			
7	1		12:00	13:00	57.8			
8		2 5 1 25	13:00	14:00	58.9			
9	Day	3-Feb-25	14:00	15:00	59.4			
10	1		15:00	16:00	59.2			
11	1		16:00	17:00	58.6			
12	1		17:00	18:00	56.4			
13	1		18:00	19:00	55.3			
14]		19:00	20:00	54.8			
15]		20:00	21:00	53.4			
16			21:00	22:00	51.2			
			Leq day	in dB(A)	56.3			
17			22:00	23:00	49.2			
18			23:00	0:00	47.5			
19			0:00	1:00	46.2			
20	Night	03 & 04 Eab 25	1:00	2:00	45.1			
21	rught	05 @ 04-1/60-25	2:00	3:00	43.4			
22			3:00	4:00	45.2			
23			4:00	5:00	46.7			
24			5:00	6:00	48.4			
			Leq Night	t in dB(A)	46.8			

	LA	FARGE UMIAM N	MINING PVT. I	LTD.	
		NOISI	E LEVEL DATA		
		DATE	8: 07- 02 - 2025		
	STATION : PY	RKAN VILLAGE	(INFRONT OF	RAMKRISHNA S	CHOOL)
		STATIC	ON CODE : LN-	2	
			Time	(in hour)	1
SI No		Date	From		Hourly Leg dB(A)
1		Duit	6.00	7:00	49.5
2			7:00	8.00	50.2
3			8.00	9.00	51.3
4			9.00	10.00	52.4
5			10:00	11:00	52.4
6			11:00	12:00	51.0
7			12:00	13:00	55.7
8			13:00	14:00	56.4
0	Day	7-Feb-24	14:00	15:00	56.2
10			15:00	15:00	56.2
10			15.00	17:00	55.4
12			17:00	19:00	53.1
12			17.00	18.00	52.6
15			18:00	19:00	51.8
14			19:00	20:00	50.2
15		ARGE UMIAM I NOIS DATI KAN VILLAGE STATIO Date 7-Feb-24	20:00	21:00	49.7
16			21:00	22:00	48.5
		1	Leq da	ymdB(A)	53.3
17			22:00	23:00	46.4
18			23:00	0:00	44.3
19			0:00	1:00	42.6
20	Night	7 & 8-Feb-25	1:00	2:00	40.5
21			2:00	3:00	41.8
22			3:00	4:00	43.5
23			4:00	5:00	44.6
24			5:00	6:00	45.7
			Leq Nig	ht in dB(A)	44.1

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE : 10-02-2025								
STATION : PHALANG KA KUH VILLAGE								
		SIAI						
			Time (i	in hour)]			
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	49.8			
2]		7:00	8:00	50.2			
3			8:00	9:00	51.4			
4]		9:00	10:00	52.6			
5			10:00	11:00	53.7			
6]		11:00	12:00	54.8			
7]		12:00	13:00	56.5			
8	Dev	10 Eab 25	13:00	14:00	57.1			
9	Day	Day 10-Feb-23	14:00	15:00	56.1			
10			15:00	16:00	56.2			
11			16:00	17:00	54.5			
12			17:00	18:00	52.1			
13			18:00	19:00	51.2			
14			19:00	20:00	50.5			
15			20:00	21:00	49.2			
16			21:00	22:00	47.6			
			Leq day	in dB(A)	53.6			
17			22:00	23:00	46.8			
18			23:00	0:00	45.2			
19			0:00	1:00	43.1			
20	Night	10 & 11 Eab 25	1:00	2:00	41.6			
21	Tugit	10 @ 11-160-25	2:00	3:00	43.8			
22]		3:00	4:00	44.2			
23]		4:00	5:00	44.8			
24			5:00	6:00	45.7			
			Leq Nigh	t in dB(A)	44.7			

		LAFARGE UMIA	M MINING PV	T. LTD.	
		NOISE	LEVEL DATA		
		DATE :	- 14- 02- 2025	٨	
		STATION	N CODE · LN-4	A	
			Time (in hour)	
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	52.5
2]		7:00	8:00	54.6
3]		8:00	9:00	55.8
4]		9:00	10:00	56.7
5	1		10:00	11:00	58.9
6	1		11:00	12:00	60.5
7]		12:00	13:00	61.2
8		14-Feb-25	13:00	14:00	59.7
9	Day		14:00	15:00	59.2
10]		15:00	16:00	58.6
11]		16:00	17:00	58.2
12]		17:00	18:00	57.4
13]		18:00	19:00	56.2
14]		19:00	20:00	55.6
15]		20:00	21:00	54.8
16			21:00	22:00	53.5
			Leq day	in dB(A)	57.8
17			22:00	23:00	51.2
18]		23:00	0:00	49.7
19]		0:00	1:00	47.5
20	Nishe	14 8 15 E-1 25	1:00	2:00	46.4
21	Inight	14 & 15-Feb-25	2:00	3:00	44.8
22]		3:00	4:00	46.2
23]		4:00	5:00	47.2
24			5:00	6:00	49.8
			Leq Nigh	t in dB(A)	48.3

		LAFARGE UMIA	M MINING P	VT. LTD.	
		NOISE	LEVEL DATA		
		DATE :	-17 -02- 2025		
		STATION :	SHELLA PUN	IEE	
		SIAIIO	CODE LIN-	,	
			Time (in hour)	<u>ן</u>
Sl. No.		Date	From	То	Hourly Leq dB(A)
1			6:00	7:00	50.1
2	1		7:00	8:00	51.4
3	1		8:00	9:00	52.3
4	1		9:00	10:00	53.5
5	1		10:00	11:00	54.8
6	1		11:00	12:00	55.6
7	1		12:00	13:00	56.2
8]	17-Feb-25	13:00	14:00	56.8
9	Day		14:00	15:00	55.4
10	1		15:00	16:00	55.2
11]		16:00	17:00	54.2
12]		17:00	18:00	53.5
13]		18:00	19:00	52.8
14]		19:00	20:00	51.7
15			20:00	21:00	50.2
16			21:00	22:00	48.7
			Leq day	in dB(A)	53.8
17			22:00	23:00	46.5
18]		23:00	0:00	44.3
19]		0:00	1:00	43.2
20	Night	17 & 19 Eat 25	1:00	2:00	41.5
21		17 & 18-Feb-25	2:00	3:00	42.6
22]		3:00	4:00	43.8
23]		4:00	5:00	44.7
24			5:00	6:00	45.8
			Leq Nigh	nt in dB(A)	44.3

LAFARGE UMIAM MINING PVT. LTD.									
NOISE LEVEL DATA									
	STATION : MAWRYNGKHONG								
		STATION	N CODE : LN-6	DING					
			Time (i	in hour)					
Sl. No.		Date	From	То	Hourly Leq dB(A)				
1			6:00	7:00	48.7				
2	1		7:00	8:00	49.5				
3]		8:00	9:00	50.1				
4]		9:00	10:00	51.2				
5]		10:00	11:00	52.6				
6]		11:00	12:00	53.8				
7]		12:00	13:00	54.7				
8]	21-Feb-25	13:00	14:00	55.4				
9	Day		14:00	15:00	56.3				
10]		15:00	16:00	57.2				
11]		16:00	17:00	56.4				
12			17:00	18:00	55.3				
13			18:00	19:00	54.8				
14			19:00	20:00	53.1				
15			20:00	21:00	51.7				
16			21:00	22:00	49.5				
			Leq day	in dB(A)	53.9				
17			22:00	23:00	46.2				
18			23:00	0:00	45.4				
19			0:00	1:00	43.2				
20	Night	21 & 22 Eat 25	1:00	2:00	42.5				
21	INIght	21 & 22-Feb-25	2:00	3:00	43.4				
22			3:00	4:00	44.5				
23			4:00	5:00	44.8				
24			5:00	6:00	45.6				
			Leq Night	t in dB(A)	44.6				

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
STATION - OHARRY								
		STATION	CODE : LN-7					
			Time (i	n hour)				
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	56.2			
2			7:00	8:00	58.7			
3			8:00	9:00	60.5			
4			9:00	10:00	61.2			
5			10:00	11:00	63.5			
6			11:00	12:00	62.8			
7			12:00	13:00	64.6			
8	Dev	24-Feb-25	13:00	14:00	66.5			
9	Day		14:00	15:00	64.8			
10]		15:00	16:00	63.1			
11]		16:00	17:00	62.4			
12]		17:00	18:00	60.2			
13]		18:00	19:00	58.7			
14	1		19:00	20:00	57.4			
15]		20:00	21:00	56.5			
16]		21:00	22:00	55.8			
			Leq day in dB(A)		61.9			
17			22:00	23:00	54.6			
18]		23:00	0:00	52.1			
19]		0:00	1:00	50.4			
20	NI-14	24 & 25 E 1 25	1:00	2:00	48.3			
21		24 & 25-reb-25	2:00	3:00	50.2			
22]		3:00	4:00	52.6			
23]		4:00	5:00	54.1			
24			5:00	6:00	55.9			
			Leq Night	in dB(A)	52.9			

LAFARGE UMIAM MINING PVT. LTD.									
NOISE LEVEL DATA									
DATE : 03 -03- 2025									
STATIO	N : SHEL	LA BAZAR (INFI	RONT OF PWD GU	JEST HOUSE) (NO	ON MARKET DAY)				
			STATION CODE :	LN-1					
		f	Time (i	n hour)					
SI No		Date	Erem	т.	Howrity Leg dB(A)				
1		Date	6:00	7:00	FO S				
2	1		7:00	8:00	50.5				
2			7.00	0.00	51.7				
3			8:00	9.00	52.6				
4	-		9:00	10:00	53.5				
5	-		10:00	11:00	54.8				
6	-		11:00	12:00	56.8				
7		3-Mar-25	12:00	13:00	58.7				
8	Day		13:00	14:00	58.2				
9			14:00	15:00	57.4				
10	-		15:00	16:00	57.2				
11			16:00	17:00	56.4				
12			17:00	18:00	56.2				
13			18:00	19:00	55.4				
14			19:00	20:00	54.8				
15			20:00	21:00	53.7				
16			21:00	22:00	51.6				
			Leq day	in dB(A)	55.6				
17			22:00	23:00	49.5				
18			23:00	0:00	48.4				
19			0:00	1:00	46.2				
20	Nisht	02 8 04 34- 25	1:00	2:00	45.2				
21	right	05 & 04-1vlar-25	2:00	3:00	44.1				
22]		3:00	4:00	45.8				
23	1		4:00	5:00	46.4				
24	1		5:00	6:00	48.2				
			Leq Night	t in dB(A)	47.1				

	NOISE LEVEL DATA DATE: 07- 03 - 2025							
		DATE	2:07-03-2025					
	STATION : PY	RKAN VILLAGE	(INFRONT OF	RAMKRISHNA S	CHOOL)			
		SIAIIC	JN CODE : LN-	2				
			Time	(in hour)	7			
Sl. No.		Date	From	То	Hourly Leg dB(A)			
1			6:00	7:00	50.1			
2			7:00	8:00	51.2			
3	1		8:00	9:00	52.3			
4	1		9:00	10:00	53.5			
5	1		10:00	11:00	54.6			
6	1		11:00	12:00	55.4			
7	1		12:00	13:00	56.8			
8		7.34-25	13:00	14:00	57.4			
9	Day	/-Mar-25	14:00	15:00	58.5			
10]		15:00	16:00	57.4			
11]		16:00	17:00	56.2			
12			17:00	18:00	54.6			
13			18:00	19:00	53.1			
14			19:00	20:00	52.2			
15]		20:00	21:00	51.7			
16			21:00	22:00	49.2			
		•	Leq da	y in dB(A)	54.8			
17			22:00	23:00	46.4			
18]		23:00	0:00	44.3			
19]		0:00	1:00	43.2			
20	Night	7 & 9 Mar 25	1:00	2:00	41.5			
21		/ 00 0-1VIAI-25	2:00	3:00	42.6			
22]		3:00	4:00	43.7			
23]		4:00	5:00	44.8			
24			5:00	6:00	45.6			
			Leq Nig	tht in dB(A)	44.3			

LAFARGE UMIAM MINING PVT. LTD.								
NOISE LEVEL DATA								
DATE : 10-03-2025								
		STATION : PH	ALANG KA RU	JH VILLAGE				
		SIAI	ION CODE : L	N-3				
			Time (i	in hour)]			
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	49.7			
2	1		7:00	8:00	50.2			
3]		8:00	9:00	51.6			
4]		9:00	10:00	52.5			
5]		10:00	11:00	53.4			
6]		11:00	12:00	54.6			
7]		12:00	13:00	55.8			
8	Dav	10 Mar 25	13:00	14:00	56.4			
9	Day	Day 10-Mai-25	14:00	15:00	56.2			
10]		15:00	16:00	55.4			
11			16:00	17:00	55.2			
12			17:00	18:00	54.6			
13			18:00	19:00	53.2			
14			19:00	20:00	51.7			
15]		20:00	21:00	49.8			
16			21:00	22:00	47.5			
			Leq day	in dB(A)	53.7			
17			22:00	23:00	46.1			
18			23:00	0:00	45.4			
19			0:00	1:00	43.2			
20	Night	10 & 11 Mar 25	1:00	2:00	41.5			
21	right	10 & 11-1/121-25	2:00	3:00	42.6			
22	ļ		3:00	4:00	43.8			
23	ļ		4:00	5:00	44.6			
24			5:00	6:00	45.9			
	Leq Night in dB(A) 44.4							

		LAFARGE UMIA	M MINING PV	T. LTD.				
NOISE LEVEL DATA								
		DATE :	- 14- 03- 2025					
		STATION	CODE : UN 4	4				
		SIAIIOI	CODE LIN-4					
			Time (i	in hour)				
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	51.8			
2]		7:00	8:00	52.3			
3]		8:00	9:00	54.6			
4]		9:00	10:00	55.8			
5]		10:00	11:00	56.7			
6]		11:00	12:00	58.7			
7]		12:00	13:00	59.4			
8]	14-Mar-25	13:00	14:00	60.4			
9	Day		14:00	15:00	61.5			
10]		15:00	16:00	59.8			
11]		16:00	17:00	57.6			
12]		17:00	18:00	56.4			
13]		18:00	19:00	55.7			
14]		19:00	20:00	54.6			
15]		20:00	21:00	54.2			
16			21:00	22:00	52.8			
			Leq day	in dB(A)	57.3			
17			22:00	23:00	50.9			
18]		23:00	0:00	48.6			
19			0:00	1:00	47.2			
20	Night	14 & 15 Mar 25	1:00	2:00	45.4			
21	Tugue	14 00 10-10101-20	2:00	3:00	46.7			
22			3:00	4:00	47.9			
23			4:00	5:00	48.2			
24			5:00	6:00	49.5			
			Leq Nigh	t in dB(A)	48.3			

LAFARGE UMIAM MINING PVT. LTD.									
NOISE LEVEL DATA									
	DATE : -17 -03- 2025								
		STATION :	SHELLA PUNJ	EE					
		SIAIIO	CODE : EIV-2	, 					
			Time (in hour)	7				
Sl. No.		Date	From	То	Hourly Leq dB(A)				
1			6:00	7:00	48.7				
2			7:00	8:00	49.5				
3			8:00	9:00	50.1				
4			9:00	10:00	51.2				
5			10:00	11:00	53.6				
6			11:00	12:00	54.8				
7			12:00	13:00	55.7				
8	Deu	17 May 25	13:00	14:00	56.4				
9	Day	17-Iviar-25	14:00	15:00	58.7				
10			15:00	16:00	57.1				
11			16:00	17:00	56.3				
12			17:00	18:00	55.4				
13			18:00	19:00	54.6				
14			19:00	20:00	53.2				
15			20:00	21:00	51.7				
16			21:00	22:00	49.5				
			Leq day	in dB(A)	54.5				
17			22:00	23:00	46.4				
18			23:00	0:00	44.1				
19			0:00	1:00	43.2				
20	Night	17 & 19 Mar 25	1:00	2:00	41.2				
21	Taight	17 00 10-10101-23	2:00	3:00	42.8				
22			3:00	4:00	43.7				
23			4:00	5:00	44.5				
24			5:00	6:00	45.8				
			Leq Nigh	t in dB(A)	44.2				

		LAFARGE UMIA	M MINING PV	T. LTD.				
NOISE LEVEL DATA DATE : - 21-03-2025								
		STATION · M	- 21-03-2025	ONG				
		STATION	N CODE : LN-6	JNG				
			Time (i	in hour)				
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	48.5			
2]		7:00	8:00	49.2			
3]		8:00	9:00	50.1			
4]		9:00	10:00	51.2			
5]		10:00	11:00	52.3			
6]		11:00	12:00	54.5			
7]		12:00	13:00	55.6			
8		21-Mar-25	13:00	14:00	56.2			
9	Day		14:00	15:00	55.4			
10]		15:00	16:00	55.2			
11]		16:00	17:00	54.6			
12]		17:00	18:00	53.5			
13]		18:00	19:00	52.4			
14]		19:00	20:00	51.8			
15]		20:00	21:00	49.8			
16			21:00	22:00	48.6			
			Leq day	in dB(A)	53.1			
17			22:00	23:00	46.2			
18			23:00	0:00	45.4			
19]		0:00	1:00	43.1			
20	Nisht	21 8 22 34-4 25	1:00	2:00	41.8			
21	INIght	21 oc 22-1v1ai-25	2:00	3:00	42.6			
22]		3:00	4:00	43.7			
23]		4:00	5:00	44.6			
24			5:00	6:00	45.8			
			Leq Nigh	t in dB(A)	44.4			

	LAFARGE UMIAM MINING PVT. LTD.							
	NOISE LEVEL DATA							
	DATE : - 24-03-2025							
		STATIO	N : QUARRY					
		STATION	CODE : LN-7					
			Time (in	hour)				
Sl. No.		Date	From	То	Hourly Leq dB(A)			
1			6:00	7:00	57.4			
2	1		7:00	8:00	59.8			
3	1		8:00	9:00	60.2			
4			9:00	10:00	62.5			
5	1		10:00	11:00	63.5			
6	1		11:00	12:00	64.8			
7]		12:00	13:00	66.5			
8]	24 Mar 25	13:00	14:00	67.2			
9	Day	24-Mar-25	14:00	15:00	65.4			
10]		15:00	16:00	63.2			
11]		16:00	17:00	61.7			
12]		17:00	18:00	59.8			
13]		18:00	19:00	58.4			
14]		19:00	20:00	58.2			
15			20:00	21:00	56.7			
16			21:00	22:00	56.2			
			Leq day is	n dB(A)	62.7			
17			22:00	23:00	54.8			
18			23:00	0:00	52.1			
19			0:00	1:00	50.2			
20	Night	24 8 25 Mar 25	1:00	2:00	48.1			
21	Inight	24 oc 25-1v1ai-25	2:00	3:00	50.4			
22			3:00	4:00	52.6			
23			4:00	5:00	54.3			
24			5:00	6:00	55.9			
			Leq Night	in dB(A)	53.0			

COMPLIANCE STATUS OF TASKS IDENTIFIED UNDER ACTIONS PLAN ON ISSUES RAISED DURING PUBLIC HEARING WITH BUDGETARY PROVISIONS

SN	LUMPL's Response to	Tasks Identified as per	Remarks	Budgetary	Status of
	Issues Raised during	Action Plan		Provision,	Compliance
	Public Hearing dated			INR in	as on 31
	22 January 2016			Lakhs	March 2025
A1	LUMPL will continue to engage with the local communities/ Durbars for the benefits and development of the area as was done in the past.	 Will continue to carry out CSR activities based upon needs assessment carried out as per the local requirement of the Durbar/ local communities in line with the annual budgetary provisions. CSR activities for the FY 2016-17 includes with the focus areas as following: a) Health Services; b) Educational Support; c) Infrastructure Improvement; d) Income generation programs – development of skill sets, training and awareness programs etc. e) Sponsoring social and cultural events 	CSR Budget for 2024. The budget provisions shall be continued in similar lines for the following years	~171.41	A budgetary provision on CSR activities for the year 2025 is INR 225.15 Lakhs.
A2	LUMPL will continue to engage with the local communities/Durbars for the benefits and development of the area as was done in the past. For the proposed expansion, the payment to SPV will continue made by LUMPL at INR 90/ per tonne.	CSR activities will continue to be in place as described above. A Special Purpose Vehicle (SPV) has already been set up by the Government of Meghalaya as per the directions of Hon'ble Supreme Court of India for undertaking "welfare projects including development of Health, Education, Economy, Irrigation and Agriculture in the project area of 50 kms solely for local community and welfare of tribals".	Payment to SPV will continue to be made as per the direction of Hon'ble Supreme Court of India for the limestone mining @ INR 90 per tonne)	Up to 1800.00 (for 2.0 MTPA) Up to 4500.00 (for 5.0 MTPA)	The amount accrued and paid to SPV based on the production during the period March 2025 was INR 1726.06 Lakhs.
A3 &A 4	LUMPL will continue to follow best practices as being carried out in the past.	Best practices of mining will continue to be followed. CSR activities will continue to be in place as described above.			Being followed up.

Nongnong (all these					
villages are located					
across Ilmiam River					
and located beyond 1				~5 00*	
km from the mine site)			Monitoring of	0.00	
During the monitoring			surface water		
ground vibrations at all	5. Monthly mor	nitoring of	surface water		Evpondituroo
ground vibrations at an	surface water c	uality	quality (annual		Experior the
these villages have		. ,	budget)		iowarus ine
been lound to be not					water
triggered I.e. It					analysis for
remained below 1					the period
mm/sec.					October to
					March 2025
The water flow from					was INR 3.14
current location of					Lakhs.
active mining area is					
not flowing into the					
Umiam River. The					
mine being devoid of					
overburden, there is no					
overburden waste					
hence there is no					
chance of escape of silt					
from mine overburden.					
Mitigation measures					
have been suggested					
whereby proper					
drainage to be planned					
prior to start of					
development of new					
benches for mining					
from northern side					
(from 21 st to 25 th year					
for the expansion					
project). LUMPL is					
required to construct a					
garland drain to guide					
rainwater to continue to					
flow west to east from					
northern part into the					
Umiam River. The					
garland drain will					
prevent rainwater					
entering into the mine					
from outside and					
maintain flow from mine					
area into Umiam River					
UMPI will ensure that					
the drainage through					
arland drain ie					
provided with eilt trans					
to arrest any scree					
to anost any solet					

	coming from outside			
	the mine.			
	LLIMPL will continue to			
	monitor the quality of			
	water of rivers and			
	report the same to			
	MSPCB and MoEFCC.			
A6	The blasting for 5	1. Implementation of	1. As stated	
	MIPA WIII De	mitigation measures	above in	
	narameters already	related to blasting as stated	serial no. A	
	defined in the Blasting	above in serial no. A.5	5	
	Study conducted by			
	Central Institute of			
	Mining and Fuel			
	Research (CIMFR),			
	2010.			
	The details of impacts			
	and mitigation			
	measures have been			
	study IIIMPI will			
	continue to ensure			
	proper design of blast			
	hole drilling pattern and			
	blast geometry, use of			
	NONEL WITH ILD			
	operations to be carried			
	out only during the day			
	time between 1300			
	hours and 1500 hours.			
	LUMPL will ensure that			
	exceeding 63 kg per			
	hole as suggested by			
	CIMFR.			
	Cround with refiere will			
	Continue to be			
	monitored with every			
	blast. LUMPL monitors			
	the limit and ensures			
	that its internal norm of			
	5 mm/sec will continue			
	the structures as			
	against the DGMS			
	prescribed limit of			
	maximum ground			
1				

	vibrations of 10 mm/sec.				
	conducted ground vibrations monitoring in the surrounding villages i.e. Mawryngkhong, Nongrum, and Nongnong (all these villages are located across Umiam River and located beyond 1 km from the mine site). During the monitoring ground vibrations at all these villages have been found to be "not triggered" i.e. it remained below 1 mm/sec. LUMPL has been monitoring ambient air quality at villages surrounding the mine site twice a week every week. The quality of ambient air quality has been observed to be well within the National Ambient Air Quality Standards (NAAQS). Monitoring has also been conducted by external laboratories including MSPCB and has been found to be well within the NAAQS.	2. Fugitive dust and air quality monitoring as per the frequency given in the EMP	2. Fugitive dust and air quality monitoring (annual budget)	~20.00*	Expenditures towards monitoring on fugitive dust and air quality conducted during the period October to March 2025 was INR 1.65 Lakhs.
B1 a & b	GIEM (India) Consortium, Calcutta has carried out detailed investigation and exploration which confirmed presence of limestone in the 100 Ha mine lease area. Accordingly, Mining Lease was granted by the Government of Meghalaya as well as Mining Plan and	LUMPL has entered into land lease deed with Nongtrai Village Durbar for mine lease area, crusher area and related infrastructure. As per the lease deed LUMPL will continue to pay an annual rent/royalty (the current rate of INR 13 per tonne of limestone).	Annual amount will continue to be paid as per the rate agreed in the lease deed (current rate of INR 13 per tonne)	Up to 260.00 (for 2.0 MTPA) Up to 650.00 (for 5.0 MTPA)	LUMPL has been making annual payments to the Nogntrai Village Durbar as per the rate agreed in the lease deed.

	Scheme of Mining approved by Indian Bureau of Mines, Government of India. The mine lease relates to mining of limestone only. LUMPL has been filing monthly returns to IBM and to Department of Mines and Geology, Meghalaya on the mineral limestone				
	extracted during the previous month.				
	For the mineral limestone extracted (which is the only mineral available in the mine), LUMPL has been paying rent to the Nongtrai Village Durbar as per the terms of the Agreement.				
	As stated above and the current scheme relates to mining of limestone as the only mineral present within the 100 Ha of mine lease area. For limestone mining, LUMPL has also been complying with all the terms of the Agreement with the Durbar as well as the mining lease granted by Government of Meghalaya and Mining Plan approved by IBM. Accordingly, the revenues to the state and central governments are being paid by LUMPL.				
B1 c	All the limestone mined is exported through long belt conveyor	Accuracy of measurement system will continue to be ensured through annual	-	-	Accuracy of measuremen t system is
	across border to Bangladesh. LUMPL has installed the weighing system for	calibration and certification by the Legal Metrology Department, Government of Meghalaya			being followed under the supervision

	measurement of limestone exported through the belt conveyor. The accuracy of the measurement system is calibrated and certified annually by the Legal Metrology Department, Government of Meghalaya. The fully automated online measurement system and export material i.e. limestone has been under direct supervision of Customs Department personnel who have been deployed at the loading point of the Nongtrai Limestone Mine.	Supervision of Customs Department will continue to be in place			of Legal Metrology Department, Government of Meghalaya and Customs Department.
B1 d	Based on the observations of Hon'ble Supreme Court, MoEFCC (vide file no. 07 - 31/2007 – FC dated March 30, 2010 in the matter of IA 1868 WP(C) no. 202/95) appointed a committee consisting of team of officials led by (Mr. B. N Jha), Regional Chief Conservator of Forests, North Eastern Region, Shillong as Team Leader; Director/Additional Director in the North Eastern Region, Shillong as Member; Head Zonal Office of Central Pollution Control Board, Shillong as member; and a senior Mining Officer of State Mining Department as Member. The terms of reference of the	Presently, there are ~200 local personnel (~35% of total manpower) are engaged from Nongtrai, Shella and surrounding villages. This employment of local personnel will continue.	-	-	Employment of personnel from local villages is continuing.

0	Committee included the			
TO	bilowing:			
1	. Assessment of			
	compliance to			
	conditions			
	stipulated during			
	the Environmental			
	Clearance			
	accorded under the			
	EIA notification.			
2	. Assessment of			
	impact of the mining			
	on forest, wildlife			
	and surroundings -			
	A detailed account			
	of the vegetation			
	ond wildlife with			
	and wildlife with			
	their sample			
	photographs may			
	also be attached			
	with the report.			
3	Interaction with the			
_	local population and			
	institutions and to			
	suggest effective			
	suggest enective			
	mitigating adverse			
	impacts of mining			
	on them.			
4	. Assessment of			
	limestone lying in			
	the vard after			
	quarrying and			
	feasibility regarding			
	their			
	storage/transportati			
	on.			
T	he detailed findings of			
t	ne Committee are			
ir	ncluded in Annex G.			
Т	he extracts from the			
r.	eport of the MoEECC			
	onstituted Committee			
a				
•	TOR 1: " As a			
	whole, compliance			
	status appears as			
	satisfactory since 8			
	out of 15 Specific			
	conditions were			
	fully complied with			
	while 5 were			
	write 5 were			
	parually complied		1	

with. One of the			
Specific conditions			
is being complied			
with and another			
one is also mostly			
complied with at the			
time of visit of the			
Committee Of the			
12 General			
conditions, 11 were			
observed as			
complied with while			
1 condition			
remained under			
process of			
compliance…"			
 ToR 2: " Impact of 			
mining on the			
surrounding			
villages in Nongtrai			
and Shella			
(especially			
Nongtrai) has been			
found very positive			
and beneficial to the			
residents due to			
huge amount of			
cash going to			
village Durbar and			
reaching individual			
household			
improvina the			
financial health of			
the population of			
these villages "			
■ ToR3 [·] " In the			
light of above			
salient points which			
emerged in the			
interactions with			
local population and			
institution in plain			
and simple way the			
local population is			
verv much			
benefitted with			
mining by LUMPI			
they do not have			
problem/griovance			
they want that			
mining should be			
allowed to take			
	1	1	

		place and Govt of				
		India to give all				
		clearance needed				
		for the same."				
		ToR 4: "Committee				
		assessed the stock				
		pile lying in the				
		stock yard at mining				
		site"				
Ī	B1	Special Purpose	1. Payments to SPV will			
	е	Vehicle (SPV) has been	continue as stated above in			
		set up by the State	serial no A 2			
		Government of				
		Meghalaya in relation to				
		the welfare projects				
		mandated upon it				
		including the	2. Implement mitigation	Capital cost of	710.00 (to	Capital
		development of health,	measures as suggested in	EMP	be spent	expenditure
		education, economy,	the EMP		over the	of EMP after
		irrigation and			years)	of 5.0 MTPA
		agriculture in the			,	environment
		project area of 50 kms				clearance up
		solely for the local				to March
		community and welfare				2025 was
		of Tribals. LUMPL has				INR 278.15
		deposited to SPV a				Lakhs
		sum of INR				
		114.25 Crore as on				
		September 30, 2015.		Recurring cost	210.00	Recurring
				of EMP	(upon	expenditure
		During the pendency of			achieving	of EMP after
		the matter of IA no.			full	receipt of 5.0
		1868 in WP (C) 202 of			production	MTPA
		1995 in the Hon'ble)	environment
		Supreme Court,				al clearances
		MoEFCC vide order F.				up to March
		No. 07-31/2007 dated				2025 was
		March 30, 2010				INR 668.39
		constituted a				Lakhs.
		Committee headed by				
		Mr BN				
		Jha, CCF, RO Shillong				
		and the report was				
		submitted by MoEFCC				
		to the Hon'ble Supreme				
		Court. Amongst				
		other contexts the				
		report stated that,				
		"According to the				
		report, M/s. Lafarge has				
		been contributing for				
		the				
		benefits of the village				
		as well as for all the				

	villagers by way of				
	payment of rent for the				
	use of the community				
	land as well as towards				
	the price of limestone				
	exported to				
	Bangladesh. The				
	figures of such				
	payments are also				
	indicated in the report.				
	Further, the report				
	states that mining is not				
	having any adverse				
	effect on the human				
	life"				
	For the proposed				
	expansion Project,				
	detailed mining impacts				
	have been worked out				
	in the EIA report.				
	Detailed mitigation				
	measures have been				
	suggested to minimize				
D1f	adverse impacts.	As stated shows in serial na	A stated	As stated	
ы	LUMPL has been	As stated above in serial no.	AS Stated	As stated	As given
	Nongtrai Durbar based	DIA	no B12	abuve III	above III D I a
	on current rate rental		110. DTa	B1a	
	navment of INR 13 per			БТа	
	tonne of limestone				
	The public hearing was				
	attended by more than				
	300 people (refer to the				
	attendance sheet – in				
	Annex A-2) from				
	surrounding villages				
	including Nongtral. The				
	statements made by				
	from the proceedings of				
	the nublic bearing				
	supported the				
	expansion Pronosal				
	due to the benefits				
	LUMPL has been				
	providing to the village.				
B2					
B2	The blasting for 5	1. Implementation of	-	-	Mitigation
а	MTPA will be	blasting related mitigation			measures
	undertaken as per the	meausres as suggested			are being
	parameters already	in EMP and as stated			implemented.
	defined by the Blasting	above in serial no. A.5.			

Study conducted by		
Central Institute of		
Mining and Fuel		
Research (CIMFR).		
Government of India in		
2015		
2015:		
The details of impacts		
and mitigation		
mossures have been		
included in the EIA		
atudy LUMD will		
study. LUMPL WII		
continue to ensure		
proper design of blast		
hole drilling pattern and		
blast geometry, use of		
NONEL WITH ILD		
detonators and blasting		
operations to be carried		
out only during the day		
time between 1300		
hours and 1500 hours.		
LUMPL will ensure that		
the explosive use is not		
exceeding 63 kg per		
hole as suggested by		
CIMFR.		
Ground vibrations are		
to be monitored with		
every blast and it		
should adhere to the		
limits prescribed by		
DGMS which is		
maximum ground		
vibrations of 10		
mm/sec.		
 LUMPL monitors 		
the limit and		
ensures that its		
internal norm of 5		
mm/sec which will		
be adhered to at		
all the structures.		
 LUMPL has also 		
conducted		
ground vibrations		
monitoring in the		
surrounding		
villages i.e.		
Mawryngkhong,		
Nongrum, and		
Nongnong (all		
these villages are		

	located across Umiam River and located beyond 1 km from the mine site). During the monitoring ground vibrations at all these villages have been found to be not triggered i.e. below 1 mm/sec.				
B2 b	LUMPL has been monitoring ambient air quality at villages surrounding the mine site twice a week every week. The quality of ambient air quality has been observed to be well within the National Ambient Air Quality Standards. Monitoring has also been conducted by external laboratories including MSPCB and has been found to be well within the NAAQS.	 Implementation of mitigation measures to control dust emissions as described in the EMP. Implementation of action plan on fugitive dust and air quality monitoring as stated in the serial no. A.6. Support to local community for providing health related services as part of CSR activities 	Fugitive dust control through water sprinkling using rain gun fogger, water tankers and fixed sprinkling system set along the median of the haul road As stated above in serial no. A6	40.00* - As stated above in serial no. A1	
B2 c	Mitigation measures have been suggested including proper drainage to be planned prior to start of development of new benches and prior to start of mining from northern side (21 st to 25 th year), for the northern drainage through northern part, LUMPL is required to construct a garland drain to guide rainwater continue to flow west to east into the Umiam River. The garland drain will prevent	 Construction of Storm water drains (along northern boundary 1 km length (from 20th year onwards) and for pit water discharge from lowest bench from 10th year onwards Construction of drain along the haul road and approach road Setting up pit water evacuation pump 	Cost of garland drain Cost of drainage system along haul road and approach Cost of water evacuation pump	200.00* 50.00* 20.00*	Actions to be implemented from 20 th year onwards from the year 2015-16.
rainwater entering into the mine from outside and maintain flow from mine area into Umiam River					
---	--	--			
LUMPL will ensure that the drainage through garland drain is provided with silt traps to arrest any scree coming from outside the mine.					
LUMPL will continue to monitor the quality of water of rivers and report the same to MSPCB and MoEFCC.					

Note - *Cost as included in the EMP.

ANNEXURE- II

MEGHALAYA STATE POLLUTION CONTROL BOARD "ARDEN", LUMPYNGNGAD, SHILLONG - 793014 e-mail : memsecy.spcb-meg@gov.in; megspcb@rediffmail.com Phone : 0364-2521533, 2521514, 2522726 Book No. :170						
VEHICL	E EMISS	ION TES	T REPC	ORT		
Dat of testing : 16 12 24 MLoS K 7532 Certified that the exhaust emission of Vehicle No. MLoS K 7532						
The second second	S. Contraction	Maximur	m Smoke D	Density	Result	
Method of Test		Light Absorption Co-efficient (I/m)	Bosch Units	Hartridge Unit	(Hartridge Smoke Unit)	
a) For vehicles other than a tractors : Full load at 60 maximum engine rated rp by the manufacturer. or	gricultural to 70% of m declared	3.25	5.2	75		
Free acceleration for turb engine or Free acceleration for natural er ne	o charged ly aspirated	2.45		65	32.0	
b) For agricultural tractors corresponding to maxim developed in PTO perform	80% load um power ance tests.	3.25	5.2	75		
Certified that the vehicle meets the emission standard and this certificate is valid for 6 (six) months from the date of issue. This Certificate is valid upto						

এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

ABNS

Phone: 98640 68513, 98640 89951

Report No:ABNS/EM/102924/12	Date:29/10/2024
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Waste Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/102124/WW01
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: Sample 1
Location: ETP Out let	Sample Collected by: Mr Chinmoy Kalita (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 19/10/2024
Temperature:237°C	Analysis Start Date: 21/10/2024
Relative Humidity:66.0%	Analysis End Date:26/10/2024

TEST REPORT

ANALYSIS RESULTS

SI No	Parameters	Reference Methods	Units	Permissible Limit(CPCB)	Results
1	pH at 25°C	IS 3025 Part 11, 2022	*	5.5-9.0	7.4
2	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	100	28.0
3	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	2100	142.0
4	Oil & Grease	IS 3025 Part 39, 2021	mg/L	10	BDL
5	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	30	5.0

Note: The résults relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

10/2024

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TE	S	Т	R	EI	P	0	R	Т
						-		-

Report No:ABNS/EM/112924/12	Date:29/11/2024
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Waste Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/112124/WW01
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: Sample 1
Location: ETP Out let	Sample Collected by: Mr Chinmoy Kalita (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 20/112024
Temperature:24.5%	Analysis Start Date: 21/11/2024
Relative Humidity:66.0%	Analysis End Date:27/11/2024

ANALYSIS RESULTS

SI No	Parameters	Reference Methods	Units	Permissible Limit(CPCB)	Results
1	pH at 25°C	IS 3025 Part 11, 2022	•	5.5-9.0	7.90
2	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	100	31.0
3	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	2100	112.0
4	Oil & Grease	IS 3025 Part 39, 2021	mg/L	10	BDL
5	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	30	6.0

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

ABNS

Authori2ed Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

Report No:ABNS/EM/122924/12	Date:29/12/2024
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh, Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Ref.: PO: 3960022674 Sample Description: Waste Water Sample ID: ABNS/GHY/112124/WW01 Sample Type: Grab Sample Source: Sample 1
Location: ETP Out let	Sample Collected by: Mr Chinmoy Kalita (Sampler)
Environmental Condition: Temperature:24.3 ^o C Relative Humidity:65.5%	Sampling Protocol: IS 17614 (Part 1): 2021 Sampling Date: 19/12/2024 Analysis Start Date: 20/12/2024 Analysis End Date:28/12/2024

TEST REPORT

ANALYSIS RESULTS

SI No	Parameters	Reference Methods	Units	Permissible Limit(CPCB)	Results
1	pH at 25°C	IS 3025 Part 11, 2022	120	5.5-9.0	7.70
2	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	100	34.4
3	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	2100	134.0
4	Oil & Grease	IS 3025 Part 39, 2021	mg/L	10	BDL
5	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	30	8.0

Note: The results relate to the parameter tested only.

For ABNS Scientific Services,

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/013025/12	Date:30/01/25
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh,	Ref.: PO: 3960022674 Sample Description: Waste Water Sample ID: ABNS/GHY/012225/WW01 Sample Type: Grab Sample
Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Source: Sample 1
Location: ETP Out let	Sample Collected by: Mr Nabajit Pathak (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition: Temperature:24.5°C Relative Humidity:65.5%	Sampling Date: 21/01/25 Analysis Start Date: 22/01/25 Analysis End Date:28/01/25

ANALYSIS RESULTS

SI No	Parameters	Reference Methods	Units	Permissible Limit(CPCB)	Results
1	pH at 25°C	IS 3025 Part 11, 2022	-	5.5-9.0	7.5
2	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	100	32.5
3	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	2100	132.0
4	Oil & Grease	IS 3025 Part 39, 2021	mg/L	10	BDL
5	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	30	6.9

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Authorized Signatory

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST	REPORT

Report No:ABNS/EM/022725/12	Date:27/02/2025
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Waste Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/022025/WW01
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: Sample 1
Location: ETP Out let	Sample Collected by: Mr Chinmay Kalita (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 19/02/2025
Temperature:24.5°C	Analysis Start Date: 20/02/2025
Relative Humidity:65.5%	Analysis End Date:26/02/25

ANALYSIS RESULTS

SI No	Parameters	Units	Results	Reference Methods	Permissible Limit(CPCB)
1	pH at 25°C		7.4	IS 3025 Part 11, 2022	5.5-9.0
2	Total Suspended Solids	mg/L	34.0	IS 3025 Part 17, 2022	100
3	Total Dissolved Solids	mg/L	130.0	IS 3025 Part 16, raf 2023	2100
4	Oil & Grease	mg/L	BDL	IS 3025 Part 39, 2021	10
5	Biochemical Oxygen Démand	mg/L	8.0	IS 3025 Part 44, 2023	30

Note: The results relate to the parameter tested only.

-----End of Report----

For ABNS Scientific Services,

ghatory

Report reviewed by: Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/032525/12	Date:25/03/2025
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Waste Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/031925/WW01
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: Sample 1
Location: ETP Out let	Sample Collected by: Mr Chinmay Kalita (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 18/03/2025
Temperature:24.3 ^o C	Analysis Start Date: 19/03/2025
Relative Humidity:66.5%	Analysis End Date:24/03/2025

ANALYSIS RESULTS

s/N	Parameters	Units	Results	Reference Methods	Permissible Limit(CPCB)
1	pH at 25°C		7.20	IS 3025 Part 11, 2022	5.5-9.0
2	Total Suspended Solids	mg/L	34.0	IS 3025 Part 17, 2022	100
3	Total Dissolved Solids	mg/L	462.0	IS 3025 Part 16, raf 2023	2100
4	Oil & Grease	mg/L	BDL	IS 3025 Part 39, 2021	10
5	Biochemical Oxygen Demand	mg/L	8.0	IS 3025 Part 44, 2023	30

Note: The results relate to the parameter tested only.

-----End of Report-----End of Report-----

For ABNS Scientific Services,

ABNS Authorized Signatory

Report reviewed by: Dr. Bidyut Jyoti Sarmah(TM)

Ground water level results for the period October 2024 to March 2025

	Oct				Nov					Dec	
Location	Reading in Unit meter				Reading in Unit meter				Reading in Unit meter		
Location	Min	Max	Avg		Min	Max	Avg		Min	Max	Avg
PWD Road (To the south west of the Mine)	52.96	54.52	53.74		51.02	52.90	51.91		49.98	51.06	50.50
Near Mine entry gate (To the Southof the Mine)	52.96	54.32	53.63		52.40	<mark>52.94</mark>	52.67		51.12	52.34	51.74
Near Transit House (To the South East of the Mine)	52.14	53.30	52.73		50.98	<u>52.10</u>	51.54		47.90	50.92	49.95
		Jan			Feb				Mar		
Location	Readi	ng in Unit	meter		Readi	ng in Unit	meter		Readi	ng in Unit	meter
Location	Min	Max	Δνα	1	Min	14		1	Min	Max	A
			Avy		win	Max	Avg	l	IVIIII	IVIAX	Avg
PWD Road (To the south west of the Mine)	47.78	49.90	48.76		47.40	47.88	Avg 47.63		47.58	48.14	Avg 47.79
PWD Road (To the south west of the Mine) Near Mine entry gate (To the Southof the Mine)	47.78 50.02	49.90 51.10	48.76 50.61		47.40 49.60	47.88 49.98	Avg 47.63 49.77		47.58 48.44	48.14 49.92	47.79 49.62

(Vibrating Wire Piezometer)

ABNS

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইল্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT				
Report No:ABNS/EM/102924/10	Date:29/10/2024			
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh, Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Ref.: PO: 3960022674 Sample Description: Surface Water Sample ID: ABNS/GHY/102124/SW01 Sample Type: Grab Sample Source: LWQ-1 Up Stream Umiam River			
Location: Umiam River	Sample Collected by: Mr Nabajit Pathak (Sampler)			
Environmental Condition: Temperature: 25.8 ⁶ C Relative Humidity:68.5%	Sampling Protocol: IS 17614 (Part 1): 2021 Sampling Date: 19/10/2024 Analysis Start Date21/10/2024 Analysis End Date28/10/2024			

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25ºC	IS 3025 Part 11, 2022	*	7.76
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	192.4
3	Turbidity	IS 3025 Part 10, 2023	NTU	3.6
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	89.0
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	9.8
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	BDL
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	72.0
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	52.4
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.08
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	21.8
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	26.6
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	3.8
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	12.0
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.80

15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	5.8
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	18.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.8
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	8.2
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.18
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	2.15
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.28
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	90

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----End of Report-----

For ABNS Scientific Services,

29/ 10/2024 Authorized Signatory

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/102924/11	Date:29/10/2024
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/102124/SW02
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-2Down Stream Umiam River
Location: Umiam River	Sample Collected by: Mr Nabajit Pathak (Sampler)
Environmental Condition: Temperature: 24.7°C	Sampling Protocol: IS 17614 (Part 1): 2021 Sampling Date: 19/10/2024 Analysis Start Date: 21/10/2024
Relative numidity: 07.5%	Analysis End Date: 26/10/2024

SI No Parameters **Reference Methods** Results Units 1 pH at 25°C 7.80 IS 3025 Part 11, 2022 2 Conductivity 194.0 IS 3025 Part 14, (reaf 2019) μS/cm 3 Turbidity IS 3025 Part 10, 2023 NTU 9.60 4 **Total Dissolved Solids** 142.0 IS 3025 Part 16, raf 2023 mg/L 5 Chloride IS 3025 Part 32, (reaf 2019) mg/L 10.6 6 Fluoride 0.04 IS 3025 Part 60, (reaf 2019) mg/L 7 Total Hardness as CaCO₃ 69.0 IS 3025 Part 21, (reaf 2019) mg/L 8 Total Alkalinity as CaCO3 IS 3025 Part 23, 2023 56.4 mg/L 9 Iron 0.18 IS 3025 Part 53, (reaf 2019) mg/L 10 Sulphate 32.0 IS 3025 : Part 24 : Sec 1 : 2022 mg/L 11 Calcium as CaCO3 IS 3025 Part 40, (reaf 2019) mg/L 29.4 12 Magnesium as Mg IS 3025 Part 46, 2023 mg/L 8.2 13 **Total Suspended Solids** IS 3025 Part 17, 2022 mg/L 32.0 14 Nitrate-Nitrogen IS 3025 Part 34, (reaf 2019) 4.46 mg/L

15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	6.2
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	18.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	0.4
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	3.2
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	0.20
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.12
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	40

-----End of Report-----For ABNS Scientific Services,

Authorized Signatory

SHIE S

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Dr. Bidyut Jyoti Sarmah (TM)

ABNS

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইল্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/102924/08	Date:29/10/2024
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/102124/SW03
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-3Up Stream Phlangkarue River
Location:Phlangkarue River	Sample Collected by: Mr Nabajit Pathak (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 19/10/2024
Temperature: 24.7°C	Analysis Start Date: 21/10/2024
Relative Humidity: 67.5%	Analysis End Date: 28/10/2024

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022	-	8.10
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	239
3	Turbidity	IS 3025 Part 10, 2023	NTU	5.4
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	146
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	34.5
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.02
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	58.0
8	Total Alkalinity as CaCO3	IS 3025 Part 23, 2023	mg/L	42.0
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.24
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	42.0
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	23.4
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	6.8
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	15.0
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	3.20

15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	4.6
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	20.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	0.50
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	6.40
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.08
22	Phosphate as P	15 3025 Part 31 Sec 1, 2022	mg/L	0.40
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	40

-----End of Report-----

For ABNS Scientific Services,

29/10/2024 Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED এবীএন্এচ্ চাইন্টিফিক চার্ডিচেচ প্রাইভেট লিমিটেড



एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

I	EST REPORT
Report No:ABNS/EM/102924/09	Date: 29/10/2024
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh, Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Ref.: PO: 3960022674 Sample Description: Surface Water Sample ID: ABNS/GHY/102124/SW04 Sample Type: Grab Sample Source: LWQ-4Down Stream Phlangkarue River
Location: Phlangkarue River	Sample Collected by: Mr Nabajit Pathak (Sampler)
Environmental Condition: Temperature: 24.7 ⁶ C Relative Humidity: 67.5%	Sampling Date: 19/10/2024 Analysis Start Date: 21/10/2024 Analysis End Date: 26/10/2024

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022	184	7.76
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	162
3	Turbidity	IS 3025 Part 10, 2023	NTU	4.0
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	102.0
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	19.6
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	BDL
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	43.4
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	35.0
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.10
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	30.6
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	21.4
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	6.8
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	10.0
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	1.40

15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	6.6
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	18.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	6.8
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	19.4
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.22
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	0.40
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	160

-----End of Report-----

For ABNS Scientific Services,

9/10/2024 Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

-



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/112924/10	Date:29/11/2024
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/112124/SW01
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-1 Up Stream Umiam River
Location: Umiam River	Sample Collected by: Mr Nabajit Pathak (Sampler)
Environmental Condition:	Sampling Protocol: IS 17614 (Part 1): 2021
Temperature: 24 5°C	Sampling Date: 20/11/2024
Relative Humidity 66 5%	Analysis Start Date21/11/2024
Neiduve Humaily.00.5%	Analysis End Date28/11/2024

SI No Parameters **Reference Methods** Units Results 1 pH at 25°C IS 3025 Part 11, 2022 7.67 -2 Conductivity IS 3025 Part 14, (reaf 2019) µS/cm 195.5 3 Turbidity IS 3025 Part 10, 2023 NTU 4.2 4 Total Dissolved Solids IS 3025 Part 16, raf 2023 mg/L 131.5 5 Chloride IS 3025 Part 32, (reaf 2019) mg/L 11.5 6 Fluoride IS 3025 Part 60, (reaf 2019) mg/L 0.04 7 Total Hardness as CaCO₃ IS 3025 Part 21, (reaf 2019) mg/L 74.5 8 Total Alkalinity as CaCO3 IS 3025 Part 23, 2023 mg/L 57.4 9 Iron IS 3025 Part 53, (reaf 2019) mg/L 0.21 10 Sulphate IS 3025 : Part 24 : Sec 1 : 2022 27.5 mg/L 11 Calcium as CaCO3 IS 3025 Part 40, (reaf 2019) mg/L 33.2 12 Magnesium as Mg IS 3025 Part 46, 2023 mg/L 6.3 13 **Total Suspended Solids** IS 3025 Part 17, 2022 17.0 mg/L

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	2.02
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	6.4
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	11.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.5
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	5.4
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.17
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	2.13
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.12
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	110

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

ABNS

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED এবীএন্এচ্ চাইন্টিফিক চার্ডিচেচ প্রাইভেট লিমিটেড



एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

TEST REPORT				
Report No:ABNS/EM/112924/11	Date:29/11/2024			
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh, Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Ref.: PO: 3960022674 Sample Description: Surface Water Sample ID: ABNS/GHY/112124/SW02 Sample Type: Grab Sample Source: LWQ-2Down Stream Umiam River			
Location: Umiam River	Sample Collected by: Mr Nabajit Pathak (Sampler)			
Environmental Condition: Temperature: 24.5°C Relative Humidity: 66.5%	Sampling Date: 20/11/2024 Analysis Start Date: 21/11/2024 Analysis End Date: 29/11/2024			

ANALYSIS RESULTS

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022		7.72
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	279
3	Turbidity	IS 3025 Part 10, 2023	NTU	7.8
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	174.0
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	9.6
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.03
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	160.3
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	98.0
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.22
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	41.0
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	42.5
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	12.7
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	15.0

ABNS +

Phone: 98640 68513, 98640 89951

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	2.24
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	6.5
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	6.9
18	Biochemical Oxygen Demand	15 3025 Part 44, 2023	mg/L	2.4
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.2
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	5.4
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.13
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	0.15
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.25
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	80

-----End of Report-----

For ABNS Scientific Services,

and the s ABNS 24 291 Bhat

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/112924/08	Date:29/11/2024
Name & Address of the Customer:	Bef · PO· 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh	Sample ID: ABNS/GHY/112124/SW03
Shella Confederacy East Khasi Hills Shella	Sample Type: Grab Sample
Meghalava 793112 INDIA	Source: LWQ-3Up Stream Phlangkarue River
Location-Phlangkarue River	
cocations mangkarde meet	Sample Collected by: Mr Nabajit Pathak (Sampler)
Environmental Canditian	Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 20/11/2024
Temperature: 24.5°C	Analysis Start Date: 21/11/2024
Relative Humidity: 66.5%	Analysis End Date: 28/11/2024

SI No	Parameters	Reference Methods	Units	Result
1	pH at 25°C	IS 3025 Part 11, 2022	-	7.68
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	215
3	Turbidity	IS 3025 Part 10, 2023	NTU	3.5
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	142
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	37
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.05
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	58.5
8	Total Alkalinity as CaCO3	IS 3025 Part 23, 2023	mg/L	73.4
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.12
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	43.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	19.5
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	4.8
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	17.0

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.36
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	4.7
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	7.9
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	2.5
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	0.17
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	7.4
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.24
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.76
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	Not

-----End of Report----

For ABNS Scientific Services,

ABN

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

ABNS

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/112924/09	Date: 29/11/2024	
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh, Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Ref.: PO: 3960022674 Sample Description: Surface Water Sample ID: ABNS/GHY/112124/SW04 Sample Type: Grab Sample Source: LWQ-4Down Stream Phlangkarue River	
Location: Phlangkarue River	Sample Collected by: Mr Nabajit Pathak (Sampler) Sampling	
Environmental Condition: Temperature: 24.5°C Relative Humidity: 66.5%	 Protocol: IS 17614 (Part 1): 2021 Sampling Date: 20/11/2024 Analysis Start Date: 21/11/2024 Analysis End Date28/11/2024 	

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	15 3025 Part 11, 2022	÷	7.42
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	149
3	Turbidity	IS 3025 Part 10, 2023	NTU	6.1
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	98.0
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	19.5
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.07
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	49.5
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	61.4
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.15
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	40.4
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	20.5
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	4.21
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	16.0

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	1.14
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	6.2
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	18.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	5.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	2.24
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	9.06
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.52
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	2.34
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	60

-----End of Report-----

For ABNS Scientific Services,

ADN 20

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com Phone: 98640 68513, 98640 89951

Report No: ABNS/EM/122924/10	Date:29/12/2024
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh, Shella Confederacy, East Khasi Hills, Shella Meghalaya 793112, INDIA	Ref.: PO: 3960022674 Sample Description: Surface Water Sample ID: ABNS/GHY/122024/SW01 Sample Type: Grab Sample Source: LWQ-1 Up Stream Umiam River
Location: Umiam River	Sample Collected by: Mr Pankaj Rajbongshi (Sampler)
Environmental Condition: Temperature:24.3 ^o C Relative Humidity:65.5%	Sampling Protocol: IS 17614 (Part 1): 2021 Sampling Date: 19/12/2024 Analysis Start Date20/12/2024 Analysis End Date28/12/2024

TEST REPORT

ANALYSIS RESULTS

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022		7.54
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	192.5
3	Turbidity	IS 3025 Part 10, 2023	NTU	3.7
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	127.4
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L.	10.5
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.03
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	72.5
8	Total Alkalinity as CaCO3	IS 3025 Part 23, 2023	mg/L	53.4
9	iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.20
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	25.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	31.4
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	6.4

K. 13

13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	14.5
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	3.02
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	5.8
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	12.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	5.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.6
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	4.4
21	Ammoniacal Nitrogen	15 3025 Part 34, (reaf 2019)	mg/L	0.19
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.97
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.20
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	112.0

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----End of Report-----

For ABNS Scientific Services,

ASNS 20112/2024

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED এবীএন্এচ্ চাইন্টিফিক চার্ডিচেচ প্রাইডেট লিমিটেড



एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

TEST REPORT

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Phone: 98640 68513, 98640 89951

Email: info@abnsscientific.com, abnsscientific@gmail.com

Report No: ABNS/EM/122924/11	Date:29/12/2024	
Name & Address of the Customer:	Ref.: PO: 3960022674	
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water	
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/122024/SW02	
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample	
Meghalaya 793112, INDIA	Source: LWQ-2Down Stream Umiam River	
Location: Umiam River	Sample Collected by: Mr Pankaj Rajbongshi (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021	
Environmental Condition:	Sampling Date: 19/12/2024	
Temperature:24.3 ⁰ C	Analysis Start Date: 20/12/2024	
Relative Humidity:65.5%	Analysis End Date: 28/12/2024	

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25ºC	IS 3025 Part 11, 2022	с.,	7.66
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	235
3	Turbidity	IS 3025 Part 10, 2023	NTU	6.7
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	171.0
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	7.9
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.02
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	161.5
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	95.5
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.20
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	39.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	40.4
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	11.5
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	14.0

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	1.98
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	5.5
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	7.5
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	2.10
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.4
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	5.5
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.12
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	0.11
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.24
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
22	Total Coliform	15 1633, 1081 (marth 2010)	(100m)	- 70

-----End of Report-----

For ABNS Scientific Services,

9/12/2024 Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएनएस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com Phone: 98640 68513, 98640 89951

TEST REPORT

Report No: ABNS/EM/122924/08	Date:29/12/2024	
Name & Address of the Customer: LAFARGE UMIAM MINING PVT LTD Nongtrai Limestone Mines, Phalangharuh,	Ref.: PO: 3960022674 Sample Description: Surface Water Sample ID: ABNS/GHY/122024/SW03 Sample Type: Grab Sample	
Meghalaya 793112, INDIA	Source: LWQ-3Up Stream Phlangkarue River	
Location: Phlangkarue River	Sample Collected by: Mr Pankaj Rajbonshi (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021	
Environmental Condition: Temperature:24.3°C Relative Humidity:65.5%S	Sampling Date: 19/12/2024 Analysis Start Date: 20/12/2024 Analysis End Date: 28/12/2024	

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022	-	7.34
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	197
3	Turbidity	IS 3025 Part 10, 2023	NTU	4.4
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	131
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	35
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.03
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	55.5
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	71,5
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.10
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	41.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	20.2
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	3.9
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	15.0

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.31
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	4.5
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	6.9
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	1.97
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	0.14
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	6.5
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.20
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.70
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.20
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	Not Detecte

-----End of Report--

For ABNS Scientific Services,

ABNS 2024

.....

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No: ABNS/EM/122924/09	Date:29/12/2024
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/122024/SW04
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-4Down Stream Phlangkarue River
Location: Phlangkarue River	Sample Collected by: Mr Pankaj Rajbonshi (Sampler)
Facility and the state	Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 19/12/2024
Temperature:24.3°C	Analysis Start Date: 20/12/2024
Relative Humidity:65.5%	Analysis End Date28/12/2024

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022	i.	7.25
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	145
3	Turbidity	15 3025 Part 10, 2023	NTU	7.2
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	94.5
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	20.4
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.08
7	Total Hardness as CaCO ₃	15 3025 Part 21, (reaf 2019)	mg/L	47.4
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	59.4
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.20
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	45.4
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	19.4
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	3.37

13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	20.0
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	1.20
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	5.7
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	16.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.97
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	10.4
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.40
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.67
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	57.0

For ABNS Scientific Services,

ABNS 2024 20/12

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

ABNS

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Phone: 98640 68513, 98640 89951

Email: info@abnsscientific.com, abnsscientific@gmail.com

TEST REPORT Report No:ABNS/EM/013025/10 Date:30/01/25 Name & Address of the Customer: Ref.: PO: 3960022674 LAFARGE UMIAM MINING PVT LTD Sample Description: Surface Water Sample ID: ABNS/GHY/012225/SW01 Nongtrai Limestone Mines, Phalangharuh, Sample Type: Grab Sample Shella Confederacy, East Khasi Hills, Shella Source: LWQ-1 Up Stream Umiam River Meghalaya 793112, INDIA Location:Umiam River Sample Collected by: Mr Chinmay Kalita (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021 **Environmental Condition:** Sampling Date: 21/01/25 Temperature:24.5°C Analysis Start Date22/01/25 Relative Humidity:65.5% Analysis End Date29/01/25

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25ºC	IS 3025 Part 11, 2022	2	7.2
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	190.5
3	Turbidity	IS 3025 Part 10, 2023	NTU	4.3
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	130.5
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	9.00
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.05
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	70.5
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	50.5
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.24
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	27.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	30.4
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	7.1
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	15.0

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	3.05
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	6.1
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	13.5
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	4.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.5
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	5.4
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.20
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.87
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.25
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDI
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	120

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

12025

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

ABN

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Phone: 98640 68513, 98640 89951

Email: info@abnsscientific.com, abnsscientific@gmail.com

Report No:ABNS/EM/013025/11 Date:30/01/25 Name & Address of the Customer: Ref.: PO: 3960022674 LAFARGE UMIAM MINING PVT LTD Sample Description: Surface Water Nongtrai Limestone Mines, Phalangharuh, Sample ID: ABNS/GHY/012225/SW02 Sample Type: Grab Sample Shella Confederacy, East Khasi Hills, Shella Source: LWQ-2Down Stream Umiam River Meghalaya 793112, INDIA Sample Collected by: Mr Chinmay Kalita (Sampler) Location:Umiam River Sampling Protocol: IS 17614 (Part 1): 2021 **Environmental Condition:** Sampling Date: 21/01/25 Temperature:24.5°C Analysis Start Date: 22/01/25 Relative Humidity:65.5% Analysis End Date: 28/01/25

TEST REPORT

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022	-	7.3
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	225
3	Turbidity	IS 3025 Part 10, 2023	NTU	5.6
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	170.5
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	8.7
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L .	0.03
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	160.5
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	90.5
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.25
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	40.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	42.5
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	10.5
13	Total Suspended Solids	IS 3025 Part 17, 2022	mg/L	15.0
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	2.1
----	---------------------------	------------------------------	--------	------
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	4.4
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	6.5
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	2.5
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	1.2
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	4.5
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.03
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	0.12
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	0.25
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	80

-----End of Report-----

For ABNS Scientific Services,

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एৰীएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/013025/08	Date:30/01/25
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/012225/SW03
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-3Up Stream Phlangkarue River
Location:Phlangkarue River	Sample Collected by: Mr Chinmay Kalita (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 21/01/25
Temperature:24.5°C	Analysis Start Date: 22/01/25
Relative Humidity:65.5%	Analysis End Date: 29/01/25

SI No	Parameters	Reference Methods	Units	Results
1	pH at 25°C	IS 3025 Part 11, 2022		7.2
2	Conductivity	IS 3025 Part 14, (reaf 2019)	μS/cm	195
3	Turbidity	IS 3025 Part 10, 2023	NTU	5.5
4	Total Dissolved Solids	IS 3025 Part 16, raf 2023	mg/L	135
5	Chloride	IS 3025 Part 32, (reaf 2019)	mg/L	40
6	Fluoride	IS 3025 Part 60, (reaf 2019)	mg/L	0.05
7	Total Hardness as CaCO ₃	IS 3025 Part 21, (reaf 2019)	mg/L	52.5
8	Total Alkalinity as CaCO ₃	IS 3025 Part 23, 2023	mg/L	70.5
9	Iron	IS 3025 Part 53, (reaf 2019)	mg/L	0.20
10	Sulphate	IS 3025 : Part 24 : Sec 1 : 2022	mg/L	40.5
11	Calcium as CaCO ₃	IS 3025 Part 40, (reaf 2019)	mg/L	21.2
12	Magnesium as Mg	IS 3025 Part 46, 2023	mg/L	4.3
13	Total Suspended Solids	, IS 3025 Part 17, 2022	mg/L	14.0

32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	Not Detected
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019 mg/L		BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019 mg,		0.30
27	Chromium	IS 3025 (Part 52), raf 2019 mj		BDL
26	Lead	IS 3025 (Part 47), reaf 2019 mg/L		BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.60
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.30
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	7.5
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	0.15
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	2.0
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	6.8
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	5.5
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)		0.80

For ABNS Scientific Services,

-----End of Report---

Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



এৰীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एৰীएন্एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No:ABNS/EM/013025/09	Date:30/01/25
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/012225/SW04
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-4Down Stream Phlangkarue River
Location:Phlangkarue River	Sample Collected by: Mr Chinmay Kalita (Sampler) Sampling
Environmental Condition:	Protocol: IS 17614 (Part 1): 2021 Sampling Date: 21/01/25
Temperature:24.5°C	Analysis Start Date: 22/01/25
Relative Humidity:65.5%	Analysis End Date29/01/25
A	Analysis End Date29/01/25

SI No Parameters **Reference Methods** Units Results 1 pH at 25°C IS 3025 Part 11, 2022 -7.1 2 Conductivity IS 3025 Part 14, (reaf 2019) µS/cm 155 3 Turbidity NTU IS 3025 Part 10, 2023 6.5 4 **Total Dissolved Solids** IS 3025 Part 16, raf 2023 mg/L 92.4 5 Chloride IS 3025 Part 32, (reaf 2019) mg/L 21.5 6 Fluoride IS 3025 Part 60, (reaf 2019) mg/L 0.07 7 Total Hardness as CaCO₃ IS 3025 Part 21, (reaf 2019) mg/L 48.5 8 Total Alkalinity as CaCO3 IS 3025 Part 23, 2023 mg/L 60.5 9 Iron IS 3025 Part 53, (reaf 2019) mg/L 0.40 10 Sulphate IS 3025 : Part 24 : Sec 1 : 2022 mg/L 47.6 11 Calcium as CaCO₃ IS 3025 Part 40, (reaf 2019) mg/L 21.5 12 Magnesium as Mg IS 3025 Part 46, 2023 mg/L 39.5 13 **Total Suspended Solids** IS 3025 Part 17, 2022 mg/L 19.0

14	Nitrate- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	1.30
15	Nitrite- Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	BDL
16	Dissolved Oxygen	IS 3025 Part 38, raf 2019	mg/L	5.5
17	Chemical Oxygen Demand	IS 3025 Part 58, 2023	mg/L	17.0
18	Biochemical Oxygen Demand	IS 3025 Part 44, 2023	mg/L	5.0
19	Potassium	IS 3025 Part 45, (reaf 2019)	mg/L	2.10
20	Sodium	IS 3025 Part 45, (reaf 2019)	mg/L	11.5
21	Ammoniacal Nitrogen	IS 3025 Part 34, (reaf 2019)	mg/L	0.50
22	Phosphate as P	IS 3025 Part 31 Sec 1, 2022	mg/L	1.55
23	Sulphide	IS 3025 Part 29, 2022	mg/L	BDL
24	Arsenic	IS 3025 (Part 37), 2022	mg/L	BDL
25	Copper	IS 3025 (Part 42), reaf 2019	mg/L	BDL
26	Lead	IS 3025 (Part 47), reaf 2019	mg/L	BDL
27	Chromium	IS 3025 (Part 52), raf 2019	mg/L	BDL
28	Zinc	IS 3025 (Part 49), raf 2019	mg/L	BDL
29	Cadmium	IS 3025 (Part 41), 2023	mg/L	BDL
30	Nickel	IS 3025 (Part 45), raf 2019	mg/L	BDL
31	Manganese	IS 3025 (Part 59), 2023	mg/L	BDL
32	Total Coliform	IS 1622: 1981 (reaf: 2019)	/100ml	40

-----End of Report----

For ABNS Scientific Services,

025 Authorized Signatory

Nie Sea

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Authorized Signatory Dr. Bidyut Jyoti Sarmah (TM)

ABNS

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एৰীएন্एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com Phone: 98640 68513, 98640 89951

Report No:ABNS/EM/022725/08	Date:27/02/2025			
Name & Address of the Customer:	Ref.: PO: 3960022674			
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water			
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/022025/SW01			
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample			
Meghalaya 793112, INDIA	Source: LWQ-1 Up Stream Umiam River			
Location: Umiam River	Sample Collected by: Mr Nabajit Pathak (Sampler			
	Sampling Protocol: IS 17614 (Part 1): 2021			
Environmental Condition:	Sampling Date: 19/02/2025			
Temperature: 24.6°C	Analysis Start Date20/02/2025			
Relative Humidity:65.5%	Analysis End Date26/02/2025			

TEST REPORT

SI No	Parameters	Units	Results	Reference Methods
1	pH at 25°C		6.88	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	182.2	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	6.8	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	124	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	10.2	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.06	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	68.4	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	49.8	IS 3025 Part 23, 2023
9	Iron	mg/L	0.19	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	26.4	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	26.8	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	8.2	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	14.4	15 3025 Bon 17, 2022

14	Nitrate- Nitrogen	mg/L	3.05	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	6.2	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	13.5	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	4.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	1.5	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	5.4	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.20	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	1.87	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	0.25	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	80	IS 1622: 1981 (reaf: 2019)

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

Hic S ARMS Authorized Signatory 2025

ABNS

ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No: ABNS/EM/002725/09	Date:27/02/2025
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/012225/SW02
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-2Down Stream Umiam River
Location: Umiam River	Sample Collected by: Mr Nabajit Pathak (Sampler)
Environmental Condition:	Sampling Date: 19/02/2025
Temperature: 24.6°C	Analysis Start Date20/02/2025
Relative Humidity:65.5%	Analysis End Date26/02/2025

No	Parameters	Units	Results	Reference Methods
1	pH at 25°C	-	7.2	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	216	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	6.6	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	164	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	7.8	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.02	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	162.4	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	88.6	IS 3025 Part 23, 2023
9	Iron	mg/L	0.20	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	38.2	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	40.6	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	8.4	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	14.0	IS 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	2.4	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	4.4	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	6.5	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	2.5	IS 3025 Part 44, 2023
19	Potassium	mg/L	1.2	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	4.5	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.03	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	0.12	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	0.25	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	80	I5 1622: 1981 (reaf: 2019)

-----End of Report-----

For ABNS Scientific Services,





এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

Report No: ABNS/EM/002725/10	Date:27/02/2025
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/022025/SW03
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-3Up Stream Phlangkarue River
Location: Phlangkarue River	Sample Collected by: Mr Nabajit Pathak (Sampler) Sampling Protocol: IS 17614 (Part 1): 2021
Environmental Condition:	Sampling Date: 19/02/2025
Temperature: 24.6 ^o C	Analysis Start Date20/02/2025
Relative Humidity:65.5%	Analysis End Date26/02/2025

TEST REPORT

No	Parameters	Units	Results	Reference Methods
1	pH at 25°C	-	7.10	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	198	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	6.4	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	138	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	38.0	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.04	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	68.5	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	57.6	IS 3025 Part 23, 2023
9	Iron	mg/L	0.10	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	42.4	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	19.2	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	5.4	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	12.2	IS 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	0.80	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	5.5	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	6.8	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	2.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	0.15	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	7.5	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.30	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	1.60	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	0.30	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	Not Detected	IS 1622: 1981 (reaf: 2019)

-----End of Report-----

For ABNS Scientific Services,

ic S ABN 27/02/2025 Authorized Signatory



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

TEST REPORT

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Phone: 98640 68513, 98640 89951

Email: info@abnsscientific.com, abnsscientific@gmail.com

Report No: ABNS/EM/022725/11	Date:27/02/2025				
Name & Address of the Customer:	Ref.: PO: 3960022674				
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water				
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/022025/SW04				
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample				
Meghalaya 793112, INDIA	Source: LWQ-4Down Stream Phlangkarue River				
Location: Phlangkarue River	Sample Collected by: Mr Nabajit Pathak (Sampler) Sampling				
Environmental Condition:	Sampling Date: 19/02/2025				
Temperature: 24.6°C	Analysis Start Date20/02/2025				
Relative Humidity:65.5%	Analysis End Date26/02/2025				

No	Parameters	Units	Results	Reference Methods
1	pH at 25°C		6.92	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	154	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	5.8	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	104	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	20.4	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.06	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	50.2	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	58.4	IS 3025 Part 23, 2023
9	Iron	mg/L	0.20	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	46.4	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	20.6	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	38.4	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	18.0	15 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	1.30	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	5.4	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	18.0	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	6.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	0.94	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	3.5	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.50	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	0.40	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	BDL	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	50	IS 1622: 1981 (reaf: 2019)

-----End of Report-----

For ABNS Scientific Services,

ABNS Authorized Signatory



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com Phone: 98640 68513, 98640 89951

TEST REPORT

Report No: ABNS/EM/032525/08	Date:25/03/2025				
Name & Address of the Customer:	Ref.: PO: 3960022674				
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water				
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/031925/SW01				
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample				
Meghalaya 793112, INDIA	Source: LWQ-1 Up Stream Umiam River				
Location:Umiam River	Sample Collected by: Mr Chinmay Kalita (Sampler)				
Environmental Condition: Temperature: 24.4°C Relative Humidity:64.5%	Sampling Protocol: IS 17614 (Part 1): 2021 Sampling Date: 18/03/2025 Analysis Start Date19/03/2025 Analysis End Date24/03/2025				

/N	Parameters	Units	Results	Reference Methods
1	pH at 25°C	-	6.82	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	178.2	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	8.8	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	120.0	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	10.2	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.06	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	48.4	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	36.0	IS 3025 Part 23, 2023
9	Iron	mg/L	0.20	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	22.4	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	25.8	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	5.2	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	12.0	IS 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	4.05	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	4.2	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	16.0	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	4.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	1.5	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	5.4	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.20	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	1.87	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	0.24	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	110	IS 1622: 1981 (reaf: 2019)
		· · · · · · · · · · · · · · · · · · ·		

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

25 03. 25 Authorized Signatory



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

Report No:ABNS/EM/032525/09	Date:25/03/2025
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/031925/SW02
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-2Down Stream Umiam River
Location:Umiam River	Sample Collected by: Mr Chinmay Kalita (Sampler)
Environmental Condition:	Sampling Date: 18/03/2025
Temperature: 24.4 ^o C	Analysis Start Date19/03/2025
Relative Humidity:64.5%	Analysis End Date24/03/2025

TEST REPORT

5/N	Parameters	Units	Results	Reference Methods
1	pH at 25ºC		6.94	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	210	15 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	5.6	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	136.0	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	6.8	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.03	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	60.4	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	46.6	IS 3025 Part 23, 2023
9	Iron	mg/L	0.20	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	36.2	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	38.6	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	6.4	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	12.0	IS 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	3.8	15 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	4.2	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	18.0	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	5.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	0.8	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	4.5	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.02	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	0.12	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	0.25	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	60	IS 1622: 1981 (reaf: 2019)

-----End of Report-----End of Report------

For ABNS Scientific Services,

03.25 2 Authorized Signatory



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ्, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No: ABNS/EM/032525/10	Date:25/03/2025			
Name & Address of the Customer:	Ref.: PO: 3960022674			
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water			
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/031925/SW03			
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample			
Maghalum 202112 (NDM	Source: LWO-3Up Stream Phlangkarue Biver			
Location: Phlangkarue River	Sample Collected by: Mr Chinmay Kalita (Sampler)			
Environmental Condition:	Sampling Date: 18/03/2025			
Temperature: 24.4°C	Analysis Start Date19/03/2025			
Relative Humidity:64.5%	Analysis End Date24/03/2025			

/N	Parameters	Units	Results	Reference Methods
1	pH at 25°C		7.20	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	188	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	5.4	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	137	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	36	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.02	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	66.5	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	61.6	IS 3025 Part 23, 2023
9	Iron	mg/L	0.10	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	40.4	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO ₃	mg/L	18.2	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	3.4	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	15.0	IS 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	0.80	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	4.5	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	4.8	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	2.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	0.14	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	6.5	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.30	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	1.60	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	0.30	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Månganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	Not Detected	IS 1622: 1981 (reaf: 2019)

-----End of Report-----

For ABNS Scientific Services,

25 2

Authorized Signatory



এবীএন্এচ্ চাইন্টিফিক চার্ভিচেচ প্রাইভেট লিমিটেড एबीएन्एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

TEST REPORT

Report No: ABNS/EM/032525/11	Date:25/03/2025
Name & Address of the Customer:	Ref.: PO: 3960022674
LAFARGE UMIAM MINING PVT LTD	Sample Description: Surface Water
Nongtrai Limestone Mines, Phalangharuh,	Sample ID: ABNS/GHY/031925/SW04
Shella Confederacy, East Khasi Hills, Shella	Sample Type: Grab Sample
Meghalaya 793112, INDIA	Source: LWQ-4Down Stream Phlangkarue River
Location:Phlangkarue River	Sample Collected by: Mr Chinmay Kalita (Sampler) Sampling
Environmental Condition:	Sampling Date: 18/03/2025
Temperature: 24.4°C	Analysis Start Date19/03/2025
Relative Humidity:64.5%	Analysis End Date24/03/2025

s/N	Parameters	Units	Results	Reference Methods
1	pH at 25°C	-	6.88	IS 3025 Part 11, 2022
2	Conductivity	μS/cm	149	IS 3025 Part 14, (reaf 2019)
3	Turbidity	NTU	4.5	IS 3025 Part 10, 2023
4	Total Dissolved Solids	mg/L	89.0	IS 3025 Part 16, raf 2023
5	Chloride	mg/L	18.4	IS 3025 Part 32, (reaf 2019)
6	Fluoride	mg/L	0.04	IS 3025 Part 60, (reaf 2019)
7	Total Hardness as CaCO ₃	mg/L	29.2	IS 3025 Part 21, (reaf 2019)
8	Total Alkalinity as CaCO ₃	mg/L	26.4	IS 3025 Part 23, 2023
9	Iron	mg/L	0.20	IS 3025 Part 53, (reaf 2019)
10	Sulphate	mg/L	16.4	IS 3025 : Part 24 : Sec 1 : 2022
11	Calcium as CaCO3	mg/L	20.6	IS 3025 Part 40, (reaf 2019)
12	Magnesium as Mg	mg/L	4.4	IS 3025 Part 46, 2023
13	Total Suspended Solids	mg/L	18.0	IS 3025 Part 17, 2022

14	Nitrate- Nitrogen	mg/L	2.2	IS 3025 Part 34, (reaf 2019)
15	Nitrite- Nitrogen	mg/L	BDL	IS 3025 Part 34, (reaf 2019)
16	Dissolved Oxygen	mg/L	5.2	IS 3025 Part 38, raf 2019
17	Chemical Oxygen Demand	mg/L	15.0	IS 3025 Part 58, 2023
18	Biochemical Oxygen Demand	mg/L	5.0	IS 3025 Part 44, 2023
19	Potassium	mg/L	2.10	IS 3025 Part 45, (reaf 2019)
20	Sodium	mg/L	10.5	IS 3025 Part 45, (reaf 2019)
21	Ammoniacal Nitrogen	mg/L	0.50	IS 3025 Part 34, (reaf 2019)
22	Phosphate as P	mg/L	1.50	IS 3025 Part 31 Sec 1, 2022
23	Sulphide	mg/L	BDL	IS 3025 Part 29, 2022
24	Arsenic	mg/L	BDL	IS 3025 (Part 37), 2022
25	Copper	mg/L	BDL	IS 3025 (Part 42), reaf 2019
26	Lead	mg/L	BDL	IS 3025 (Part 47), reaf 2019
27	Chromium	mg/L	BDL	IS 3025 (Part 52), raf 2019
28	Zinc	mg/L	BDL	IS 3025 (Part 49), raf 2019
29	Cadmium	mg/L	BDL	IS 3025 (Part 41), 2023
30	Nickel	mg/L	BDL	IS 3025 (Part 45), raf 2019
31	Manganese	mg/L	BDL	IS 3025 (Part 59), 2023
32	Total Coliform	/100ml	40	IS 1622: 1981 (reaf: 2019)

-----End of Report-----

For ABNS Scientific Services,

25 20

Report reviewed by: Dr. Bidyut Jyoti Sarmah(TM)

Authorized Signatory