

**SIX MONTHLY COMPLIANCE REPORT OF  
ENVIRONMENTAL CLEARANCE  
FOR THE PERIOD OCTOBER 2023 TO MARCH 2024  
2 MTPA**



**SUBMITTED BY**

**Lafarge Umiam Mining Pvt Ltd**

**FOR  
NONGTRAI LIMESTONE MINE  
VILLAGE NONGTRAI,  
DISTRICT EAST KHASI HILLS, MEGHALAYA**

**MAY 2024**



**LafargeHolcim**

**May 29, 2024**

**Ministry of Environment, Forest and Climate Change  
Government of India  
Integrated Regional Office,  
Shillong – 793021, Meghalaya**

**Subject:** Implementation of conditions stipulated in the Ministry's environmental clearance letter No. J-11015/10/2000 IA. II (M) dated 09 August 2001 and modified letter No. J-11015/10/2000 IA. II (M) dated 19 April 2010 regarding limestone opencast mining project at Phlangkaruh, Nongtraï, Tehsil-Sohra, Distt. East Khasi Hills, Meghalaya of M/S Lafarge Umiam Mining Pvt. Ltd.

Madam,

With reference to the environmental clearance letter stated above, we are pleased to submit following reports as detailed below. This is as per EIA notification 14 September 2006.

Half yearly Environmental Monitoring Report for the month October to March 2024 along with Compliance status as on 31<sup>st</sup> March 2024 and the Conditions of Environmental Clearance No. J-11015/10/2000 IA. II (M) dated 09 August 2001 and modified letter No. J-11015/10/2000 IA. II (M) dated 19 April 2010.

The above report is also displayed on our official website "<http://www.lumpl.com>"

We are fully committed to comply with environmental safeguards.

Thanking You,

George Chacko  
Director Corporate Affairs

Enclosure: As stated above

- Cc: 1. The Member Secretary Meghalaya State Pollution Control Board, Arden  
Lumpyngad Shillong  
2. Zonal Officer, Central Pollution Control Board Shillong Meghalaya "TUM-SIR", Lower  
Motinagar; Near Fire Brigade  
3. Director (S), Impact Assessment Division Ministry of Environment, Forests and  
Climate Change Indira Paryavaran Bhavan Jorbagh Road New Delhi - 110 003 INDIA

**Lafarge Umiam Mining Private Limited**

A company of LafargeHolcim and

CIN No. U14107ML 1999PTC005707

Correspondence Office: 3<sup>rd</sup> Floor, Goenka Towers, Morello Compound, Keating Road, Shillong – 793001, Meghalaya, India  
Regd. Office: Nongtraï Limestone Mine, Nongtraï - Shella, P.O. Shella Bazar – 793112 East Khasi Hills District, Meghalaya, India  
Mines Office: Nongtraï – Shella, P.O: Shella Bazar – 793112, East Khasi Hills, Meghalaya, India  
Tel (+91 364) 2501115, Fax Tel (+91 364) 2505519

## CONTENTS

1. Compliance Status of Conditions of Environmental Clearance J-11015/10/2000-IA. II. (M) dated 9 August 2001& J-11015/10/2000-IA. II. (M) dated 19 April 2010	: 3-27
2. Environmental Monitoring Conducted from 01 October 2023 to 31 March 2024	
2.1. Introduction	: 28
2.2. Environmental Monitoring	: 29
2.3. Micrometeorology	: 29
2.4. Ambient Air Quality Monitoring Locations	: 29-30
2.5. Surface Water Quality Monitoring Locations	: 32-33
2.6. Surface Water Flow Measurement Locations	: 33-34
2.7. Noise Levels Monitoring	: 34-36
2.8. Vehicular emission`	: 36
2.9. Cave protection	: 36
3. Conclusion	: 37
4. Table, Exhibits & Plates	: 39-125

### List of Annexure

Annexure I – Minimate Ground Vibration Report	: 126-128
Annexure II - Water Quality Results	: 129- 140
Annexure III- Pollution under Control Test	: 141
Annexure IV - Ground water level results for the period Oct 2023 to Mar 2024	: 142
Annexure V - Report on Biodiversity Conservation Plant	: 143

**Half Yearly Compliance Status for the period of October to March 2024 on the Conditions of Environmental Clearance No. J-11015/10/2000-IA. II. (M) dated 9 August 2001 and Transferred to LUMPL dated 30 July 2002**

<b>Conditions as per Environmental Clearance Letter dated 9 August 2001 as amended on 19 April 2010 with respect to Specific Condition A and General Conditions B</b>																					
<b>A: Specific Conditions</b>																					
(i)	<p>Topsoil should be properly stacked at earmarked dump site(s) with adequate measures and should be used for reclamation and rehabilitation of mined out areas.</p> <ul style="list-style-type: none"> <li>• Availability of top soil in the mining lease area is almost negligible as the area within the mine lease is devoid of any overburden. Any trapped soil, encountered from the crevices or fractured rocks (due to Karst topography) is being collected and properly stacked.</li> <li>• As the limestone is exposed on the surface and the mining area is practically devoid of any overburden or topsoil, no overburden waste dumping is involved.</li> </ul> <p>Records of topsoil recovered during the last three years is presented as following:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Status as on</th> <th>Clay/ Top Soil Recovered in tonne</th> <th>Clay/ Top Soil Used in Greenbelt/Plantation in tonne</th> <th>Balance Clay Available in tonne</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td align="center">December 2022</td> <td align="center">9.290</td> <td align="center">7.000</td> <td align="center">12.480</td> <td align="center">Use at Nursery, green belt 7 Safety zone</td> </tr> <tr> <td align="center">December 2023</td> <td align="center">3.440</td> <td align="center">4.000</td> <td align="center">11.920</td> <td align="center">Use at Nursery, Safety Zone &amp; Block A</td> </tr> <tr> <td align="center">March 2024</td> <td align="center">0.880</td> <td align="center">Nil</td> <td align="center">12.800</td> <td></td> </tr> </tbody> </table> <ul style="list-style-type: none"> <li>• Measures for rehabilitation of mined out areas will be done as per progressive mine closure plan and five years prior to decommissioning of mines as per prior approval of IBM and Mining</li> </ul>	Status as on	Clay/ Top Soil Recovered in tonne	Clay/ Top Soil Used in Greenbelt/Plantation in tonne	Balance Clay Available in tonne	Remarks	December 2022	9.290	7.000	12.480	Use at Nursery, green belt 7 Safety zone	December 2023	3.440	4.000	11.920	Use at Nursery, Safety Zone & Block A	March 2024	0.880	Nil	12.800	
Status as on	Clay/ Top Soil Recovered in tonne	Clay/ Top Soil Used in Greenbelt/Plantation in tonne	Balance Clay Available in tonne	Remarks																	
December 2022	9.290	7.000	12.480	Use at Nursery, green belt 7 Safety zone																	
December 2023	3.440	4.000	11.920	Use at Nursery, Safety Zone & Block A																	
March 2024	0.880	Nil	12.800																		

and Geology Department Government of Meghalaya.

(ii) Check dams and siltation ponds of appropriate size should be constructed to arrest silt and sediment flows from soil and mineral dumps. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains should be regularly desilted and maintained.

Garland drain (size, gradient & length) and sump capacity should be designed keeping 50 % safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material.

- Eight check dams have been constructed in the gullies and area surrounding the mine.
- Drains have been constructed along the active mine benches linking it with siltation ponds. However most of the rain water gets percolated down from the mine surface (having crevices and fractured rocks due to Karst topography).
- The mine is yet to achieve the solid surface, once the fractured zone of the mine benches is exhausted, the garland drains are envisaged to be constructed on the lower benches to carry rainwater to the siltation pond (at lower benches) for its effective collection and use in watering the mine area, roads, green belt etc.



Check Dam near Transit House



Check dam to West of the Mine



Check dam to Southeast of the mine



Check dam near Mine Entrance Gate



Check dam to Southeast below PWD Road



Check dam near the origin of Phlenskaroh River



Check dam to South of the Mine



Check dam to Southwest of the Mine

(iii)	<p>A thick green belt in an around the mine site, crushing, loading and unloading facilities, corridor of belt conveyor route, township should be developed.</p> <p>Width of greenbelt on the eastern and southern sites of lease area should be at least 50 m (7.5 m within ML area and 42.5 m outside ML area) and 100 m (7.5 m within ML area and 92.5 m outside ML area) respectively as per the plan submitted in EMP.</p>	<ul style="list-style-type: none"> <li>• Being complied with</li> <li>• LUMPL has also been carrying out plantation by maintaining a green belt of 100 m width (including 7.5 m within ML area) as per the condition of EC no. J-11015/10/2000-IA. II. (M) dated 9 August 2001 and Transferred to LUMPL dated 30 July 2002 modified by MoEFCC on 19 April 2010 for 2.0 MTPA limestone mining.</li> <li>• Total plantations carried out in the greenbelt area, along the roads and safety zones are 43,899 as on 31<sup>st</sup> March 2024 with survival rate of approximately ~ 76.6%.</li> </ul>
(iv)	<p>Adequate measures should be taken for treatment of the upper catchments of the lease area.</p>	<ul style="list-style-type: none"> <li>• Report on Upper Catchment Area Treatment Plan as prepared by CIMFR, Nagpur and NEERI, Nagpur was submitted to MoEF, New Delhi and its Regional Office, Shillong through a covering letter dated 30<sup>th</sup> June 2010.</li> <li>• MoEF vide letter no. F.No.8-64/2007-FC dated 29 December 2011, advised LUMPL to deposit the funds required to implement the Catchment Area Treatment (CAT) Plan amounting to Rs.50,00,000/- (Rupees Fifty Lakh Only). The requisite amount was deposited by LUMPL in CAMPA Fund in account No. SB01025217 with Corporation Bank on 5<sup>th</sup> January, 2012 for implementation of CAT Plan.</li> <li>• As part of the recommendations of Catchment Area Treatment Plan, eight check dams have been constructed in the gullies and area surrounding the mine. Drains have been constructed along the active mine benches linking it with siltation ponds. However most of the rain water gets percolated down from the mine surface (having crevices and fractured rocks due to karst topography). Greenbelt of 100 m all along the mine is being maintained.</li> </ul>

(v)	<p>Blasting operations should be carried out only during the daytime. To ensure slope stability and minimum damage to sub-surface caves and channels, controlled blasting should be adopted. The mitigative measures suggested in the EMP for control of ground vibrations and to arrest fly rocks and boulders should be implemented.</p>	<ul style="list-style-type: none"> <li>• Blasting is being practiced only during daytime.</li> <li>• To control ground vibration, air overpressure and fly rocks, blasting is carried out by NONEL (Non-Electric Detonators) system as per the recommended parameters by CIMFR Nagpur. The peak particle velocity and air overpressure remained within the safe limits of prescribed standards as laid down in the Circular issued by the Directorate General of Mines Safety, Government of India.</li> <li>• Refer to <b>Annexure- I</b> The monitored ground vibrations along with other environmental parameters included in six monthly compliance report for the period October to March 2024 (as enclosed) have also been displayed at company's website "<a href="http://www.lumpl.com">http://www.lumpl.com</a>".</li> <li>▪ Further LUMPL has engaged Central Institute of Mining and Fuel Research (CIMFR), Nagpur in the year 2017- 2018 to carry out Scientific Investigation in respect of "blast induce ground vibration, fly rock and air blast". Based on the recommendations of the study, LUMPL has further modified the blast design. The study report was submitted during the reporting period April to September 2018.</li> </ul>
(vi)	<p>Sewage treatment plant for treating residential and waste from industrial area should be provided. ETP shall also be provided for the workshop and wastewater generated during the mining operation. (as amended through MoEF letter dated 19 April 2010)</p>	<ul style="list-style-type: none"> <li>▪ Being complied with.</li> <li>▪ Six package STPs are operational for treatment of domestic wastewater.</li> <li>▪ An ETP is operational for treatment of wastewater generated during washing of HEMMs at the workshop.</li> <li>▪ LUMPL upgraded the existing STPs and ETP by changing the air lining, replace the old pipes, applied Fiber Reinforced Plastic coating in the reactor tank, changing the filters etc. and it is operational.</li> </ul>
(vii)	<p>Scientific monitoring within 1 km radius around the lease area should be carried on monthly basis for the following:</p> <ul style="list-style-type: none"> <li>• Out flow of all the springs,</li> <li>• Hills slope, and collapse of caves and cavities within and around the ML area and blockage of</li> </ul>	<ul style="list-style-type: none"> <li>▪ No caves have been observed inside the mining lease area. Within 1 km radius around the mine, there exist twin sink holes and cave located outside the mining lease area. Detailed mapping of the cave located along the south-western part outside the mine lease area have been carried out and these have been marked on the plan. Fencing around the twin sink holes at 100 m distance have been</li> </ul>

sub-surface water channels.

carried out during June 2011 to restrict movement of people and or machine.




- Monthly monitoring within 1 km around the mine lease area is being carried out covering flows of Phlangkaruh springs located to the south of the mine across the road down the hill slopes.
- No mining operation in the area of the sink holes and area near cave are done as these are located outside the mine lease area.
- Monitoring of outflow of springs is included in Table 16 to 17 of the compliance report of October to March 2024 (as enclosed).
- LUMPL in partnerships with the Nongtrai Village Durbar has launched Geo and Bio Diversity Protection Programme in the year 2008, which is an initiative for protecting the cave located in the vicinity of Nongtrai Limestone Mine site. A protective enclosure was constructed around the entrance of about approximately 125 m long cave.



**Fencing around Cave Area for its Protection.**





(viii)	<p>Regular monitoring of water quality of Phlangkaruh springs and river including ground water for physico-chemical and biological parameters should be carried out. Monitoring should be continuous during initial mining operations. If required, a check dam should be constructed on the Phlangkaruh immediately below the springs with the approval of concerned authorities, if any, to arrest silt &amp; screen escape from the mine.</p>	<ul style="list-style-type: none"> <li>▪ Monitoring of water quality of Phlangkaruh springs (upstream and downstream), and Umiam River (upstream and down streams) is being carried out by Meghalaya State Pollution Control Board (MSPCB) on monthly basis in their laboratory in Shillong.</li> <li>▪ The water quality results is included in the <b>Annexure –II</b> of the compliance report of October to March 2024 (as enclosed).</li> <li>▪ A check dam is operative across the Phlangkaruh River.</li> </ul>
(ix)	<p>After the mine becomes operational, ground vibrations due to blasting and its impact on various mine structures should be studied in detail and report submitted to MoEF.</p>	<ul style="list-style-type: none"> <li>▪ LUMPL has been implementing recommendations of the scientific investigations conducted by Central Institute of Mining and Fuel Research (CIMFR), Government of India in 2015 to control blast induced ground vibration, fly rock and air overpressure.</li> <li>▪ Monitoring of ground vibrations during every blast is done in two different directions using two seismographs of “MINIMATE” model DS-567 imported from INSTANTEL, Canada. Based on the results from these machines further modification in blasting is done from time to time. The monitoring of peak particle velocity during the period 1st October to 31st March 2024 remained well below 5 mm/sec at the distance of 200 to 300 m, which is well within the Indian Standard limits as prescribed by Directorate General of Mines Safety – DGMS (Tech.) Circular No.7 dated 29th September 1997).</li> <li>▪ Further LUMPL has engaged Central Institute of Mining and Fuel Research (CIMFR), Nagpur in the year 2017- 2018 to carry out Scientific Investigation in respect of “blast induce ground vibration, fly rock and air blast”. Based on the recommendations of the study, LUMPL has further modified the blast design. The study report submitted during the reporting period April to September 2018.</li> </ul>

<p>(x)</p>	<p>Crusher should be operated with high efficiency bag filters. Water sprinkling system should be provided to check fugitive emissions from crushing operations.</p>	<ul style="list-style-type: none"> <li>▪ Being complied with.</li> <li>▪ Mitigation measures to control dust emission including provision of water sprinkling, bag filters, fogging system and rain-gun are in place on crushing operations done through two stages crushers and transfer points. Belt conveyor is covered to avoid air borne dust.</li> </ul> <div style="display: flex; justify-content: space-around; align-items: center;">   </div> <p style="text-align: center;"><b>Bag Filter units attached to Crushers</b></p> <ul style="list-style-type: none"> <li>▪ Effective water sprinkling, water fogger in crusher hopper and rain gun system at crushers charging platform to check any fugitive dust emissions.</li> </ul> <div style="text-align: center;">  </div> <p style="text-align: center;"><b>Rain Water Gun at Crushers Charging Platform</b></p>
<p>(xi)</p>	<p>Vehicular emissions should be kept under control and regularly monitored.</p>	<ul style="list-style-type: none"> <li>▪ All the HEMM (diesel driven vehicles) are being serviced as per periodical maintenance. Vehicle emission test of all HEMMs deployed</li> </ul>

		in the mining operations monitored by Meghalaya State Pollution Control Board on half yearly basis. PUC certificate obtained from MSPCB is valid up to July 2024. A sample of the report is enclosed as <b>Annexure- III</b> of the six monthly compliance report of October to March 2024 .
(xii)	The twin sinkholes and the surrounding vegetation should be left undisturbed during the entire mine life and protected as a reserve of site biodiversity.	<ul style="list-style-type: none"> <li>▪ Being complied with.</li> <li>▪ No mining will be carried out near the twin sink holes and the surrounding vegetation is being protected against any degradation.</li> <li>▪ Fencing around the twin sink holes at 100 m distance has been maintained since June 2011 to restrict movement of people and or machine.</li> <li>▪ An area of around 1.785 ha from the mining lease have been left out for the protection of twin sink hole</li> </ul>
(xiii)	Digital processing of the entire lease area using remote sensing technique should be carried out regularly once in three years for monitoring land use pattern and physiography of the area and report submitted to the Ministry and its Regional Office at Shillong.	The digital processing of the entire lease area using remote sensing technique was carried out for the period of 2020-2022 and the study report was submitted during the reporting period April to June 2023.
(xiv)	A detailed mine decommissioning plan should be submitted to the Ministry of Environment & Forests 5 years in advance for approval.	<ul style="list-style-type: none"> <li>▪ Noted and will be complied 5 years in advance for approval.</li> </ul>
(xv)	Other project specific environmental protection measures suggested in the Environmental Management Plan should also be implemented.	<ul style="list-style-type: none"> <li>▪ Being complied with</li> </ul>
<b>B: General conditions</b>		
(i)	No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment and Forests.	<ul style="list-style-type: none"> <li>▪ Noted.</li> </ul>

(ii)	No change in the calendar plan including excavation, quantum of limestone, waste/ OB dumps should be made.	<ul style="list-style-type: none"> <li>▪ Noted.</li> </ul>
(iii)	Five ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 micron i.e., PM 10), SO <sub>2</sub> and NO <sub>x</sub> monitoring. Location of the ambient air quality stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board." (as amended through MoEF letter dated 19 April 2010)	<ul style="list-style-type: none"> <li>▪ Ambient Air Quality (AAQ) is being monitored with respect to PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> at five locations within and surrounding areas (covering core and buffer zones) as selected by MSPCB through their letter dated 24 February 2012. The locations are; <ol style="list-style-type: none"> <li>1) HEMM Workshop</li> <li>2) Near Magazine</li> <li>3) Near Phlangkaruh Village</li> <li>4) Pyrkan Village; and</li> <li>5) Shella Bazar.</li> </ol> </li> <li>▪ The observed results of ambient air quality parameters (as monitored from (October to March 2024) remained within the prescribed limits and are being reported as in Tables 2 to 11 of the six monthly compliance report of October to March 2024(as enclosed).</li> </ul>
(iv)	Data on ambient air quality RSPM (particulate matter with size less than 10micron i.e., PM 10) SO <sub>2</sub> and NO <sub>x</sub> should be regularly submitted to the Ministry including its Regional Office located at Shillong and the State Pollution Control Board/Central Pollution Control Board once in six months.  (as amended through MoEF letter dated 19 April 2010)	<ul style="list-style-type: none"> <li>▪ Being done regularly.</li> <li>▪ Observations have been included in the compliance report.</li> </ul>
(v)	Adequate measures for control of fugitive emissions should be taken during drilling and blasting operations, loading and transportation of minerals etc.	<p>Steps that have been taken as on date to control fugitive emissions include the following:</p> <p>Effective safeguard measures to control dust and PM<sub>10</sub> &amp; PM<sub>2.5</sub> generation include the following:</p> <ul style="list-style-type: none"> <li>▪ Provision of dry drilling with dust extraction system in place or wet drilling of holes;</li> </ul>

		<ul style="list-style-type: none"> <li>▪ Use of good quality explosives, implementing CIMFR recommended measures during blasting i.e. provision of proper stemming after charging of explosives and use of delay detonators minimizing dust throw and its spread in ambient air;</li> <li>▪ Ensuring blasting is done only in the daytime when no strong winds are blowing or there is no overcast or lightening event.</li> <li>▪ Loading /unloading of limestone from an optimum height and use of sharp teeth for shovel to reduce dust blow;</li> <li>▪ Avoiding overloading of haul trucks to eliminate spillage during transit on haul road;</li> <li>▪ Water sprinkling on unpaved areas and haul road during dry wind periods through fixed sprinklers supplemented with water tankers in active mine pit area;</li> <li>▪ Ensuring speed controls as already practiced to the limit of 20 km/hour on vehicle movements on haul roads;</li> <li>▪ Preventive maintenance of mine machinery and regular fine-tuning of engines of HEMMs in use to ensure that the emission levels remain within the stipulated norms and maintaining Pollution Under Control (PUC) Certificates;</li> <li>▪ Provision of water sprinkling, rain gun and fogger system to minimize dust generation while unloading of dumper into the crusher hopper;</li> <li>▪ Provision of dust extraction system with bag filters in crushing and transfer operations. High efficiency dust collection system will continue to operate to achieve particulate emission to less than 50 mg/Nm<sup>3</sup> through crushers, TB-1 and TB-2 stacks;</li> <li>▪ Provision of water sprinkling for transfer of crushed limestone through hoods/chutes before unloading on long belt conveyor to prevent dust emissions;</li> <li>▪ Provision of close type long belt conveyor provided with water sprinkling for transportation of crushed limestone;</li> <li>▪ Personnel working in dusty area are mandated to use protective gears such as dust masks.</li> </ul>
--	--	---

		  <p data-bbox="1129 521 1892 553"><b>Water Sprinklers fixed along the median of Haul Road.</b></p> <p data-bbox="989 883 1877 954"><b>Water Sprinklers in Dump Hopper and Rain water Gun for water sprinkling in the surrounding area</b></p>
(vi)	<p data-bbox="191 971 932 1040">Adequate measures should be taken for control of noise levels below 75 dB (A) in the work environment.</p>	<ul data-bbox="961 964 1913 1175" style="list-style-type: none"> <li data-bbox="961 964 1913 1029">Measures have been adopted to minimize noise levels in the work environment.</li> <li data-bbox="961 1036 1913 1175">Mitigations measures are in place to minimize noise levels. All working areas are being maintained within the prescribed noise levels. Workers engaged in operations of HEMM have been provided with ear plugs/muffs.</li> </ul>
(vii)	<p data-bbox="191 1192 932 1344">Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.</p> <p data-bbox="191 1354 932 1386">Occupational health surveillance programme of the</p>	<ul data-bbox="961 1187 1913 1360" style="list-style-type: none"> <li data-bbox="961 1187 1913 1360">Personal protective equipment including dust masks, ear plugs, safety shoes, illuminating jacket, hard hat are compulsory for all workers working in the mine. Life Saving (Tool Box) talk is held daily. Refresher training on safety and health is imparted on regular basis to all the workers.</li> </ul>

	workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.	<ul style="list-style-type: none"> <li>▪ Qualified doctors based at the site have been providing medical support to the employees and community in the surrounding villages.</li> <li>▪ Qualified Occupational Health Specialist available at site for regular and periodic medical examination of the workers engaged in the project.</li> <li>▪ Records of periodical medical examinations done in the recent past are being maintained for all employees (including contractor workers) as per the requirement of Mines Rules, 1955.</li> </ul>
(viii)	The funds earmarked for Environmental Protection measures should be kept in separate account and not diverted for other purpose. Year-wise expenditure should be reported to the Ministry of Environment & Forests.	<ul style="list-style-type: none"> <li>▪ Separate account for environmental expenses is being maintained.</li> <li>▪ Funds earmarked for environment protection are being maintained in the separate bank account.</li> <li>▪ Expenditure incurred for the period 1st October to 30th March 2024 was INR 28.11 Lakhs.</li> </ul>
(ix)	The Regional Office of this Ministry located at Shillong shall monitor compliance of the stipulated environmental safeguards. The project authorities should send one set of EIA/EMP report and mining plan to them and extend full cooperation to the officer(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	<ul style="list-style-type: none"> <li>▪ Complied with.</li> </ul>
(x)	The project authority should inform to the Regional Office located at Shillong as well as to the Ministry of Environment & Forests regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.	<ul style="list-style-type: none"> <li>▪ Complied with</li> </ul>
(xi)	A copy of the clearance letter will be marked to concerned Panchayat/local NGO, if any, from whom any suggestion/representation has been received while	<ul style="list-style-type: none"> <li>▪ Complied with</li> </ul>

	processing the proposal.	
(xii)	The State Pollution Control Board should display a copy of the clearance letter at the Regional Office, District Industry Centre and Collector's office/Tehsildar Office for 30 days.	<ul style="list-style-type: none"> <li>▪ Complied with</li> </ul>
(xiii)	The project authorities should advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at web site of the Ministry of Environment & Forests at <a href="http://envfor.nic.in">http://envfor.nic.in</a> and a copy of the same should be forwarded to Regional Office of the Ministry located at Shillong.	<ul style="list-style-type: none"> <li>▪ Complied with</li> </ul>



**Half Yearly Compliance Status for the period of 01 October to March 31, 2024 on the Conditions of Environmental Clearance No. J-11015/10/2000-IA.II.(M) partial modification by MoEF dated 19 April 2010**

S. No.	Conditions	Status of Compliance
<b>1. Additional Conditions as per Partial Modification of Environmental Clearance Letter dated 19 April 2010</b>		
<b>A -Specific conditions</b>		
A (i)	The project proponent shall prepare a detailed Catchment Area Treatment Plan and implement the same in consultation with the Competent Authority in the State Government. A copy of the plan shall be submitted to the Ministry and its Regional Office at Shillong.	<ul style="list-style-type: none"> <li>▪ Report on Upper Catchment Area Treatment Plan as prepared by CIMFR, Nagpur and NEERI, Nagpur was submitted to MoEF, New Delhi and its Regional Office, Shillong through a covering letter dated 30<sup>th</sup> June 2010.</li> <li>▪ MoEF vide letter no. F.No.8-64/2007-FC dated 29<sup>th</sup> December 2011, advised LUMPL to deposit the funds required to implement the Catchment Area Treatment (CAT) Plan amounting to Rs.50,00,000/- (Rupees Fifty Lakh Only). The requisite amount was deposited by LUMPL in CAMPA Fund in account No. SB01025217 with Corporation Bank on 5<sup>th</sup> January, 2012 for implementation of CAT Plan.</li> <li>▪ As part of the recommendations of Catchment Area Treatment Plan, eight check dams have been constructed in the gullies and area surrounding the mine. Drains have been constructed along the active mine benches linking it with siltation ponds. However, most of the rainwater gets percolated down from the mine surface (having crevices and fractured rocks due to karst topography). Greenbelt of 100 m all along the mine is being maintained.</li> </ul>
A (ii)	The project proponent shall explore the use of Surface Miner technology and submit its report to the Ministry within three months.	<ul style="list-style-type: none"> <li>▪ Central Institute of Mining and Fuel Research (CIMFR) conducted a study in 2010 on Applicability of Surface Miner in Nongtra Limestone Mine of Lafarge Umiam Mining Private Limited in Meghalaya. As per the study, the application of surface miner for mining limestone in Nongtra mine is not a technically viable proposition and should not be tried at</li> </ul>

		<p>present. The rock is too strong to be mechanically excavated for the purpose of mining yielding bulk production.</p> <ul style="list-style-type: none"> <li>▪ The Expert Appraisal Committee of MoEF during its meeting on 29<sup>th</sup> June 2010, as recorded in the minutes under paragraph 2.19, states that “as regards adoption of ‘Surface Miners’, the Committee agreed with the recommendations of CIMFR that it is not technically viable to use surface miners in Nongtraï. The rocks in the ore body are too strong and undulating to lend themselves for excavation by using ‘Surface Miners’, which are suitable for softer mineral bodies in flatter terrain.”</li> </ul>
A (iii)	The project proponent shall discontinue agreement, if any, for procuring limestone on the basis of disorganized and unscientific and ecologically unsustainable mining in the area.	<ul style="list-style-type: none"> <li>▪ An Amendment Agreement between Nongtraï Durbar and LUMPL was executed on 6<sup>th</sup> July 2010 whereby clause related to procurement of Limestone by Nongtraï Durbar for LUMPL was deleted.</li> <li>▪ A copy of the amendment was submitted to the State Government on 7<sup>th</sup> July 2010.</li> </ul>
A (iv)	The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered flora and fauna spotted in the study area. Action plan for conservation of flora and fauna shall be prepared in consultation with the State Forest and Wildlife Department. All the safeguard measures brought out in the Wildlife Conservation Plan prepared specific to this project site shall be effectively implemented. Necessary allocation of funds for implementation of the conservation plan shall be made and the funds so allocated shall be included in the project cost. A copy of action plan shall be submitted to the Regional Office of the Ministry of Environment and Forests, Shillong.	<p>Following reports amongst other were appraised by EAC of MoEF during its meeting held on 21<sup>st</sup> July 2010:</p> <ul style="list-style-type: none"> <li>a) Assessment of Floral and Faunal Diversity in Core and Buffer Zones of Nongtraï Limestone Mine of Lafarge Umiam Mining Pvt. Ltd. and its Surrounding Areas by Professor S.K. Barik, Project Coordinator, North-Eastern Hill University (NEHU), Shillong – 793022, June 2010, and ;</li> <li>b) Biodiversity Conservation Plan for Nongtraï Limestone Mine of Lafarge Umiam Mining Pvt. Ltd. and its Surrounding Areas by Government of Meghalaya, Shillong, June 2010. Four season baseline report for the study area was submitted on 7<sup>th</sup> May 2013.</li> </ul>

		<ul style="list-style-type: none"> <li>▪ Action Plan for the conservation measures prepared by the State Government along with a budget of INR 439 lakhs to be spent over in next 10 years for biodiversity conservation. The total amount for the implementation of the Biodiversity Conservation Plan (BCP) amounting to INR 439 lakhs has been deposited in the CAMPA account of Meghalaya No. SB010 25217 on 5<sup>th</sup> January 2012.</li> <li>▪ As per the letter Ref No. 20/2018/CAMPA/Vol-III/91 dated 29<sup>th</sup> April 2024 received from the Government of Meghalaya, Department of Forests and Environment, Office of the Principal Chief Conservator of Forest and HOFF Meghalaya, on the status of implementation of Biodiversity Conservation Plan, the department has taken initiatives in may aspects as mentioned in the Annexure I, II and III of the said letter. The implementation report is enclosed as Annexure V of the six monthly compliance report October to March 2024.</li> </ul>
A (v)	The project proponent shall maintain a strip of at least 100 meter of forest area on the boundary of mining area as a green belt.	<ul style="list-style-type: none"> <li>▪ Being complied with.</li> <li>▪ After the EC modification letter dated 19<sup>th</sup> April 2010, a survey of the area completed and rope fencing has been provided to demarcate 100 meter strips as greenbelt surrounding the forest land of the mining lease. The rope fencing is also periodically surveyed for its presence.</li> <li>▪ Green belt of 100 m width is being maintained. LUMPL has entered into agreements dated 6<sup>th</sup> July 2010 with Nongtraï Village Durbar.</li> <li>▪ LUMPL has carried out plantations of 43,899 as on 31 March 2024 with survival rate of approximately ~ 76.4 %. LUMPL will ensure plantation of only the Forest Department specified plant species during monsoon seasons.</li> </ul>
A (vi)	The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed	<ul style="list-style-type: none"> <li>▪ LUMPL will continue to ensure that measures shall be in place so that no natural water course and /or water resources shall be obstructed due to</li> </ul>

	<p>due to any mining operations. Adequate measures shall be taken for conservation and protection of the first order and the second order streams, if any emanating/passing through the mine lease area during the course of mining operation.</p>	<p>mining activities.</p> <ul style="list-style-type: none"> <li>▪ Mitigation measures will be implemented in due course of time when stable ground is encountered in the mine thus to ensure that the flow is not obstructed and water stream is conserved and protected of any contamination due to the mining operations.</li> </ul>
A (vii)	<p>Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as haul road, loading and unloading point and all transfer points. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.</p>	<p>Effective safeguard measures to control dust and PM<sub>10</sub> &amp; PM<sub>2.5</sub> generation include the following:</p> <ul style="list-style-type: none"> <li>▪ Provision of dry drilling with dust extraction system in place or wet drilling of holes;</li> <li>▪ Use of good quality explosives, implementing CIMFR recommended measures during blasting i.e. provision of proper stemming after charging of explosives and use of delay detonators minimizing dust throw and its spread in ambient air;</li> <li>▪ Ensuring blasting is done only in the daytime when no strong winds are blowing or there is no overcast or lightening event.</li> <li>▪ Loading /unloading of limestone from an optimum height and use of sharp teeth for shovel to reduce dust blow;</li> <li>▪ Avoiding overloading of haul trucks to eliminate spillage during transit on haul road;</li> <li>▪ Water sprinkling on unpaved areas and haul road during dry wind periods through fixed sprinklers supplemented with water tankers in active mine pit area;</li> <li>▪ Ensuring speed controls as already practiced to the limit of 20 km/hour on vehicle movements on haul roads;</li> <li>▪ Preventive maintenance of mine machinery and regular fine-tuning of engines of HEMMs in use to ensure that the emission levels remain within the stipulated norms and maintaining Pollution Under Control (PUC) Certificates;</li> <li>▪ Provision of water sprinkling, rain gun and fogger system to minimize</li> </ul>

- dust generation while unloading of dumper into the crusher hopper;
- Provision of dust extraction system with bag filters in crushing and transfer operations. High efficiency dust collection system will continue to operate to achieve particulate emission to less than 50 mg/Nm<sup>3</sup> through crushers, TB-1 and TB-2 stacks;
  - Provision of water sprinkling at transfer points of crushed limestone through chutes before unloading on long belt conveyor to prevent dust emissions;
  - Provision of close conduit type long belt conveyor provided with water sprinkling for transportation of crushed limestone;
  - Personnel working in dusty area to be provided protective gears such as dust masks.



**Automatic Water Sprinklers fixed along the median of Haul Road.**




**Water Rain Gun**



**Water Fogger at Dump Hopper**

A (viii)	<p>Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and installing new piezometers during the mining operation. The periodic monitoring [(at least four times in a year pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January); once in each season)] shall be carried out in consultation with the State Ground Water Board/Central Ground Water Authority and the data thus collected may be sent regularly to the Ministry of Environment and Forests and its Regional Office Shillong, the Central Ground Water Authority and the Regional Director, Central Ground Water Board (CGWB). If at any stage, it is observed that the groundwater table is getting depleted due to the mining activity; necessary corrective measures shall be carried out.</p>	<ul style="list-style-type: none"> <li>▪ Three Piezometers installed outside at <ul style="list-style-type: none"> <li>(i) PWD Road (to the Southwest of the mine),</li> <li>(ii) Near Mine Entry Gate (to the South of the mine); and</li> <li>(iii) Near Transit House (to the Southeast of the mine).</li> </ul> </li> <li>• The groundwater levels and ground water quality are being monitored covering all the four seasons. The month wise Piezometers monitored ground water levels and ground water quality are included in <b>Annexure-IV</b> of the six monthly Compliance Report for the period October to March 2024. The monitored results are being submitted to CGWA/CGWB on six monthly basis.</li> <li>▪ It is being ensured that no natural water course and water resources are obstructed due to mining operations.</li> </ul>
A (ix)	<p>Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Regional Director, Central Ground Water Board.</p>	<ul style="list-style-type: none"> <li>▪ LUMPL has established rainwater harvesting system at two locations by collecting rainwater from roof top of Transit House (residential accommodation) and mine office buildings (each provided with a tank of 20m<sup>3</sup> capacity). Water harvesting system has been installed at two locations i.e. the roof top of the transit camp area and roof top of the office area. Requisite information was submitted to Regional Director, Central Ground Water Board Guwahati for necessary guidance.</li> <li>▪ Water being recharged in to recharge pit also being stored in a separate tank for domestic use.</li> <li>▪ Replacement of old PVC pipes by UPVC pipes on the Transit House buildings and Office buildings completed in the year 2020.</li> </ul>

		 <p style="text-align: center;"><b>Rain Water Harvesting</b></p>
A (x)	<p>Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly</p>	<ul style="list-style-type: none"> <li>▪ Qualified doctors based at the site have been providing medical support to the employees and community in the surrounding villages.</li> <li>▪ Qualified Occupational Health Specialist available at site for regular and periodic medical examination of the workers engaged in the project</li> <li>▪ Records of periodical medical examinations done in the recent past are being maintained for all employees (including contractor workers) as per the requirement of Mines Rules, 1955.</li> </ul>
A (xi)	<p>Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</p>	<ul style="list-style-type: none"> <li>▪ LUMPL is committed to ensure that for any construction labour deployment, necessary infrastructure will be provided within the existing project footprint and facilities including cooking, toilets, package STP, safe drinking water, health care facility etc.</li> </ul>
A (xii)	<p>The critical parameters such as RSPM (Particulate matter with size less than 10micron i.e., PM10) and NOx in the ambient air within the impact zone. Peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored</p>	<ul style="list-style-type: none"> <li>▪ The ambient air quality (AAQ) is being monitored with respect to <i>PM10</i>, <i>PM2.5</i>, <i>SO2</i> and <i>NOx</i> at five locations within the core and buffer zones as recommended by Meghalaya State Pollution Control Board. All parameters that were monitored during the period 1<sup>st</sup> April to 30<sup>th</sup> September 2023 remained within the permissible limits.</li> </ul>

	<p>periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, PH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board at the project site at a suitable location near the main gate of the Company in public domain. The Circular No. J-20012/1/2006-IA.II (M) dated 27.05.2009 issued by Ministry of Environment and Forests, which is available on the website of the Ministry <a href="http://www.envfor.nic.in">www.envfor.nic.in</a>, shall also be referred in this regard for its compliance.</p>	<ul style="list-style-type: none"> <li>▪ Peak particle velocity (i.e. ground vibrations) is being measured with every blast. All the measured values remained less than 5 mm/sec at the distance of 200 m to 300 m, which is well within the standard of 10 mm/sec (for dominant frequency range of 8 to 25 Hz) as prescribed by Directorate General of Mines Safety – DGMS (Tech.) Circular No.7 dated 29 September 1997).</li> <li>▪ Discharged water quality for TDS, DO, TSS and pH are being monitored by Meghalaya State Pollution Control Board on monthly basis in their laboratory. The monitored values remained within the prescribed limits. The monthly monitored results are being displayed (on public domain) as per the requirement of MoEF Circular dated 27 May 2009 through: <ul style="list-style-type: none"> <li>➤ LED screen for digital display of critical pollutants near the main gate entry to the Nongtraï Limestone Mine; and</li> <li>➤ Six monthly compliance reports are available on Company’s website “<a href="http://www.lumpl.com">www.lumpl.com</a>”.</li> </ul> </li> </ul>
A (xiii)	<p>A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment &amp; Forests 5 years in advance of final mine closure for approval.</p>	<ul style="list-style-type: none"> <li>▪ Noted.</li> <li>▪ Final Mine Closure Plan with Corpus Fund as approved by IBM shall be submitted to MoEFCC five years in advance of final mine closure for approval.</li> </ul>
<b>B - General Conditions</b>		
B (i)	<p>The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Ministry of Environment and Forests, its Regional Office Shillong, the respective Zonal Office of Central Pollution Control Board and the State Pollution Control Board. The proponent shall</p>	<ul style="list-style-type: none"> <li>▪ Being complied with</li> <li>▪ LUMPL is submitting six monthly reports to MoEFCC, Regional Office at Shillong, MSPCB and Zonal office of Central Pollution Control Board, Shillong on regular basis and the same will be continued.</li> <li>▪ Status of compliance including monitoring results is also being uploaded</li> </ul>



	upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the Ministry of Environment and Forests, Shillong, the respective Zonal Officer of Central Pollution Control Board and the State Pollution Control Board.	periodically on the company website " <a href="http://www.lumpl.com">www.lumpl.com</a> ".
B (ii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Office of the Ministry of Environment and Forests, Shillong by e-mail.	<ul style="list-style-type: none"> <li>▪ Being complied with</li> <li>▪ LUMPL has been submitting annual Environmental Statement as per Form-V under the Rule 14 of the EPA Rules, 1986 to MSPCB.</li> <li>▪ Environmental Statement for the year ending 31st March 2023 has been submitted to MSPCB with a copy to MoEFCC RO on 25<sup>th</sup> August 2023.</li> <li>▪ The next financial year ending 31st March 2024 will be sending by September 2024.</li> </ul>

. In addition, Ministry has decided the following changes to be incorporated in the Environmental clearance letter of even number dated

09.08.2001.

1.	FOR	READ	
	<p>“A. Specific Conditions (vi) Sewage treatment plant for treating residential and waste from industrial area should be provided.”</p>	<p>“A. Specific Conditions (vi) Sewage treatment plant for treating residential and waste from industrial area should be provided. ETP shall also be provided for the workshop and wastewater generated during the mining operation.”</p>	<ul style="list-style-type: none"> <li>• Complied with.</li> <li>• 6 nos. of Package Sewage Treatment Plants (STPs) and 1 no. of Effluent Treatment Plant (ETP) are operational.</li> </ul>
2.	<p>“B. General Conditions (iii) Five ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for SPM, RPM, SO<sub>2</sub>, NO<sub>x</sub> and CO monitoring. Location of the ambient air quality stations should be decided based on the meteorological data, topographical</p>	<p>“B. General Conditions (iii) Five ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for RSPM (Particulate matter with size less than 10 micron i.e., PM 10), SO<sub>2</sub> and NO<sub>x</sub> monitoring. Location of the stations should be</p>	<ul style="list-style-type: none"> <li>▪ Being complied with.</li> <li>▪ Ambient Air Quality (AAQ) is being monitored with respect to PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> at five locations within and surrounding areas as selected by MSPCB through their letter dated 24<sup>th</sup> February 2012. The locations are               <ul style="list-style-type: none"> <li>(i) HEMM Workshop</li> <li>(ii) Near Magazine</li> <li>(iii) Near Phlangkaruh Village</li> <li>(iv) Pyrkan Village and</li> <li>(v) Shella Bazar.</li> </ul> </li> <li>▪ The observed results of ambient air quality parameters remained within the prescribed limits and are being reported to MoEFCC RO, Shillong with a copy to MSPCB as part of the six-monthly compliance reporting.</li> </ul>

	features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board."	decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board."	
3.	"B. General Conditions (iv) Data on ambient air quality should be regularly submitted to the Ministry including its Regional Office located at Shillong and the State Pollution Control Board/Central Pollution Control Board once in six months."	"B. General Conditions (iv) Data on ambient air quality RSPM (particulate matter with size less than 10micron i.e., PM 10) SO2 and NOx should be regularly submitted to the Ministry including its Regional Office located at Shillong and the State Pollution Control Board/Central Pollution Control Board once in six	<ul style="list-style-type: none"> <li>▪ Being done regularly.</li> <li>▪ Observations have been included in the compliance report.</li> </ul>

		months.”	
3.	All other conditions of the above referred environmental clearance letter shall remain unchanged.	▪ Noted	
4.	The Ministry or any other competent authority may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.	▪ Noted	
5.	Failure to comply with any of the conditions given above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act 1986.	▪ Noted	
6.	The above conditions will be enforced inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act 1974 the Air Prevention & Control of Pollution) Act 1981 the Environment (Protection) Act 1986 and the Public Liability Insurance Act 1991 along with their amendments and rules made thereunder.	▪ Noted	


## 2 ENVIRONMENTAL MONITORING CONDUCTED FROM 1 OCTOBER 2023 TO 31 MARCH 2024

### 2.1 INTRODUCTION

Lafarge Umiam Mining Pvt. Ltd. (LUMPL), a company incorporated in India as a 100% subsidiary of LafargeHolcim Bangladesh Ltd., (formerly Lafarge Surma Cement Ltd.) has been operating Nongtraï Limestone Mine located at village Nongtraï, District East Khasi Hills in Meghalaya, India for the purpose of extraction and export of limestone via long belt conveyor to its parent company in Bangladesh for the manufacture of clinker and cement. This report on environmental monitoring for the period from 01 October 2023 to 31 March 2024 covers compliance status of conditions of Environmental Clearances J-11015/10/2000-IA. II. (M) dated 9 August 2001 & J-11015/10/2000-IA. II(M) dated 19 April 2010.

The location of Nongtraï Limestone Mine is shown in **Figure 2.1**.

**Figure 2.1: Location of Nongtraï Limestone Mine**



## **2.2 ENVIRONMENTAL MONITORING**

This six-monthly report covers the environmental monitoring done for the period from 1 October 2023 to 31 March 2024 covering the following environmental monitoring results:

- i) Micrometeorology
- ii) Ambient Air Quality
- iii) Water Quality
- iv) Water Flow
- v) Noise level
- vi) Cave Protection

### **2.3 Micrometeorology**

A weather monitoring station has been installed on rooftop of the mine office building of Nongtrai Limestone Mine for recording of hourly temperature, humidity, wind speed, wind direction and rainfall data. The observed meteorology is described in the following subsections.

#### **a) Wind speed and wind direction**

The predominant wind direction recorded was N-NNW with wind speed varying from 0.0 to 5.0 km per hour during Oct to Dec 2023 and 0.0 to 12.6 km per hour during Jan to Mar 2024. The details wind direction is given in Table 1.

#### **b) Temperature**

The maximum and minimum temperature recorded during Oct - Dec 2023 was 46.1°C and 13.0°C respectively while during Jan to Mar 2024 the maximum and minimum temperature recorded was 37.6°C and 8.0°C respectively (Table No.1). The diurnal variation of temperature is shown in Exhibit No.1 for the month of Oct to Dec 2023 and Exhibit No.2 for the month of Jan to Mar 2024.

#### **c) Humidity:**

The maximum and minimum Humidity during Oct to Dec 2023 was 94.4% and 15.1% respectively while during Jan to Mar 2024 the maximum and minimum humidity recorded was 94.2% and 14.2% respectively (Table No.1) The diurnal variation of humidity is shown in Exhibit No.3 for the month of Oct to Dec 2023 and Exhibit No.4 for the month of Jan to Mar 2024.

#### **d) Rainfall:**

The total rainfall observed during the period 1 October 2023 to 31 March 2024 was 585.0 mm.

## **2.4 Ambient Air Quality Monitoring Locations**

Ambient air quality monitoring is carried out twice a week at five stations selected as per recommendation of Meghalaya State Pollution Control Board as per their letter no. MPCB/TB-CON-227(Pt-II)/2011-2012/19 24 February 2012. Two monitoring stations are located in the core zone and three in the buffer zone for monitoring of Particulate Matter of

size less than 10 micron (PM10), Particulate Matter of size less than 2.5 micron (PM2.5), Sulphur Dioxide (SO<sub>2</sub>) and Nitrogen Oxide (NO<sub>x</sub>) for the study period using Respirable Dust Sampler of Envirotech make. The distance and direction of the ambient air quality monitoring stations are summarized in Table 2.1:

**Table 2.1: AAQ Monitoring Locations**


<b>AAQ Monitoring Station Code</b>	<b>Distance and Bearing from Centre of the Mine</b>	<b>AAQ Description</b>
LA-1: HEMM Workshop (Light section near ETP)	0.7 km to Southeast	Respirable Dust Sampler was placed near HEMM Workshop (Light section near ETP) in the quarry to assess the present pollution level in the core zone.
LA -2: Magazine Area	0.40 km to West	Respirable Dust Sampler was placed near Magazine area in the core zone.
LA-3: Phlangkaruh Village (near Security Barrack-I)	1.40 km to South	Respirable Dust Sampler was placed near Phlangkaruh Village (near Security Barrack-I) in the buffer zone.
LA - 4: Pyrkan Village	2.60 km to South Southeast	Respirable Dust Sampler was placed near Pyrkan Village in the buffer zone.
LA -5: Shella Bazaar	3.40 km to Southeast	Respirable Dust Sampler was placed near Shella Bazaar in the buffer zone on the roof top of a House.

The location of five ambient air quality stations is shown in **Figure 2.2**.

Concentrations of PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> recorded at all the five locations are described in **Tables 2 to 11**. All the observed values were found to be below the prescribed NAAQS.

Graphical representation of Ambient Air Quality is shown in **Exhibit Nos. 5 & 6** on the Industrial and mixed areas for the months of Oct to Dec 2023 and Jan to Mar 2024 and **Exhibit Nos. 7 & 8** on the Residential areas for the months Oct to Dec 2023 and Jan to Mar 2024 respectively.

Figure 2.2: Locations of Ambient Air Quality Stations





## 2.5 Surface Water Quality Monitoring Locations


Surface water quality was assessed by collecting once a month water samples from four locations as per the recommendations of Meghalaya State Pollution Control Board vide letter no. MPCB/TB-CON-227(Pt-II)/2011-2012/19. The locations of surface water sampling are described as following:

**Table 2.2: Surface Water Quality Monitoring Locations**

Surface Water Sampling Location Code	Surface Water Sampling Description
LWQ - 1:	Upstream of Umiam River
LWQ - 2:	Downstream of Umiam River
LWQ - 3:	Upstream of Phlangkaruh River
LWQ - 4:	Downstream of Phlangkaruh River

The surface water quality sampling locations are shown in **Figure 2.3**

**Figure 2.3: Surface Water Quality and Flow Measurement Locations**



The observed surface water quality is described as following:

#### **LWQ-1 Upstream of Umiam River:**

The sample represents the quality of surface water Upstream of Umiam River. The results of samples collected during October 2023 to December 2023 are shown in **Table No. 12**.

The water quality parameters were pH 7.8 - 8.1; Sulphates 6.8 – 7.8 mg/l; Total hardness 66.0 – 80.0 mg/l; Fluorides 0.05 – 0.06 mg/l; TDS 86.0 – 114.0 mg/l; Chlorides 4.0 - 7.0mg/l; Nitrates 0.60 – 1.20 mg/l; and Total Coliform were 53.0 – 94.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

#### **LWQ-2 Downstream of Umiam River:**

The results of samples collected during October 2023 to December 2023 are shown in **Table No. 13**. The concentrations were within the prescribed limit.

The analyzed water quality parameters were pH 7.8 – 7.9; Chlorides 5.0 – 7.0 mg/l; Sulphates 6.0 – 7.9 mg/l; Nitrates 0.7 – 1.0 mg/l; Total hardness 60.0 – 74.0 mg/l; TDS 84.0 - 113.0mg/l and Fluorides were 0.06 - 0.06 mg/l and total coliform were 43.0 - 79.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

#### **LWQ-3 Upstream of Phlangkaruh River:**

This sample represents the quality of surface water. The results of samples collected during October 2023 to December 2023 are shown in **Table No. 14**.

The analyzed water quality parameters were pH 7.8 - 8.0; Chlorides 4.0 - 6.0 mg/l; Sulphates 6.8 - 8.0 mg/l; Nitrates 0.6 – 1.1 mg/l; Total hardness 76.0- 120.0 mg/l; Fluorides 0.05 - 0.06 mg/l; TDS were 110.0-125.0 mg/l and total coliform were 43.0 – 94.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

#### **LWQ-4 Downstream of Phlangkaruh River:**

This sample represents the quality of surface water. The results of October 2023 to December 2023 are shown in **Table No. 15**.

The analyzed water quality parameters were pH 7.0 – 7.9; Chlorides 6.0 - 7.0 mg/l; Sulphates 5.8 - 8.6 mg/l; Nitrates 0.60 – 1.20 mg/l; Total hardness 76.0 - 110.0 mg/l; Fluorides 0.05 - 0.06 mg/l; TDS 112.0 – 170.0 mg/l; and Total coliform were 36.0 – 70.0 MPN/100 ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

## **2.6 Surface Water Flow Measurement Locations**

Surface water flow measurements were carried out once a month at two locations to assess the surface water quantity of the nearby water bodies. The sampling locations are described in Table 2.3 and shown in Figure 2.3.

**Table 2.3: Surface Water Flow Measurement Locations**

Surface Sampling Code	Water Location	Surface Water Sampling Description
LWF - 1:		Downstream of Umiam River (near Shella Bazar)
LWF - 2:		Downstream of Phlangkaruh River near Phlangkaruh Village

Water Flow Measurements were carried out at two locations using water current meter using Bureau of Indian Standards method IS: 1192 (1959). The results and cross section of the water flow measurements are given in **Tables 16-17 e**. From the table, it can be seen that the water flow downstream of Umiam River near the bridge (during fair weather) (LWF-1) was highest followed by Downstream of Phlangkaruh River (LWF2). The results are given below:

SL.NO	Location	Discharge in m <sup>3</sup> /hour					
		Oct-23	Nov-23	Dec-23	Jan-24	Feb-24	Mar-24
1	LWF-1 UMIAM RIVER	82615.68	64600.2	50305.5	39497.22	31763.34	29248.88
2	LWF-2 PHLANGKARUH RIVER	8361.0	7093.8	6705.0	6488.1	5373.0	3956.4

## 2.7 Noise Levels Monitoring


Monitoring of Noise levels was done at six locations during the period October 2023 to March 2024 by using an integrating sound level meter (Type II Envirotech). Out-door noise level measurements were made at a height of 1.5 meter above the ground, and away from the sound reflecting sources like walls, buildings. Noise levels were measured at six locations once per month as per description given in **Table 2.4**.

**Table 2.4: Noise Levels Monitoring Locations**

Noise Levels Monitoring Location Code	Noise Monitoring Location Description
LN-1: Shella Bazar (non-market day)	Noise monitoring was done at Shella Bazaar on non-market day in front of PWD guest house
LN - 2: Pyrkan Village	Noise monitoring was done in Pyrkan Village near Ram Krishna Mission School
LN-3: Phlangkaruh Village	Noise monitoring was done at Phlangkaruh Village
LN- 4: Mine lease area (office area)	Noise monitoring was done to assess the noise levels within the core zone.
LN-5: Shellapunji Village	Noise monitoring was done at Shellapunji village to assess the noise levels.
LN-6: Mawryngkhong Village	Noise monitoring was done at Mawryngkhong Village

The noise levels monitoring locations are shown in **Figure 2.4**.

Figure 2.4: Noise Levels Monitoring Locations



Noise monitoring was carried out at 6 locations during the period October 2023 to March 2024. The Leq (day and night), Lmax and Lmin were analyzed from the recorded sound level meter (SLM). **Refer to Tables 18 - 29.**

<b>OCTOBER TO DECEMBER 2023</b>					
<b>NOISE LEVEL AT THE VILLAGES</b>					
<b>Location</b>	<b>Range in dB(A)</b>	<b>Leq.Value in dB(A) Day time</b>	<b>Leq.Value in dB(A) Night time</b>	<b>Permissible limit Day time</b>	<b>Permissible limit Night</b>
LN 1	43.4-59.7	55.2-55.9	46.8-47.3	65	55
LN 2	41.7-57.3	54.1-54.4	44.5-44.8	55	45
LN 3	41.8-57.5	53.1-54.0	44.3-44.7	55	45
LN 5	41.7-57.4	52.9-54.1	44.5-44.9	55	45
LN 6	41.5-57.1	53.0-53.7	44.4-44.8	55	45
<b>AMBIENT NOISE INSIDE THE QUARRY</b>					
LN 4	44.8-62.5	56.9-57.7	47.6-50.0	75	70
<b>JANUARY TO MARCH 2024</b>					
<b>NOISE LEVEL AT THE VILLAGES</b>					
<b>Location</b>	<b>Range in dB(A)</b>	<b>Leq.Value in dB(A) Day time</b>	<b>Leq.Value in dB(A) Night time</b>	<b>Permissible limit Day time</b>	<b>Permissible limit Night</b>
LN 1	43.2-59.4	55.5-55.7	46.1-46.3	65	55
LN 2	41.2-56.8	52.2-53.6	44.4-44.7	55	45
LN 3	41.5-57.4	53.4-54.0	44.4-44.7	55	45
LN 5	41.5-56.8	52.6-53.4	44.2-44.4	55	45
LN 6	41.5-57.4	53.2-53.6	44.3-44.5	55	45
<b>AMBIENT NOISE INSIDE THE QUARRY</b>					
LN 4	43.5-61.4	56.3-57.4	47.7-48.1	75	70

## **2.8 Vehicular emission:**

Vehicular emission monitored was done once during the study period of October 2023 to March 2024 for all the Heavy Earth Moving Machines (HEMM) operating in the mine by Meghalaya State Pollution Control Board using Smoke Density Meter.

## **2.9 Cave Protection**

Monitoring of cave was conducted by physical inspection. The entry to the cave has been protected by providing fencing and gate which is locked to prevent unauthorized entry as shown in figure (Refer Plate No.1). Photographs of twin sink holes during the study period also shown in plate No.1 of page No.88.

**AIR ENVIRONMENT:**

The ambient air quality monitored at the five locations in the core and buffer zones from 1 October 2023 to 31 March 2024 remained well within the permissible limits.

**WATER QUALITY:**

The surface water quality results indicate that all parameters were well within the permissible limits as prescribed for surface water (IS-2296 Class C).

**NOISE ENVIRONMENT:**

Noise monitoring results show that noise levels remained well within the prescribed limits.

**CAVE PROTECTION:**

Based on visual observation, no change in physical appearance was observed on twin sink holes and cave. Cave openings have been protected as shown in (Plate No.1).

#### **4. Tables, Exhibits and Plates**

**Table No.1**

<b>Sl.No</b>	<b>Parameters</b>	<b>Oct to Dec 2023</b>	<b>Jan to Mar 2024</b>
<b>1</b>	<b>Predominant Wind with direction from</b>	N-NNW	N-NE
<b>2</b>	<b>Temperature ° C</b>		
	I)Minimum	13.0 ° C	8.0 ° C
	ii)Maximum	46.1 ° C	37.6 ° C
	Average Temperature	26.5 ° C	21.4 ° C
<b>3</b>	<b>Humidity %</b>		
	I)Minimum	15.1 %	14.2 %
	ii)Maximum	94.4 %	94.2 %
	Average humidity	51.7 %	54.2 %
<b>4</b>	<b>Rainfall (mm)</b>	446.0 mm	139.0 mm



**LAFARGE UMIAM MINING PVT. LTD.**

**AMBIENT AIR QUALITY DATA**

*HEMM Workshop (Light Section Near ETP)*

*STATION : LA-1*

**Table :2**

DATE	24 HOURLY				Permissible (µg/m <sup>3</sup> )	Limit
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
3-Oct-2023	55.4	22.5	6.4	8.9	PM 10	100 µg/m3
5-Oct-2023	53.8	22.6	6.5	10.2		
8-Oct-2023	52.5	21.8	6.2	9.8	Sox	80 µg/m3
11-Oct-2023	54.8	23.2	6.4	10.2	Nox	80 µg/m3
14-Oct-2023	56.8	24.6	6.5	10.4		
18-Oct-2023	58.6	24.2	7.9	11.5		
22-Oct-2023	57.6	24.5	6.2	10.5		
25-Oct-2023	56.5	22.4	6.8	11.5		
28-Oct-2023	57.2	25.4	6.4	10.8		
2-Nov-2023	56.2	24.5	5.8	9.2		
5-Nov-2023	57.9	23.8	7.5	9.6		
8-Nov-2023	58.5	25.8	6.5	12.0		
11-Nov-2023	57.2	25.4	6.4	10.8		
14-Nov-2023	58.7	25.8	6.5	11.8		
18-Nov-2023	58.9	24.5	7.2	10.4		
22-Nov-2023	59.2	26.5	6.8	12.4		
25-Nov-2023	58.7	25.8	6.5	11.8		
28-Nov-2023	58.5	25.8	6.5	12.0		
2-Dec-2023	57.2	25.4	6.4	10.8		
5-Dec-2023	58.7	24.2	7.4	10.4		
8-Dec-2023	56.8	24.6	6.5	10.4		
11-Dec-2023	57.5	25.6	6.4	11.2		
14-Dec-2023	58.2	26.5	6.2	12.4		
18-Dec-2023	59.5	26.4	6.8	12.4		
22-Dec-2023	59.7	24.8	7.6	9.2		
27-Dec-2023	58.7	25.8	6.5	11.8		
30-Dec-2023	57.9	23.8	7.5	9.6		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observation	27	27	27	27		
Arithmetic Mean	57.5	24.7	6.7	10.8		
Geometric Mean	57.4	24.6	6.7	10.8		
STD. GEO. Devn. (24 hrs)	1.7	1.3	0.5	1.1		
Max. Concentration	59.7	26.5	7.9	12.4		
Min. Concentration	52.5	21.8	5.8	8.9		
98 Percentile values	59.6	26.5	7.7	12.4		
Detection Limit (µg/m <sup>3</sup> )						
NOTE:	ALL VALUES ARE IN µg/m <sup>3</sup>					

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
*Near Magazine*  
 STATION : LA-2

**Table:3**

DATE	24 HOURLY				Permissible Limit (µg/m <sup>3</sup> )	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
3-Oct-2023	53.4	21.2	4.9	6.5	PM 10	100 µg/m <sup>3</sup>
5-Oct-2023	51.7	21.8	5.4	8.2	PM 2.5	60 µg/m <sup>3</sup>
8-Oct-2023	50.7	22.2	5.0	7.6	Sox	80 µg/m <sup>3</sup>
11-Oct-2023	52.3	22.6	5.2	7.8	Nox	80 µg/m <sup>3</sup>
14-Oct-2023	54.4	23.7	5.6	8.6		
18-Oct-2023	55.9	22.8	6.2	9.5		
22-Oct-2023	55.6	23.4	5.8	7.9		
25-Oct-2023	53.8	21.6	5.7	7.8		
28-Oct-2023	55.2	23.4	5.7	7.2		
2-Nov-2023	54.6	23.5	5.4	6.7		
5-Nov-2023	55.8	22.4	6.2	6.9		
8-Nov-2023	56.2	24.5	5.8	7.6		
11-Nov-2023	55.2	23.4	5.7	7.2		
14-Nov-2023	56.2	24.2	5.8	7.6		
18-Nov-2023	56.4	22.8	6.2	7.4		
22-Nov-2023	57.6	24.8	6.2	8.5		
25-Nov-2023	56.2	24.2	5.8	7.6		
28-Nov-2023	56.2	24.5	5.8	7.6		
2-Dec-2023	55.2	23.4	5.7	7.2		
5-Dec-2023	56.4	22.6	7.2	8.6		
8-Dec-2023	54.4	23.7	5.6	8.6		
11-Dec-2023	55.6	23.5	5.8	7.4		
14-Dec-2023	56.8	24.2	6.0	10.2		
18-Dec-2023	57.5	25.2	6.0	7.6		
22-Dec-2023	57.2	23.6	6.8	7.5		
27-Dec-2023	56.2	24.2	5.8	7.6		
30-Dec-2023	55.8	22.4	6.2	6.9		

	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>
Number of observations	27	27	27	27
Arithmetic Mean	55.3	23.3	5.8	7.8
Geometric Mean	55.3	23.3	5.8	7.7
STD. GEO. Devn. (24 hrs)	1.7	1.0	0.5	0.8
Max. Concentration	57.6	25.2	7.2	10.2
Min. Concentration	50.7	21.2	4.9	6.5
98 Percentile values	57.5	25.0	7.0	9.8

Detection Limit (µg/m<sup>3</sup>)

NOTE: ALL VALUES ARE IN µg/m<sup>3</sup>

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
 Near Phlangkaruh village (Near Barrack I)  
 STATION : LA-3

**Table :4**

DATE	24 HOURLY				Permissible (µg/m <sup>3</sup> )	Limit
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
3-Oct-2023	51.2	20.8	4.7	5.8	PM 10	100 µg/m <sup>3</sup>
5-Oct-2023	49.8	20.5	4.8	5.4	PM 2.5	60 µg/m <sup>3</sup>
8-Oct-2023	48.5	20.1	4.5	5.4	Sox	80 µg/m <sup>3</sup>
11-Oct-2023	50.4	21.8	5.0	5.8	Nox	80 µg/m <sup>3</sup>
14-Oct-2023	52.2	22.3	5.5	6.2		
18-Oct-2023	53.8	21.7	5.6	6.7		
22-Oct-2023	53.5	22.2	5.5	6.5		
25-Oct-2023	51.7	20.2	5.8	6.9		
28-Oct-2023	52.8	22.6	5.2	6.5		
2-Nov-2023	51.6	21.2	4.9	5.6		
5-Nov-2023	52.8	21.5	4.9	5.8		
8-Nov-2023	54.5	22.6	5.4	6.4		
11-Nov-2023	52.8	22.6	5.2	6.5		
14-Nov-2023	54.5	22.8	5.4	6.5		
18-Nov-2023	54.8	22.4	5.4	6.4		
22-Nov-2023	55.4	23.2	5.8	6.8		
25-Nov-2023	54.5	22.8	5.4	6.5		
28-Nov-2023	54.5	22.6	5.4	6.4		
2-Dec-2023	52.8	22.6	5.2	6.5		
5-Dec-2023	53.5	23.2	5.6	6.5		
8-Dec-2023	52.2	22.3	5.5	6.2		
11-Dec-2023	52.6	22.5	5.2	6.2		
14-Dec-2023	55.4	23.2	5.2	6.8		
18-Dec-2023	55.8	24.8	5.6	6.7		
22-Dec-2023	54.8	22.6	5.4	6.2		
27-Dec-2023	54.5	22.8	5.4	6.5		
30-Dec-2023	52.8	21.5	4.9	5.8		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observations	27	27	27	27		
Arithmetic Mean	53.1	22.2	5.3	6.3		
Geometric Mean	53.1	22.2	5.3	6.3		
STD. GEO. Devn. (24 hrs)	1.8	1.0	0.3	0.4		
Max. Concentration	55.8	24.8	5.8	6.9		
Min. Concentration	48.5	20.1	4.5	5.4		
98 Percentile values	55.6	24.0	5.8	6.8		
Detection Limit (µg/m <sup>3</sup> )						

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
 Pvrkan village  
 STATION : LA-4

**Table:5**

DATE	24 HOURLY				Permissible Limit (µg/m <sup>3</sup> )	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>	PM 10	PM 2.5
3-Oct-2023	49.6	21.2	3.5	4.6	100 µg/m <sup>3</sup>	
5-Oct-2023	47.6	19.5	3.6	4.5	60 µg/m <sup>3</sup>	
8-Oct-2023	46.2	19.5	3.2	4.5	80 µg/m <sup>3</sup>	
11-Oct-2023	48.5	19.8	3.4	4.5	80 µg/m <sup>3</sup>	
14-Oct-2023	49.7	21.3	4.3	5.4		
18-Oct-2023	51.4	20.2	3.8	5.8		
22-Oct-2023	51.2	21.8	3.8	4.8		
25-Oct-2023	49.5	18.5	3.8	5.6		
28-Oct-2023	50.4	20.5	3.6	5.2		
2-Nov-2023	48.4	18.9	3.8	4.7		
5-Nov-2023	50.2	20.4	4.2	5.6		
8-Nov-2023	51.5	21.8	4.2	4.8		
11-Nov-2023	50.4	20.5	3.6	5.2		
14-Nov-2023	52.5	22.2	4.5	5.2		
18-Nov-2023	52.6	21.8	5.4	5.8		
22-Nov-2023	53.4	22.8	4.5	5.4		
25-Nov-2023	52.5	22.2	4.5	5.2		
28-Nov-2023	51.5	21.8	4.2	4.8		
2-Dec-2023	50.4	20.5	3.6	5.2		
5-Dec-2023	51.7	21.6	4.9	5.6		
8-Dec-2023	49.7	21.3	4.3	5.4		
11-Dec-2023	50.4	20.2	3.8	5.4		
14-Dec-2023	51.4	21.2	4.2	5.5		
18-Dec-2023	53.4	22.6	4.6	5.8		
22-Dec-2023	52.5	22.8	5.2	5.8		
27-Dec-2023	52.5	22.2	4.5	5.2		
30-Dec-2023	50.2	20.4	4.2	5.6		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observations	27	27	27	27		
Arithmetic Mean	50.7	21.0	4.1	5.2		
Geometric Mean	50.7	21.0	4.1	5.2		
STD. GEO. Devn. (24 hrs)	1.8	1.2	0.5	0.4		
Max. Concentration	53.4	22.8	5.4	5.8		
Min. Concentration	46.2	18.5	3.2	4.5		
98 Percentile values	53.4	22.8	5.3	5.8		
Detection Limit (µg/m <sup>3</sup> )						
NOTE:	ALL VALUES ARE IN µg/m <sup>3</sup>					

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
*Shella Bazar*  
 STATION : LA-5

**Table:6**

DATE	24 HOURLY				Permissible Limit ( $\mu\text{g}/\text{m}^3$ )	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
3-Oct-2023	51.2	21.8	3.7	4.6	PM 10	100 $\mu\text{g}/\text{m}^3$
5-Oct-2023	46.8	20.1	3.6	5.2	PM 2.5	60 $\mu\text{g}/\text{m}^3$
8-Oct-2023	45.4	20.2	3.8	5.0	Sox	80 $\mu\text{g}/\text{m}^3$
11-Oct-2023	49.2	21.0	4.2	5.3	Nox	80 $\mu\text{g}/\text{m}^3$
14-Oct-2023	50.9	22.3	4.0	5.2		
18-Oct-2023	52.9	21.5	4.7	5.8		
22-Oct-2023	52.4	22.0	4.2	5.2		
25-Oct-2023	51.7	19.2	3.5	5.7		
28-Oct-2023	51.8	21.5	4.0	4.8		
2-Nov-2023	50.2	19.8	3.7	5.1		
5-Nov-2023	52.4	21.4	4.5	5.4		
8-Nov-2023	52.4	21.8	4.2	5.0		
11-Nov-2023	51.8	21.5	4.0	4.8		
14-Nov-2023	53.2	22.5	4.5	5.4		
18-Nov-2023	53.7	22.6	4.9	5.6		
22-Nov-2023	54.2	23.2	4.6	5.6		
25-Nov-2023	53.2	22.5	4.5	5.4		
28-Nov-2023	52.4	21.8	4.2	5.0		
2-Dec-2023	51.8	21.5	4.0	4.8		
5-Dec-2023	52.2	21.6	4.2	5.2		
8-Dec-2023	50.9	22.3	4.0	5.2		
11-Dec-2023	51.6	21.4	4.2	5.2		
14-Dec-2023	52.8	22.4	4.2	5.4		
18-Dec-2023	54.2	22.4	4.5	5.8		
22-Dec-2023	53.5	22.4	5.2	5.6		
27-Dec-2023	53.2	22.5	4.5	5.4		
30-Dec-2023	52.4	21.4	4.5	5.4		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observations	27	27	27	27		
Arithmetic Mean	51.8	21.7	4.2	5.3		
Geometric Mean	51.8	21.6	4.2	5.3		
STD. GEO. Devn. (24 hrs)	2.0	0.9	0.4	0.3		
Max. Concentration	54.2	23.2	5.2	5.8		
Min. Concentration	45.4	19.2	3.5	4.6		
98 Percentile values	54.2	22.9	5.0	5.8		
Detection Limit ( $\mu\text{g}/\text{m}^3$ )						
NOTE:	ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$					

LAFARGE UMIAM MINING PVT. LTD.

AMBIENT AIR QUALITY DATA

HEMM Workshop (Light Section Near ETP)

STATION : LA-1

Table :7

DATE	24 HOURLY				Permissible Limit (µg/m <sup>3</sup> )
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>	
2-Jan-2024	56.2	23.8	6.4	10.8	PM 10 100 µg/m3
5-Jan-2024	58.5	25.8	6.5	12.0	PM 2.5 60 µg/m3
8-Jan-2024	59.2	26.5	6.8	12.4	Sox 80 µg/m3
11-Jan-2024	58.7	25.8	6.7	11.8	Nox 80 µg/m3
14-Jan-2024	57.4	22.6	5.8	10.2	
18-Jan-2024	58.2	24.2	6.7	10.2	
22-Jan-2024	60.2	25.6	6.9	11.5	
25-Jan-2024	58.6	24.8	6.7	10.5	
29-Jan-2024	59.7	25.2	7.5	11.8	
2-Feb-2024	57.5	25.6	6.4	11.2	
5-Feb-2024	58.2	26.2	6.2	12.4	
8-Feb-2024	59.2	25.6	7.0	11.2	
11-Feb-2024	58.5	23.8	6.6	10.4	
14-Feb-2024	58.7	24.6	6.8	11.8	
18-Feb-2024	57.9	23.8	6.8	10.2	
22-Feb-2024	56.5	24.2	6.7	9.8	
25-Feb-2024	56.8	24.5	6.8	10.2	
29-Feb-2024	57.4	23.2	6.5	10.0	
2-Mar-2024	58.2	26.2	6.2	12.4	
5-Mar-2024	57.8	24.6	6.5	8.8	
8-Mar-2024	58.5	26.8	6.5	12.0	
11-Mar-2024	59.7	24.8	6.8	9.2	
14-Mar-2024	57.9	23.8	7.5	9.6	
18-Mar-2024	56.7	24.5	6.6	10.5	
22-Mar-2024	57.6	24.5	6.2	10.5	
25-Mar-2024	57.5	25.6	6.4	11.2	
29-Mar-2024	57.2	24.5	6.3	9.8	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>	
Number of observation	27	27	27	27	
Arithmetic Mean	58.1	24.9	6.6	10.8	
Geometric Mean	58.1	24.8	6.6	10.8	
STD. GEO. Devn. (24 hrs)	1.0	1.0	0.4	1.0	
Max. Concentration	60.2	26.8	7.5	12.4	
Min. Concentration	56.2	22.6	5.8	8.8	
98 Percentile values	59.9	26.6	7.5	12.4	
Detection Limit (µg/m <sup>3</sup> )					
NOTE:	ALL VALUES ARE IN µg/m <sup>3</sup>				

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
 Near Magazine  
 STATION : LA-2

**Table:8**

DATE	24 HOURLY				Permissible Limit ( $\mu\text{g}/\text{m}^3$ )	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
2-Jan-2024	54.5	22.6	5.6	7.2	PM 10	100 $\mu\text{g}/\text{m}^3$
5-Jan-2024	56.2	24.5	5.8	7.6	PM 2.5	60 $\mu\text{g}/\text{m}^3$
8-Jan-2024	57.6	24.8	6.2	8.5	Sox	80 $\mu\text{g}/\text{m}^3$
11-Jan-2024	56.2	24.2	5.8	7.6	Nox	80 $\mu\text{g}/\text{m}^3$
14-Jan-2024	55.6	23.5	5.9	8.9		
18-Jan-2024	56.5	23.4	5.6	8.6		
22-Jan-2024	57.8	23.2	6.2	10.5		
25-Jan-2024	56.3	23.8	5.6	8.5		
29-Jan-2024	57.4	23.9	6.2	9.8		
2-Feb-2024	55.6	23.5	5.8	7.4		
5-Feb-2024	56.8	24.2	6.0	10.2		
8-Feb-2024	57.2	24.5	6.4	10.2		
11-Feb-2024	56.4	21.7	6.2	9.2		
14-Feb-2024	56.2	24.2	5.8	7.6		
18-Feb-2024	55.7	22.4	5.6	9.8		
22-Feb-2024	54.6	23.8	6.5	8.2		
25-Feb-2024	54.2	23.4	6.2	7.8		
29-Feb-2024	55.2	21.8	5.4	9.6		
2-Mar-2024	56.8	24.2	6.0	10.2		
5-Mar-2024	55.6	22.4	5.8	6.9		
8-Mar-2024	56.2	24.5	5.8	7.6		
11-Mar-2024	57.4	23.5	6.2	7.5		
14-Mar-2024	55.8	22.4	6.2	6.9		
18-Mar-2024	54.5	23.8	5.8	8.7		
22-Mar-2024	55.6	23.4	5.8	7.9		
25-Mar-2024	55.6	23.5	5.8	7.4		
29-Mar-2024	54.2	23.4	6.2	7.8		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observations	27	27	27	27		
Arithmetic Mean	56.0	23.5	5.9	8.4		
Geometric Mean	56.0	23.5	5.9	8.4		
STD. GEO. Devn. (24 hrs)	1.0	0.8	0.3	1.1		
Max. Concentration	57.8	24.8	6.5	10.5		
Min. Concentration	54.2	21.7	5.4	6.9		
98 Percentile values	57.7	24.6	6.4	10.3		
Detection Limit ( $\mu\text{g}/\text{m}^3$ )						
NOTE:	ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$					

LAFARGE UMIAM MINING PVT. LTD.						
AMBIENT AIR QUALITY DATA						
Near Phlangkaruh village (Near Barrack I)						
STATION : LA-3						
Table :9						
DATE	24 HOURLY				Permissible Limit ( $\mu\text{g}/\text{m}^3$ )	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
2-Jan-2024	52.7	22.6	5.4	6.2	PM 10	100 $\mu\text{g}/\text{m}^3$
5-Jan-2024	54.5	22.6	5.4	6.4	PM 2.5	60 $\mu\text{g}/\text{m}^3$
8-Jan-2024	55.4	23.2	5.8	6.8	Sox	80 $\mu\text{g}/\text{m}^3$
11-Jan-2024	54.5	22.8	5.4	6.5	Nox	80 $\mu\text{g}/\text{m}^3$
14-Jan-2024	53.7	21.4	5.2	6.5		
18-Jan-2024	54.8	22.4	5.6	6.7		
22-Jan-2024	54.8	22.4	5.9	7.4		
25-Jan-2024	54.2	22.0	5.6	6.4		
29-Jan-2024	55.4	22.6	5.9	7.2		
2-Feb-2024	52.6	22.5	5.2	6.2		
5-Feb-2024	55.4	23.2	5.2	6.8		
8-Feb-2024	55.8	22.8	5.4	6.5		
11-Feb-2024	54.4	21.8	5.4	6.5		
14-Feb-2024	54.5	22.8	5.4	6.5		
18-Feb-2024	53.2	21.4	5.2	6.5		
22-Feb-2024	52.6	22.8	5.4	6.2		
25-Feb-2024	52.2	22.4	5.2	6.0		
29-Feb-2024	52.8	20.6	5.0	6.4		
2-Mar-2024	55.4	23.2	5.2	6.8		
5-Mar-2024	53.5	22.8	5.4	6.5		
8-Mar-2024	54.5	22.6	5.4	6.4		
11-Mar-2024	55.4	22.8	5.6	6.8		
14-Mar-2024	52.8	21.5	4.9	5.8		
18-Mar-2024	52.1	22.2	5.4	6.0		
22-Mar-2024	53.5	22.2	5.5	6.5		
25-Mar-2024	52.6	22.5	5.2	6.2		
29-Mar-2024	52.2	22.4	5.2	6.0		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observations	27	27	27	27		
Arithmetic Mean	53.9	22.4	5.4	6.5		
Geometric Mean	53.9	22.4	5.4	6.5		
STD. GEO. Devn. (24 hrs)	1.2	0.6	0.2	0.4		
Max. Concentration	55.8	23.2	5.9	7.4		
Min. Concentration	52.1	20.6	4.9	5.8		
98 Percentile values	55.6	23.2	5.9	7.3		
Detection Limit ( $\mu\text{g}/\text{m}^3$ )						
NOTE:	ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$					



LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
*Pyrkan village*  
 STATION : LA-4

**Table:10**

DATE	24 HOURLY				Permissible (µg/m <sup>3</sup> )	Limit
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
2-Jan-2024	50.5	20.6	3.5	5.0	PM 10	100 µg/m <sup>3</sup>
5-Jan-2024	51.5	21.8	4.2	4.8	PM 2.5	60 µg/m <sup>3</sup>
8-Jan-2024	53.4	22.8	4.5	5.4	Sox	80 µg/m <sup>3</sup>
11-Jan-2024	52.5	22.2	4.5	5.2	Nox	80 µg/m <sup>3</sup>
14-Jan-2024	51.4	22.4	3.7	5.9		
18-Jan-2024	52.6	20.5	3.4	5.2		
22-Jan-2024	52.6	21.4	4.2	5.9		
25-Jan-2024	52.4	21.3	3.6	5.2		
29-Jan-2024	52.7	22.8	4.2	5.8		
2-Feb-2024	50.4	20.2	3.8	5.4		
5-Feb-2024	51.4	21.2	4.2	5.5		
8-Feb-2024	53.2	22.9	3.6	5.8		
11-Feb-2024	52.6	21.5	3.7	5.4		
14-Feb-2024	52.5	22.2	4.5	5.2		
18-Feb-2024	51.8	20.5	3.2	5.4		
22-Feb-2024	49.2	21.8	4.2	5.4		
25-Feb-2024	50.4	22.2	4.0	5.2		
29-Feb-2024	50.8	20.2	3.2	5.2		
2-Mar-2024	51.4	21.2	4.2	5.5		
5-Mar-2024	51.4	21.2	4.8	5.7		
8-Mar-2024	51.5	21.8	4.2	4.8		
11-Mar-2024	52.4	22.2	4.9	5.9		
14-Mar-2024	50.2	20.4	4.2	5.6		
18-Mar-2024	49.8	21.2	4.2	5.3		
22-Mar-2024	51.2	21.8	3.8	4.8		
25-Mar-2024	50.4	20.2	3.8	5.4		
29-Mar-2024	50.4	22.2	4.0	5.2		
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NO <sub>x</sub>		
Number of observations	27	27	27	27		
Arithmetic Mean	51.5	21.5	4.0	5.4		
Geometric Mean	51.5	21.5	4.0	5.4		
STD. GEO. Devn. (24 hrs)	1.1	0.8	0.4	0.3		
Max. Concentration	53.4	22.9	4.9	5.9		
Min. Concentration	49.2	20.2	3.2	4.8		
98 Percentile values	53.3	22.8	4.8	5.9		
Detection Limit (µg/m <sup>3</sup> )						
NOTE:	ALL VALUES ARE IN µg/m <sup>3</sup>					

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
*Shella Bazar*  
 STATION : LA-5

**Table:11**

DATE	24 HOURLY				Permissible Limit ( $\mu\text{g}/\text{m}^3$ )
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NOx	
2-Jan-2024	51.2	21.0	4.2	5.0	PM 10 100 $\mu\text{g}/\text{m}^3$
5-Jan-2024	52.4	21.8	4.2	5.0	PM 2.5 60 $\mu\text{g}/\text{m}^3$
8-Jan-2024	54.2	23.2	4.6	5.6	Sox 80 $\mu\text{g}/\text{m}^3$
11-Jan-2024	53.2	22.5	4.5	5.4	Nox 80 $\mu\text{g}/\text{m}^3$
14-Jan-2024	52.2	21.8	3.7	5.8	
18-Jan-2024	53.8	21.4	4.8	5.6	
22-Jan-2024	53.5	21.5	4.5	6.8	
25-Jan-2024	53.4	22.1	4.8	5.7	
29-Jan-2024	53.6	22.8	4.7	6.2	
2-Feb-2024	51.6	21.4	4.2	5.2	
5-Feb-2024	52.8	22.4	4.2	5.4	
8-Feb-2024	54.2	20.4	4.5	6.2	
11-Feb-2024	54.2	21.2	4.8	5.6	
14-Feb-2024	53.2	22.5	4.5	5.4	
18-Feb-2024	52.8	20.2	4.2	5.8	
22-Feb-2024	50.4	22.5	4.5	5.2	
25-Feb-2024	52.2	22.6	4.6	5.6	
29-Feb-2024	51.4	21.6	4.4	5.4	
2-Mar-2024	52.8	22.4	4.2	5.4	
5-Mar-2024	52.4	22.2	4.5	5.8	
8-Mar-2024	52.4	21.8	4.2	5.0	
11-Mar-2024	53.6	23.2	4.8	5.9	
14-Mar-2024	52.4	21.4	4.5	5.4	
18-Mar-2024	50.7	22.4	4.0	5.2	
22-Mar-2024	52.4	22.0	4.2	5.2	
25-Mar-2024	51.6	21.4	4.2	5.2	
29-Mar-2024	51.6	22.6	4.6	5.4	
	PM <sub>10</sub>	PM <sub>2.5</sub>	SO <sub>2</sub>	NOx	
Number of observations	27	27	27	27	
Arithmetic Mean	52.6	21.9	4.4	5.5	
Geometric Mean	52.6	21.9	4.4	5.5	
STD. GEO. Devn. (24 hrs)	1.1	0.8	0.3	0.4	
Max. Concentration	54.2	23.2	4.8	6.8	
Min. Concentration	50.4	20.2	3.7	5.0	
98 Percentile values	54.2	23.2	4.8	6.5	
Detection Limit ( $\mu\text{g}/\text{m}^3$ )					
NOTE:	ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$				

SURFACE WATER QUALITY DATA								
Project	: Lafarage Umiam Mining Pvt. Ltd.			State	: Meghalaya			
Code	: LWQ-1			Sampling Location :Up Stream of Umiam River				
								<b>Table:12</b>
Sl. No.	Parameter	Results						Standard IS - 2296 Class C
		Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	
		19-Oct-23	15-Nov-23	15-Dec-23	13-Jan-24	21-Feb-24	5-Mar-24	
1	Temperature (0°C) Air-Water	-	-	-	-	-	-	
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00
3	pH	8.1	7.8	7.9				6.5-8.5
4	Electrical Conductivity (µmhos/cm)	150.0	124.0	156.0				
5	Turbidity (NTU)	0.7	1.1	2.0				
6	Dissolve Oxygen(mg/l)	7.8	7.0	-				4.00
7	Biochemical Oxygen Demand(mg/l)	1.20	1.50	-				3.00
8	Chemical Oxygen Demand (mg/l)	-	-	-				
9	Total Dissolve Solids (mg/l)	108.00	86.00	114.00				1500.00
10	Total Suspended Solids	12.00	11.00	10.00				100.00
11	Total hardness (mg/l)	80.00	66.00	76.00				
12	Chlorides as Cl (mg/l)	4.00	6.00	7.00				600.00
13	Alkalinity (mg/l)	74.00	78.00	40.00				
14	Calcium as Ca (mg/l)	60.00	38.00	-				
15	Boron as B (mg/l)	-	-	-				
16	Sulphates SO4(mg/l)	6.80	7.80	7.60				400.00
17	Sulphides (mg/l)	BDL	BDL	BDL				
18	Nitrate (mg/l)	1.20	0.70	0.60				50.00
19	Nitrite (mg/l)	BDL	BDL	BDL				
20	Nickel (mg/l)	BDL	0.01	BDL				
21	Ammonia Nitrogen (mg/l)	0.14	0.40	0.10				
22	Arsenic as As (mg/l)	BDL	BDL	BDL				0.20
23	Chromium (mg/l)	BDL	BDL	BDL				0.05
24	Iron as Fe (mg/l)	0.22	0.21	0.20				0.50
25	Fluoride as F (mg/l)	0.05	0.05	0.06				1.50
26	Lead as Pb (mg/l)	BDL	0.01	BDL				0.10
27	Copper as Cu (mg/l)	BDL	0.10	BDL				1.50
28	Zinc as Zn (mg/l)	BDL	0.030	BDL				15.00
29	Cadmium (mg/l)	BDL	BDL	BDL				0.01
30	Sodium (mg/l)	2.10	3.00	3.00				
31	Magnesium (mg/l)	20.00	28.00	-				
32	Manganese (mg/l)	BDL	0.01	BDL				
33	Phosphate (mg/l)	0.010	BDL	0.02				
34	Potassium (mg/l)	1.00	1.10	1.80				
<b>Microbiological Parameters</b>								
1	Total Coliform (MPN/100 ml)	79.00	94.00	53.00				5000.00
2	Faecal coliform (Nos/100ml)	-	-	-				
3	E- Coli (Nos/100 ml)	-	-	-				
Remarks:- Analysis is done by MSPCB, refer to Annexure II								
BDL :- Below Detection Limit								
(-) :-Not Analysed by SPCB								
Results Awaiting for Jan-Mar 2024								

SURFACE WATER QUALITY DATA								
Project	: Lafarage Umiam Mining Pvt. Ltd.	State	: Meghalaya					
Code	: LWQ-2	Sampling Location	: Down Stream of Umiam River					
							<b>Table:13</b>	
Sl. No.	Parameter	Results						Standard IS - 2296 Class C
		Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	
		19-Oct-23	15-Nov-23	15-Dec-23	13-Jan-24	21-Feb-24	5-Mar-24	
1	Temperature (0°C) Air-Water	-	-	-	-	-	-	
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00
3	pH	7.9	7.9	7.8				6.5-8.5
4	Electrical Conductivity (µmhos/cm)	140.0	122.0	158.0				
5	Turbidity (NTU)	0.5	1.0	2.2				
6	Dissolve Oxygen(mg/l)	7.00	7.20	-				4.00
7	Biochemical Oxygen Demand(mg/l)	1.20	1.50	-				3.00
8	Chemical Oxygen Demand (mg/l)	-	-	-				
9	Total Dissolve Solids (mg/l)	98.00	84.00	113.00				1500.00
10	Total Suspended Solids	10.00	12.00	11.00				100.00
11	Total hardness (mg/l)	60.00	64.00	74.00				
12	Chlorides as Cl (mg/l)	5.00	6.00	7.00				600.00
13	Alkalinity (mg/l)	46.00	76.00	38.00				
14	Calcium as Ca (mg/l)	40.00	36.00	-				
15	Boron as B (mg/l)	-	-	-				
16	Sulphate as SO4(mg/l)	6.00	7.90	7.80				400.00
17	Sulphides (mg/l)	BDL	BDL	BDL				
18	Nitrate (mg/l)	1.00	0.80	0.70				50.00
19	Nitrite (mg/l)	BDL	BDL	BDL				
20	Nickel (mg/l)	BDL	BDL	BDL				
21	Ammonia Nitrogen (mg/l)	0.10	0.30	0.10				
22	Arsenic as As (mg/l)	BDL	BDL	BDL				0.20
23	Chromium (mg/l)	BDL	BDL	BDL				0.05
24	Iron as Fe (mg/l)	0.20	0.21	0.20				0.50
25	Fluoride as F (mg/l)	0.06	0.06	0.06				1.50
26	Lead as Pb (mg/l)	BDL	BDL	BDL				0.10
27	Copper as Cu (mg/l)	BDL	BDL	BDL				1.50
28	Zinc as Zn (mg/l)	0.010	0.03	0.010				15.00
29	Cadmium (mg/l)	BDL	BDL	BDL				0.01
30	Sodium (mg/l)	2.20	3.00	3.20				
31	Magnesium (mg/l)	20.00	28.00	-				
32	Manganese (mg/l)	BDL	0.01	BDL				
33	Phosphate (mg/l)	0.010	BDL	0.020				
34	Potassium (mg/l)	1.00	1.10	1.60				
<b>Microbiological Parameters</b>								
1	Total Coliform (MPN/100 ml)	67.0	79.00	43.0				5000.0
2	Faecal coliform (Nos/100ml)	-	-	-				
3	E- Coli (Nos/100 ml)	-	-	-				
Remarks:- Analysis is done by MSPCB, refer to Annexure II								
BDL :- Below Detection Limit								
(-) :-Not Analysed by SPCB								
Results Awaiting for Jan-Mar 2024								

**SURFACE WATER QUALITY DATA**

Project : Lafarage Umiam Mining  
Pvt. Ltd.

State : Meghalaya

Code : LWQ-3

Sampling Location :Up Stream of Phlangkaruh River

**Table:14**

Sl. No.	Parameter	Results						Standard IS - 2296 Class C
		Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	Date of Collection	
		19-Oct-23	15-Nov-23	15-Dec-23	13-Jan-24	21-Feb-24	5-Mar-24	
1	Temperature (0°C) Air-Water	-	-	-	-	-	-	
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00
3	pH	7.9	8.0	7.8				6.5-8.5
4	Electrical Conductivity (µmhos/cm)	200.00	166.00	160.00				
5	Turbidity (NTU)	0.70	1.10	2.60				
6	Dissolve Oxygen(mg/l)	7.00	7.00	-				4.00
7	Biochemical Oxygen Demand(mg/l)	1.50	1.80	-				3.00
8	Chemical Oxygen Demand (mg/l)	-	-	-				
9	Total Dissolve Solids (mg/l)	125.00	110.00	115.00				1500.00
10	Total Suspended Solids	10.00	10.00	10.00				100.00
11	Total hardness (mg/l)	120.00	82.00	76.00				
12	Chlorides as Cl (mg/l)	4.00	6.00	6.00				600.00
13	Alkalinity (mg/l)	101.00	90.00	34.00				
14	Calcium as Ca (mg/l)	84.00	34.00	-				
15	Boron as B (mg/l)	-	-	-				
16	Sulphate as SO4(mg/l)	6.80	8.00	7.80				400.00
17	Sulphides (mg/l)	BDL	BDL	BDL				
18	Nitrate (mg/l)	1.10	0.70	0.60				50.00
19	Nitrite (mg/l)	BDL	BDL	BDL				
20	Nickel (mg/l)	BDL	0.01	BDL				
21	Ammonia Nitrogen (mg/l)	0.07	0.20	0.11				
22	Arsenic as As (mg/l)	BDL	BDL	BDL				0.20
23	Chromium (mg/l)	BDL	BDL	BDL				0.05
24	Iron as Fe (mg/l)	0.20	0.22	0.21				0.50
25	Fluoride as F (mg/l)	0.06	0.05	0.06				1.50
26	Lead as Pb (mg/l)	BDL	0.02	BDL				0.10
27	Copper as Cu (mg/l)	BDL	0.01	BDL				1.50
28	Zinc as Zn (mg/l)	0.01	0.04	0.01				15.00
29	Cadmium (mg/l)	BDL	BDL	BDL				0.01
30	Sodium (mg/l)	2.30	3.00	3.00				
31	Magnesium (mg/l)	38.00	34.00	-				
32	Manganese (mg/l)	BDL	0.01	BDL				
33	Phosphate (mg/l)	0.010	BDL	0.030				
34	Potassium (mg/l)	1.00	1.20	2.00				
	<b>Microbiological Parameters</b>							
1	Total Coliform (MPN/100 ml)	94.00	74.00	43.00				5000.00
2	Faecal coliform (Nos/100ml)	-	-	-				
3	E- Coli (Nos/100 ml)	-	-	-				

Remarks:- Analysis is done by MSPCB, refer to Annexure II

BDL :- Below Detection Limit

( - ) :-Not Analysed by SPCB

Results Awaiting for Jan-Mar 2024

SURFACE WATER QUALITY DATA								
Project : Lafarge Umiam Mining Pvt. Ltd.			State : Meghalaya					
Code : LWQ-4			Sampling Location :Down Stream of Phlangkaruh River					
								<b>Table:15</b>
Sl. No.	Parameter	Results						Standard IS - 2296 Class C
		Date of Collection 19-Oct-24	Date of Collection 15-Nov-23	Date of Collection 15-Dec-23	Date of Collection 13-Jan-24	Date of Collection 21-Feb-24	Date of Collection 5-Mar-24	
1	Temperature (0°C) Air-Water	-	-	-	-	-	-	
2	Colour (Hazen Units)	-	-	-	-	-	-	300.00
3	pH	7.0	7.9	7.9				6.5-8.5
4	Electrical Conductivity (µmhos/cm)	210.0	164.0	160.0				
5	Turbidity (NTU)	0.7	1.2	2.8				
6	Dissolve Oxygen(mg/l)	7.60	7.20	-				4.00
7	Biochemical Oxygen Demand(mg/l)	1.30	1.80	-				3.00
8	Chemical Oxygen Demand (mg/l)	-	-	-				
9	Total Dissolve Solids (mg/l)	170.00	112.00	113.00				1500.00
10	Total Suspended Solids	10.00	11.00	10.00				100.00
11	Total hardness (mg/l)	110.00	84.00	76.00				
12	Chlorides as Cl (mg/l)	6.00	7.00	7.00				600.00
13	Alkalinity (mg/l)	102.00	94.00	32.00				
14	Calcium as Ca (mg/l)	82.00	38.00	-				
15	Boron as B (mg/l)	-	-	-				
16	Sulphate as SO4(mg/l)	5.80	8.60	7.40				400.00
17	Sulphides (mg/l)	BDL	BDL	BDL				
18	Nitrate (mg/l)	1.20	0.60	0.70				50.00
19	Nitrite (mg/l)	BDL	BDL	BDL				
20	Nickel (mg/l)	BDL	0.01	BDL				
21	Ammonia Nitrogen (mg/l)	0.10	0.19	0.10				
22	Arsenic as As (mg/l)	BDL	BDL	BDL				0.20
23	Chromium (mg/l)	BDL	BDL	BDL				0.05
24	Iron as Fe (mg/l)	0.22	0.20	0.20				0.50
25	Fluoride as F (mg/l)	0.06	0.06	0.05				1.50
26	Lead as Pb (mg/l)	BDL	0.01	BDL				0.10
27	Copper as Cu (mg/l)	BDL	0.01	BDL				1.50
28	Zinc as Zn (mg/l)	BDL	0.04	BDL				15.00
29	Cadmium (mg/l)	BDL	BDL	BDL				0.01
30	Sodium (mg/l)	3.00	3.20	3.00				
31	Magnesium (mg/l)	28.00	30.00	-				
32	Manganese (mg/l)	BDL	0.01	BDL				
33	Phosphate (mg/l)	0.01	BDL	0.03				
34	Potassium (mg/l)	1.20	1.20	1.80				
<b>Microbiological Parameters</b>								
1	Total Coliform (MPN/100 ml)	70.00	70.00	36.0				5000.00
2	Faecal coliform (Nos/100ml)	-	-	-				
3	E- Coli (Nos/100 ml)	-	-	-				
Remarks:- Analysis is done by MSPCB, refer to Annexure II								
BDL :- Below Detection Limit								
(-) :-Not Analysed by SPCB								
Results Awaiting for Jan-Mar 2024								

## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Loc: Down stream of Umiam River  
near Temporary Bridge

Date of Measurement :18.10.2023 (during fair weather)

**Table:No. 16**

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0.0	0.0	0.0	0.0	0.0	0.0
2	8.40	8.40	1.00	0.20	4.20	0.42
3	16.80	8.40	2.00	0.33	12.60	3.34
4	25.20	8.40	2.30	0.26	18.06	5.33
5	33.60	8.40	2.00	0.35	18.06	5.51
6	42.00	8.40	1.50	0.33	14.70	5.00
7	50.40	8.40	1.10	0.15	10.92	2.62
8	58.80	8.40	0.30	0.10	5.88	0.74
9	63.00	8.40	0.00	0.00	0.63	0.03
Total						22.95
<b>Discharge m<sup>3</sup>/hr =82615.68</b>						

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd    State : Meghalaya


Code : LWF-1    Sampling Loc: Down stream of Umiam River  
Top of the bridge  
(during fair weather)

Date of Measurement :23.11.2023

**Table No: 16 a**

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0.0	0.0	0.0	0.0	0.0	0.0
2	8.40	8.40	1.00	0.14	4.20	0.29
3	16.80	8.40	2.00	0.24	12.60	2.39
4	25.20	8.40	2.20	0.33	17.64	5.03
5	33.60	8.40	1.50	0.30	15.54	4.90
6	42.00	8.40	1.00	0.41	10.50	3.73
7	50.40	8.40	0.50	0.10	6.30	1.61
8	58.80	8.40	0.00	0.00	1.10	0.06
<b>Total</b>						<b>17.94</b>
<b>Discharge m<sup>3</sup>/hr =64600.2</b>						

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**





## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Loc: Down stream of Umiam River  
Top of the bridge

Date of Measurement : 15.12.2023 (during fair weather)

**Table No: 16 b**

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0.0	0.00	0.0	0.0	0.0	0.0
2	5.00	5.00	0.50	0.15	1.25	0.09
3	10.00	5.00	1.0	0.22	3.75	0.69
4	15.00	5.00	1.50	0.23	6.25	1.41
5	20.00	5.00	2.30	0.40	9.50	2.99
6	25.00	5.00	2.70	0.33	12.50	4.56
7	30.00	5.00	2.50	0.32	13.00	4.23
8	35.00	5.00	1.70	0.31	10.50	3.31
9	40.00	5.00	1.50	0.30	8.00	2.44
10	45.00	5.00	0.40	0.20	4.75	1.19
11	50.00	5.00	0.00	0.00	1.00	0.10
<b>Total</b>						<b>13.97</b>
<b>Discharge m<sup>3</sup>/hr = 50305.5</b>						

### CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Location Down stream of Umiam River  
Top of the bridge

Date of Measurement :12.01.2024 (during fair weather)

Table No: 16 c

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0.0	0.00	0.0	0.0	0.0	0.0
2	4.2	4.20	0.50	0.08	1.05	0.04
3	8.4	4.20	1.50	0.24	4.20	0.67
4	12.6	4.20	1.60	0.26	6.51	1.63
5	16.8	4.20	2.00	0.33	7.56	2.23
6	21.0	4.20	2.00	0.35	8.40	2.86
7	25.2	4.20	2.50	0.40	9.45	3.54
8	29.4	4.20	1.80	0.35	9.03	3.39
9	33.6	4.20	1.58	0.26	7.10	2.16
10	37.8	4.20	1.00	0.15	5.42	1.11
11	42.0	4.20	0.70	0.10	3.57	0.45
12	46.2	4.20	0.50	0.03	2.52	0.16
13	50.4	4.20	0.00	0.00	1.05	0.02
Total						10.97
<b>Discharge m<sup>3</sup>/hr =39497.22</b>						

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Location: Down stream of Umiam River  
Top of the bridge

Date of Measurement :22.02.2024 (during fair weather)

**Table No: 16 d**

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0.0	0.00	0.0	0.0	0.0	0.0
2	4.2	4.20	0.50	0.09	1.05	0.05
3	8.4	4.20	1.00	0.05	3.15	0.22
4	12.6	4.20	1.50	0.14	5.25	0.50
5	16.8	4.20	2.00	0.22	7.35	1.32
6	21.0	4.20	2.50	0.25	9.45	2.22
7	25.2	4.20	2.40	0.11	10.29	1.85
8	29.4	4.20	1.50	0.20	8.19	1.27
9	33.6	4.20	1.00	0.15	5.25	0.92
10	37.8	4.20	0.80	0.10	3.78	0.47
11	42.0	4.20	0.50	0.05	2.73	0.20
12	46.2	4.20	0.00	0.00	1.05	0.03
<b>Total</b>						<b>8.82</b>
<b>Discharge m<sup>3</sup>/hr = 31763.34</b>						

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Location: Down stream of Umiam River  
Top of the bridge

Date of Measurement :21.03.2024 (during fair weather)

**Table No: 16 e**

Sl. No.	Distance from Initial Point	Width interval (m)	Depth of nalla (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0.0	0.00	0.0	0.0	0.0	0.0
2	4.2	4.20	0.60	0.09	1.26	0.06
3	8.4	4.20	1.0	0.08	3.36	0.29
4	12.6	4.20	1.20	0.10	4.62	0.42
5	16.8	4.20	1.50	0.16	5.67	0.73
6	21.0	4.20	2.00	0.20	7.35	1.32
7	25.2	4.20	2.50	0.33	9.45	2.50
8	29.4	4.20	1.50	0.15	8.40	2.02
9	33.6	4.20	1.00	0.08	5.25	0.60
10	37.8	4.20	0.50	0.05	3.15	0.20
11	42.0	4.20	0.00	0.00	0.80	0.02
<b>Total</b>						<b>8.12</b>
<b>Discharge m<sup>3</sup>/hr = 29248.88</b>						

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling Location Down stream of Phlangkaruh River


Date of Measurement : 18.10.2023

**Table No: 17**

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.01	0.50	0.003
3	4	2.00	1.00	0.05	1.50	0.045
4	6	2.00	1.00	0.20	2.00	0.250
5	8	2.00	2.00	0.30	3.00	0.750
6	10	2.00	1.00	0.25	3.00	0.825
7	12	2.00	1.00	0.20	2.00	0.450
8	14	2.00	0.80	0.20	1.80	0.360
10	16	2.00	0.50	0.11	1.30	0.202
11	18	2.00	0.50	0.04	1.00	0.075
12	22	2.00	0.40	0.00	0.90	0.018
					Total	2.32250

**Discharge m<sup>3</sup>/hr =8361**

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT


Project : Lafarage Umiam Mining Pvt. State : Meghalaya  
 Code : LWF-2 Sampling L. Down stream of Phlangkaruh River  
 Date of Measurement : 23.11.2023

**Table No: 17 a**

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.03	0.50	0.008
3	4	2.00	0.60	0.05	1.10	0.044
4	6	2.00	1.00	0.08	1.60	0.104
5	8	2.00	1.50	0.15	2.50	0.288
6	10	2.00	2.00	0.22	3.50	0.648
7	12	2.00	2.00	0.22	4.00	0.880
8	14	2.00	1.30	0.10	3.30	0.528
9	16	2.00	1.00	0.05	2.30	0.173
10	18	2.00	0.40	0.06	1.40	0.077
11	20	2.00	0.30	0.02	0.70	0.028
12	22	2.00	0.00	0.00	0.30	0.003
					<b>Total</b>	<b>1.97050</b>

**Discharge m<sup>3</sup>/hr = 7093.8**

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)**



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L Down stream of Phlangkaruh River


Date of Measurement : 15.12.2023

**Table No: 17 b**

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	8.00	0.02	8.00	0.080
3	4	2.00	1.00	0.11	9.00	0.585
4	6	2.00	1.50	0.12	2.50	0.288
5	8	2.00	1.50	0.12	3.00	0.360
6	10	2.00	1.00	0.11	2.50	0.288
7	12	2.00	1.50	0.10	2.50	0.263
8	14	2.00	1.00	0.08	2.50	0.225
9	16	2.00	1.00	0.05	2.00	0.130
10	18	2.00	0.80	0.03	1.80	0.072
11	20	2.00	0.50	0.02	1.30	0.033
12	22	2.00	0.00	0.00	0.50	0.005
					Total	1.86250

**Discharge m<sup>3</sup>/hr =6705**

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L, Down stream of Phlangkaruh River


Date of Measurement : 12 .01.2024

**Table No: 17 c**

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	3	3.00	0.50	0.05	0.75	0.019
3	6	3.00	1.00	0.07	2.25	0.135
4	9	3.00	1.50	0.11	3.75	0.338
5	12	3.00	1.20	0.17	4.05	0.567
6	15	3.00	2.00	0.14	4.80	0.744
7	18	3.00	1.00	0.10	4.50	0.540
8	21	3.00	0.50	0.30	2.25	0.450
9	24	3.00	0.00	0.00	0.75	0.113
					<b>Total</b>	<b>1.80225</b>

**Discharge m<sup>3</sup>/hr =6488.1**

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)**





## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L, Down stream of Phlangkaruh River


Date of Measurement : 22.02.2024

**Table No: 17 d**

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.50	0.02	0.50	0.005
3	4	2.00	1.00	0.07	1.50	0.068
4	6	2.00	1.50	0.08	2.50	0.188
5	8	2.00	1.50	0.11	3.00	0.285
6	10	2.00	2.00	0.14	3.50	0.438
7	12	2.00	1.00	0.20	3.00	0.510
8	14	2.00	0.50	0.10	1.50	0.225
9	16	2.00	0.40	0.08	0.90	0.081
10	18	2.00	0.30	0.00	0.70	0.028
11	20	2.00	0.00	0.00	0.30	0.000
					<b>Total</b>	<b>1.49250</b>

**Discharge m<sup>3</sup>/hr =5373**

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT


Project : Lafarage Umiam Mining Pvt. State : Meghalaya  
 Code : LWF-2 Sampling Loc Down stream of Phlangkaruh River  
 Date of Measurement : 21.03.2024

**Table No: 17 e**

Sl. No.	Distance from Initial point (m)	Width interval (m)	Depth of stream (m)	Velocity M/S	Area (m <sup>2</sup> )	Discharge (m <sup>3</sup> /sec)
1	0	0.0	0.00	0.00	0.0	0.000
2	2	2.00	0.30	0.04	0.30	0.006
3	4	2.00	0.50	0.05	0.80	0.036
4	6	2.00	1.50	0.06	2.00	0.110
5	8	2.00	1.00	0.12	2.50	0.225
6	10	2.00	1.50	0.20	2.50	0.400
7	12	2.00	0.80	0.08	2.30	0.322
8	14	2.00	0.50	0.03	1.30	0.072
9	16	2.00	0.40	0.06	0.90	0.041
10	18	2.00	0.20	0.00	0.60	0.018
11	19	1.00	0.00	0.00	0.10	0.000
					<b>Total</b>	<b>1.09900</b>

**Discharge m<sup>3</sup>/hr = 3956.4**

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)**



PROJECT : LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHALAYA			
SAMPLING LOCATION : SHELLA BAZAR (NON MARKET DAY)		CODE : LN - 1			
MONTH: OCTOBER - DECEMBER, 2023					
LOCATION CATEGORY : COMMERCIAL AREA		<b>Table No. 18</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	65	55.2 - 55.9	43.4	59.7	
Night Time (10.00 PM to 6.00 AM)	55	46.8 - 47.3			

PROJECT: LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHALAYA			
SAMPLING LOCATION: PYRKAN VILLAGE		CODE : LN - 2			
MONTH: OCTOBER - DECEMBER, 2023					
LOCATION CATEGORY: RESIDENTIAL AREA		<b>Table No. 19</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	54.1 - 54.4	41.7	57.3	
Night Time (10.00 PM to 6.00 AM)	45	44.5 - 44.8			

PROJECT : LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHALAYA			
SAMPLING LOCATION : PHALANGKARUH VILLAGE		CODE : LN - 3			
MONTH :OCTOBER - DECEMBER, 2023					
LOCATION CATEGORY : RESIDENTIAL AREA		<b>Table No. 20</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	53.1 - 54.0	41.8	57.5	
Night Time (10.00 PM to 6.00 AM)	45	44.3 - 44.7			

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALAYA			
SAMPLING LOCATION : OFFICE AREA		CODE : LN - 4			
MONTH :OCTOBER - DECEMBER, 2023					
LOCATION CATEGORY : INDUSTRIAL AREA		<b>Table No. 21</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	75	56.9 - 57.7	44.8	62.5	
Night Time (10.00 PM to 6.00 AM)	70	47.6 - 50.0			

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALAYA			
SAMPLING LOCATION : SHELLA PUNJEE		CODE : LN - 5			
MONTH :OCTOBER- DECEMBER, 2023					
LOCATION CATEGORY :RESIDENTIAL AREA		<b>Table No. 22</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	52.9 - 54.1	41.7	57.4	
Night Time (10.00 PM to 6.00 AM)	45	44.5 - 44.9			

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALAYA			
SAMPLING LOCATION :MAWRYNGKHONG		CODE : LN - 6			
MONTH : OCTOBER - DECEMBER, 2023					
LOCATION CATEGORY :RESIDENTIAL AREA		<b>Table No. 23</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	53.0 - 53.7	41.5	57.1	
Night Time (10.00 PM to 6.00 AM)	45	44.4 - 44.8			



PROJECT : LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHALAYA			
SAMPLING LOCATION : SHELLA BAZAR (NON MARKET DAY)		CODE : LN - 1			
MONTH: JANUARY - MARCH, 2024					
LOCATION CATEGORY : COMMERCIAL AREA		<b>Table No. 24</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	65	54.5 - 55.7	43.2	59.4	
Night Time (10.00 PM to 6.00 AM)	55	46.1 - 46.3			

PROJECT: LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHALAYA			
SAMPLING LOCATION: PYRKAN VILLAGE		CODE : LN - 2			
MONTH: JANUARY - MARCH, 2024					
LOCATION CATEGORY: RESIDENTIAL AREA		<b>Table No. 25</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	52.2 - 53.6	41.2	56.8	
Night Time (10.00 PM to 6.00 AM)	45	44.4 - 44.7			




PROJECT : LAFARGE UMIAM MINING PVT.LTD		STATE : MEGHALAYA			
SAMPLING LOCATION : PHALANGKARUH VILLAGE		CODE : LN - 3			
MONTH :JANUARY - MARCH, 2024					
LOCATION CATEGORY : RESIDENTIAL AREA		<b>Table No. 26</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	53.4 - 54.0	41.5	57.4	
Night Time (10.00 PM to 6.00 AM)	45	44.4 - 44.7			

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALAYA			
SAMPLING LOCATION : OFFICE AREA		CODE : LN - 4			
MONTH :JANUARY-MARCH, 2024					
LOCATION CATEGORY : INDUSTRIAL AREA			<b>Table No. 27</b>		
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	75	56.3 - 57.4	43.5	61.4	
Night Time (10.00 PM to 6.00 AM)	70	47.7 - 48.1			

PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALAYA			
SAMPLING LOCATION : SHELLA PUNJEE		CODE : LN - 5			
MONTH :JANUARY - MARCH, 2024					
LOCATION CATEGORY :RESIDENTIAL AREA		<b>Table No. 28</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	52.6 - 53.4	41.5	56.8	
Night Time (10.00 PM to 6.00 AM)	45	44.2- 44.4			




PROJECT : LAFARGE UMIAM MINING PVT.LTD.		STATE: MEGHALAYA			
SAMPLING LOCATION :MAWRYNGKHONG		CODE : LN - 6			
MONTH : JANUARY - MARCH, 2024					
LOCATION CATEGORY :RESIDENTIAL AREA		<b>Table No. 29</b>			
Time of Monitoring	Permissible Limit dB(A)	in dB(A)			Remarks
		Leq	Lmin	Lmax	
Day Time (6.00 AM to 10.00 PM)	55	53.2 - 53.6	41.4	57.4	
Night Time (10.00 PM to 6.00 AM)	45	44.3 - 44.5			

**Diurnal Variation of Temperature (Oct - Dec 2023)**



**Exhibit-1**




**Diurnal Variation of Temperature (Jan - Mar 2024)**



**Exhibit-2**






**Diurnal Variation of Humidity (Oct - Dec 2023)**







**Exhibit-3**

**Diurnal Variation of Humidity (Jan – Mar 2024)**







**Exhibit-4**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Industrial and Mixed used Areas (Oct - Dec 2023)**







**Exhibit No: 5**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Industrial and Mixed used Areas (Jan to Mar 2024)**







**Exhibit No: 6**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Residential, Rural Areas (Oct to Dec 2023)**



**Exhibit No: 7**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Residential, Rural Areas (Jan to Mar 2024)**



**Exhibit No: 8**

## CAVE PROTECTION

*Plate 1*



## DAILY WEATHER MONITORING DATA FOR THE PERIOD OCTOBER 2023 TO MARCH 2024

Lafarge Umiam Mining Pvt.Limited														
Daily Weather Monitoring Data For the Month of Oct 2023														
<i>(Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.)</i>														
Date	Wind Speed km/hr			Wind Dir.*	Ambient Temp. °C			Solar CCM			R. Humidity %			Rainfall in mm
	Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	
01.10.23	0.0	0.3	0.03	N	23.1	44.2	31.5	0.0	1.3	0.26	30.4	82.4	60.30	41.0
02.10.23	0.0	0.5	0.02	N	23.3	43.5	31.0	0.0	1.3	0.22	31.2	85.4	62.0	28.5
03.10.23	0.0	0.5	0.05	NNE	24.2	44.2	31.3	0.0	1.0	0.15	35.3	93.3	67.9	2.0
04.10.23	0.0	1.0	0.08	NW	23.0	39.4	26.5	0.0	0.4	0.04	47.4	83.4	75.1	10.0
05.10.23	0.0	0.4	0.02	N	23.2	39.4	25.3	0.0	0.4	0.03	47.4	88.5	81.1	31.0
06.10.23	0.0	0.2	0.01	N	22.0	25.1	23.1	0.0	0.0	0.00	85.4	93.3	89.2	91.0
07.10.23	0.0	0.5	0.03	NW	21.1	27.1	23.5	0.0	0.0	0.00	79.3	93.6	89.2	52.0
08.10.23	0.0	1.7	0.23	N	21.3	28.0	23.6	0.0	0.3	0.03	91.0	94.4	92.5	43.5
09.10.23	0.0	1.1	0.12	N	21.3	29.2	23.7	0.0	0.3	0.02	73.1	94.3	91.6	1.0
10.10.23	0.0	0.6	0.04	NE	22.1	45.2	30.5	0.0	1.2	0.21	29.0	93.6	67.7	0.5
11.10.23	0.0	1.3	0.11	N	23.0	43.1	29.1	0.0	1.0	0.14	29.5	94.3	62.7	0.5
12.10.23	0.0	0.5	0.03	NW	23.0	43.4	30.2	0.0	0.3	0.06	28.1	93.1	64.4	1.0
13.10.23	0.0	0.4	0.05	N	22.3	46.1	30.5	0.0	1.2	0.19	24.1	86.5	55.9	0.0
14.10.23	0.0	0.2	0.06	NW	21.2	43.2	26.8	0.0	0.4	0.07	26.3	94.1	65.4	5.0
15.10.23	0.0	0.8	0.04	N	20.3	44.1	29.3	0.0	1.1	0.15	25.6	84.1	59.9	0.5
16.10.23	0.0	0.3	0.03	NW	22.1	45.4	30.6	0.0	1.1	0.23	22.0	84.1	53.5	7.5
17.10.23	0.0	0.5	0.13	N	23.0	45.1	31.2	0.0	1.2	0.24	21.2	79.3	45.3	4.0
18.10.23	0.0	0.5	0.10	NNW	22.0	45.4	30.2	0.0	1.1	0.19	22.0	77.3	44.8	6.0
19.10.23	0.0	0.2	0.02	N	21.0	44.6	29.6	0.0	1.1	0.19	22.0	82.6	54.1	0.0
20.10.23	0.0	0.6	0.08	NW	21.2	45.3	30.3	0.0	1.1	0.23	19.1	81.2	48.8	8.5
21.10.23	0.0	1.0	0.20	NNE	22.0	46.1	30.7	0.0	1.2	0.21	17.4	66.5	41.1	1.0
22.10.23	0.0	0.7	0.10	NW	22.0	45.2	30.6	0.0	1.2	0.21	15.1	73.1	39.1	1.5
23.10.23	0.0	0.4	0.05	N	22.2	44.0	30.6	0.0	1.2	0.23	17.4	81.2	46.3	8.5
24.10.23	0.0	0.9	0.07	N	21.0	33.1	24.3	0.0	0.3	0.06	47.1	93.5	75.6	0.5
25.10.23	0.0	0.5	0.02	NNW	21.1	43.1	28.6	0.0	1.1	0.19	25.0	87.5	57.8	0.0
26.10.23	0.0	0.5	0.03	NE	19.2	40.2	27.1	0.0	0.6	0.09	30.4	93.3	67.0	1.0
27.10.23	0.0	0.1	0.02	N	21.0	44.0	29.0	0.0	1.1	0.20	23.1	81.0	55.7	0.5
28.10.23	0.0	0.1	0.01	N	22.0	44.0	29.7	0.0	1.1	0.19	21.2	77.6	50.5	1.5
29.10.23	0.0	0.2	0.04	NE	21.2	43.6	29.8	0.0	1.1	0.19	21.3	76.0	49.1	3.5
30.10.23	0.0	0.2	0.03	N	21.0	43.3	29.9	0.0	1.1	0.19	20.0	69.0	45.1	0.0
31.10.23	0.0	0.7	0.06	SW	21.1	45.6	31.0	0.0	1.1	0.23	20.1	80.1	49.0	1.0
				N										
	0.0	1.7	0.1		19.2	46.1	28.7	0.0	1.3	0.1	15.1	94.4	61.5	352.5
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total
	Wind Speed Km/hr			Wind Dir.*	Ambient Temp. °C			Solar CCM			R. Humidity %			Rainfall in mm

Lafarge Umiam Mining Pvt.Limited														
Daily Weather Monitoring Data For the Month of Nov 2023														
<i>(Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.)</i>														
Date	Wind Speed km/hr			Wind Dir.*	Ambient Temp. °C			Solar CCM			R. Humidity %			Rainfall in mm
	Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	
01.11.23	0.0	0.4	0.07	NNW	22.0	42.0	30.9	0.0	1.1	0.21	18.3	72.4	44.60	1.0
02.11.23	0.0	0.3	0.06	N	22.1	41.5	30.1	0.0	1.1	0.17	21.3	75.3	44.8	1.0
03.11.23	0.0	0.3	0.02	NW	21.0	41.7	28.6	0.0	1.0	0.12	24.2	71.6	52.0	0.0
04.11.23	0.0	0.3	0.03	N	20.1	42.0	27.7	0.0	1.0	0.14	25.0	79.6	53.9	0.0
05.11.23	0.0	0.2	0.03	N	20.2	42.0	28.3	0.0	1.0	0.13	25.0	72.4	49.1	0.0
06.11.23	0.0	0.3	0.04	NE	21.1	41.0	27.7	0.0	1.0	0.15	21.2	73.1	49.5	0.0
07.11.23	0.0	0.4	0.05	N	20.4	40.5	27.1	0.0	1.0	0.14	22.2	77.0	49.0	2.5
08.11.23	0.0	0.2	0.04	N	20.0	41.0	26.7	0.0	1.0	0.17	23.0	75.0	50.9	0.5
09.11.23	0.0	1.1	0.05	NW	18.1	40.5	26.6	0.0	0.6	0.10	23.3	80.2	54.9	0.0
10.11.23	0.0	0.2	0.02	N	19.2	42.0	27.4	0.0	1.0	0.12	22.1	77.2	53.0	0.0
11.11.23	0.0	0.2	0.02	NE	20.0	41.6	27.8	0.0	1.0	0.15	21.1	66.2	47.8	17.5
12.11.23	0.0	1.0	0.13	N	18.1	41.6	27.9	0.0	1.0	0.16	21.4	80.2	47.9	0.5
13.11.23	0.0	1.0	0.26	NW	21.2	41.5	28.8	0.0	1.0	0.13	19.0	62.4	41.1	0.5
14.11.23	0.0	1.7	0.35	N	22.0	41.4	28.6	0.0	1.0	0.15	19.1	59.4	40.4	0.0
15.11.23	0.0	0.9	0.19	N	20.4	40.5	27.6	0.0	1.0	0.16	22.2	78.0	47.7	0.0
16.11.23	0.0	1.2	0.14	N	20.2	41.5	27.5	0.0	1.0	0.14	22.5	79.2	46.5	35.5
17.11.23	0.0	0.8	0.12	NE	21.2	42.3	26.8	0.0	0.8	0.12	21.1	78.5	48.2	12.0
18.11.23	0.0	2.2	0.39	N	23.1	40.1	29.4	0.0	1.1	0.26	29.1	81.5	46.2	0.0
19.11.23	0.0	0.9	0.22	NE	24.0	39.6	29.7	0.0	1.2	0.24	29.1	77.5	45.1	0.0
20.11.23	0.0	1.5	0.48	N	20.1	41.4	29.9	0.0	1.2	0.25	24.1	78.3	43.4	0.0
21.11.23	0.0	0.6	0.17	SW	21.5	40.6	31.2	0.0	1.3	0.25	20.4	66.2	38.4	0.0
22.11.23	0.0	3.8	0.75	NNW	21.6	41.4	29.0	0.0	1.2	0.25	23.1	66.1	45.4	0.0
23.11.23	0.0	1.0	0.22	N	22.3	41.3	29.5	0.0	1.2	0.18	24.0	75.3	52.4	0.0
24.11.23	0.0	1.5	0.32	N	22.1	40.5	29.6	0.0	1.2	0.15	23.0	76.2	51.4	0.0
25.11.23	0.0	1.4	0.55	N	22.4	39.5	28.1	0.0	1.1	0.17	26.3	68.0	47.4	0.0
26.11.23	0.0	1.4	0.38	N	20.3	39.5	28.0	0.0	1.1	0.18	26.0	63.1	43.1	0.0
27.11.23	0.0	1.6	0.29	NNW	21.0	38.5	27.4	0.0	1.1	0.18	23.2	64.1	44.5	0.0
28.11.23	0.0	1.7	0.61	NE	21.1	31.2	27.7	0.0	1.1	0.21	22.2	59.2	40.6	0.0
29.11.23	0.0	2.0	0.58	N	28.0	38.3	27.2	0.0	1.1	0.21	21.0	50.2	39.4	0.0
30.11.23	0.0	2.2	0.22	N	17.5	36.4	25.8	0.0	1.1	0.17	24.0	75.3	47.9	0.0
				N										
	0.0	3.8	0.2		17.5	42.3	28.3	0.0	1.3	0.2	18.3	81.5	46.9	71.0
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total
	Wind Speed Km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm



Lafarge Umiam Mining Pvt.Limited														
Daily Weather Monitoring Data For the Month of Dec 2023														
(Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.)														
Date	Wind Speed km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm
	Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	
01.12.23	0.0	2.7	1.29	NNW	13.0	28.3	18.5	0.0	0.4	0.07	30.3	68.6	50.3	0.0
02.12.23	0.0	4.5	1.96	NNE	14.1	35.4	24.2	0.0	0.5	0.11	16.5	59.2	31.1	0.0
03.12.23	0.0	4.5	2.09	NNW	16.0	34.0	23.9	0.0	0.5	0.11	20.3	53.3	35.2	0.0
04.12.23	0.0	4.6	2.20	NNE	19.0	33.5	24.2	0.0	0.5	0.10	21.3	52.6	40.7	0.0
05.12.23	0.0	4.3	1.97	NNW	18.1	32.6	22.7	0.0	0.4	0.08	30.2	73.4	49.3	0.0
06.12.23	0.0	3.9	1.42	N	15.2	29.1	20.7	0.0	0.4	0.05	35.1	76.5	55.9	0.0
07.12.23	0.0	2.9	0.82	NE	16.0	30.4	20.7	0.0	0.4	0.08	34.0	74.2	59.9	12.0
08.12.23	0.0	3.2	0.95	SSW	14.1	33.3	22.5	0.0	1.0	0.17	23.4	61.6	43.3	10.0
09.12.23	0.0	2.2	0.76	NW	15.2	34.2	22.6	0.0	1.0	0.17	23.2	64.0	46.7	0.0
10.12.23	0.0	2.5	1.23	NNW	17.0	34.2	22.7	0.0	1.0	0.16	23.2	59.6	41.0	0.0
11.12.23	0.0	2.5	1.00	N	17.1	33.6	22.8	0.0	1.0	0.17	24.2	68.0	45.6	0.0
12.12.23	0.0	2.2	0.86	N	17.2	33.2	22.6	0.0	1.0	0.17	22.0	68.2	45.2	0.0
13.12.23	0.0	4.0	1.08	NW	16.3	33.4	22.1	0.0	1.0	0.13	22.1	62.2	42.9	0.0
14.12.23	0.0	2.2	0.80	NW	19.0	36.1	25.2	0.0	1.0	0.13	22.1	69.2	38.8	0.0
15.12.23	0.0	2.8	0.89	NNW	19.0	35.5	24.7	0.0	1.0	0.13	24.6	55.3	38.4	0.0
16.12.23	0.0	3.2	1.10	NW	19.0	36.4	24.9	0.0	1.0	0.15	21.1	52.0	36.2	0.0
17.12.23	0.0	3.1	0.87	NNE	19.0	35.6	24.7	0.0	1.0	0.17	23.2	63.2	35.9	0.0
18.12.23	0.0	1.5	0.37	NE	18.1	34.2	23.5	0.0	0.4	0.08	22.0	72.5	47.2	0.0
19.12.23	0.0	1.1	0.14	N	17.0	34.6	23.7	0.0	0.5	0.08	25.3	79.2	50.2	0.0
20.12.23	0.0	2.5	1.00	N	17.1	33.6	22.8	0.0	1.0	0.17	24.2	68.0	45.6	0.0
21.12.23	0.0	2.2	0.86	NNW	17.2	33.2	22.6	0.0	1.0	0.17	22.0	68.2	45.2	0.0
22.12.23	0.0	4.0	1.08	NW	16.3	33.4	22.1	0.0	1.0	0.13	22.1	62.2	42.9	0.0
23.12.23	0.0	2.0	0.78	NW	16.1	33.1	22.0	0.0	1.0	0.13	25.2	73.2	46.9	0.5
24.12.23	0.0	5.0	1.34	NNW	13.2	34.4	22.0	0.0	1.0	0.16	25.1	77.0	46.6	0.0
25.12.23	0.0	4.0	1.10	N	13.2	33.3	22.3	0.0	0.5	0.10	29.0	72.0	47.5	0.0
26.12.23	0.0	0.7	0.06	N	14.2	32.2	21.8	0.0	0.6	0.10	30.1	85.5	57.2	0.0
27.12.23	0.0	0.3	0.02	NNE	14.2	32.4	21.8	0.0	0.6	0.06	29.3	90.1	57.8	0.0
28.12.23	0.0	0.2	0.02	NNW	17.0	29.4	21.1	0.0	0.5	0.08	38.3	73.0	59.5	0.0
29.12.23	0.0	0.5	0.06	NW	16.5	28.6	22.4	0.0	0.5	0.06	26.3	91.2	58.6	0.0
30.12.23	0.0	0.3	0.01	N	13.8	32.0	21.1	0.0	0.6	0.08	30.1	92.2	61.0	0.0
31.12.23	0.0	1.0	0.20	NW	17.6	33.3	22.9	0.0	0.6	0.07	25.6	64.1	46.6	0.0
				NNW										
	0.0	5.0	0.9		13.0	36.4	22.6	0.0	1.0	0.1	16.5	92.2	46.7	22.5
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total
	Wind Speed Km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm

Lafarge Umiam Mining Pvt.Limited														
Daily Weather Monitoring Data For the Month of Jan 2024														
(Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.)														
Date	Wind Speed km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm
	Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	
01.01.24	0.0	5.6	1.67	N	17.2	29.0	22.0	0.0	0.6	0.13	23.1	43.4	31.2	0.0
02.01.24	0.0	9.0	2.43	NNW	13.1	26.4	20.2	0.0	0.6	0.12	23.4	61.2	43.3	0.0
03.01.24	0.0	6.4	1.27	N	16.0	26.2	20.2	0.0	0.5	0.10	33.1	59.1	47.2	0.0
04.01.24	0.0	3.4	0.43	N	16.3	25.2	19.6	0.0	0.5	0.10	37.2	63.0	46.9	0.0
05.01.24	0.0	5.5	1.20	NE	14.5	26.5	19.9	0.0	0.5	0.11	32.0	58.0	43.3	0.0
06.01.24	0.1	7.9	3.15	N	16.1	27.2	20.8	0.0	0.6	0.13	30.5	48.2	39.1	0.0
07.01.24	0.0	8.2	1.32	NW	14.1	31.3	19.2	0.0	0.4	0.03	35.5	93.1	68.5	0.0
08.01.24	0.0	4.6	1.45	N	13.6	22.6	16.5	0.0	0.3	0.03	62.6	92.5	78.3	0.0
09.01.24	0.0	3.7	1.49	NNW	12.2	31.3	17.4	0.0	0.5	0.05	35.5	92.4	68.1	0.0
10.01.24	0.0	3.6	1.22	N	11.1	27.3	17.1	0.0	0.6	0.11	34.3	92.4	63.5	0.0
11.01.24	0.0	4.2	1.59	N	17.0	24.2	19.4	0.0	0.6	0.08	42.1	72.1	56.6	0.0
12.01.24	0.1	5.0	1.86	NW	14.1	24.1	18.9	0.0	0.6	0.08	43.1	79.4	59.2	0.0
13.01.24	0.1	5.9	2.16	NNW	13.1	25.4	19.7	0.0	0.5	0.08	38.4	79.2	54.4	0.0
14.01.24	0.0	6.7	1.82	N	15.0	19.5	16.3	0.0	0.0	0.00	54.0	92.6	79.1	0.0
15.01.24	0.0	6.2	2.99	NNW	14.0	22.3	16.9	0.0	0.4	0.06	61.3	92.6	83.2	0.0
16.01.24	0.0	3.8	1.85	N	13.1	28.3	16.9	0.0	0.5	0.10	66.2	92.6	85.1	0.0
17.01.24	0.0	5.7	1.07	NNW	12.2	21.2	15.6	0.0	0.5	0.08	60.1	92.4	81.9	0.0
18.01.24	0.1	4.2	1.56	N	11.0	21.5	15.4	0.0	1.1	0.14	58.1	92.5	81.5	0.0
19.01.24	0.0	5.3	2.58	NNW	13.1	29.0	18.6	0.0	0.6	0.09	20.1	63.2	37.6	0.0
20.01.24	0.0	5.7	2.39	N	10.2	28.2	18.2	0.0	0.5	0.07	22.0	89.5	49.0	0.0
21.01.24	0.0	4.6	1.69	NNW	10.5	29.2	18.5	0.0	0.5	0.07	23.3	75.2	48.6	0.0
22.01.24	0.0	3.7	1.26	N	11.0	28.2	18.0	0.0	0.6	0.11	30.0	78.2	55.3	0.0
23.01.24	0.0	4.0	1.47	SW	12.0	25.6	17.3	0.0	0.4	0.07	39.0	84.2	61.3	0.0
24.01.24	0.0	5.4	2.32	N	14.0	27.3	18.4	0.0	0.4	0.08	34.3	72.0	55.2	0.0
25.01.24	0.0	0.3	0.01	N	15.2	27.6	19.9	0.0	0.6	0.10	37.0	85.0	60.5	0.0
26.01.24	0.0	1.9	0.20	NW	13.0	24.2	18.4	0.0	0.5	0.10	35.5	85.2	56.0	0.0
27.01.24	0.0	9.8	3.04	NW	11.3	21.2	15.8	0.0	0.5	0.10	48.2	89.5	63.7	0.0
28.01.24	0.0	5.1	1.54	N	10.0	23.6	15.3	0.0	0.6	0.08	32.4	91.2	61.8	0.0
29.01.24	0.0	8.2	2.04	NW	8.0	23.0	14.8	0.0	0.6	0.10	39.2	92.0	72.3	0.0
30.01.24	0.0	4.9	1.47	N	11.0	23.4	16.3	0.0	0.6	0.10	38.5	91.0	67.2	0.0
30.01.24	0.0	3.1	0.80	W	9.4	22.3	14.8	0.0	0.6	0.07	48.0	92.4	81.0	0.0
31.01.24	0.0	7.8	1.40	N	11.1	22.5	15.9	0.0	0.5	0.08	54.4	92.5	78.8	0.0
				N										
	0.0	9.8	1.6		8.0	31.3	17.9	0.0	1.1	0.1	20.1	93.1	61.2	0.0
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total
	Wind Speed Km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm

Lafarge Umiam Mining Pvt.Limited														
Daily Weather Monitoring Data For the Month of Feb 2024														
(Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.)														
Date	Wind Speed km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm
	Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	
01.02.24	0.0	6.8	1.64	NNE	18.1	28.4	22.4	0.0	0.6	0.11	27.4	52.6	38.0	0.0
02.02.24	0.0	12.6	4.55	NNE	16.1	28.5	21.9	0.0	0.6	0.12	22.0	59.1	35.3	14.0
03.02.24	0.0	8.0	3.43	N	19.1	28.5	23.4	0.0	0.5	0.08	19.5	44.3	31.3	5.0
04.02.24	0.0	5.9	2.70	N	16.6	28.2	22.9	0.0	0.5	0.07	30.1	62.3	43.2	0.0
05.02.24	0.0	7.2	2.78	N	16.4	27.6	21.7	0.0	0.5	0.08	42.5	76.1	55.2	0.0
06.02.24	0.0	9.5	2.68	NNW	15.0	26.4	21.0	0.0	0.6	0.08	41.3	79.1	56.3	0.0
07.02.24	0.0	4.2	1.13	NNW	15.3	28.1	21.3	0.0	0.6	0.12	28.4	57.5	42.3	0.0
08.02.24	0.0	5.4	1.22	N	15.2	27.2	21.1	0.0	0.6	0.12	32.2	66.2	46.6	0.0
09.02.24	0.0	4.5	1.86	SW	15.0	30.4	20.1	0.0	0.6	0.11	33.0	75.6	56.9	0.0
10.02.24	0.0	6.4	2.03	N	12.0	28.5	18.1	0.0	0.5	0.07	21.0	84.1	51.1	0.0
11.02.24	0.0	6.0	1.97	WNW	11.1	27.2	18.0	0.0	0.5	0.08	22.2	66.2	44.8	0.0
12.02.24	0.0	3.4	1.08	N	11.6	29.0	18.9	0.0	0.5	0.08	26.1	75.2	51.5	0.0
13.02.24	0.0	5.6	1.66	W	12.2	30.1	19.6	0.0	0.6	0.08	27.2	84.4	50.5	0.0
14.02.24	0.0	0.9	0.07	NW	16.2	31.2	21.3	0.0	0.6	0.12	33.0	71.2	57.5	0.0
15.02.24	0.0	0.2	0.02	NNE	14.0	30.5	20.6	0.0	0.5	0.09	31.2	87.4	61.9	0.0
16.02.24	0.0	0.6	0.07	N	15.2	29.3	20.7	0.0	0.4	0.08	34.3	86.0	57.2	0.0
17.02.24	0.0	1.3	0.29	NNW	16.0	29.2	21.4	0.0	0.4	0.07	38.2	72.6	52.6	0.0
18.02.24	0.0	1.5	0.32	N	17.2	33.5	23.3	0.0	0.6	0.12	28.5	67.6	45.7	0.0
19.02.24	0.0	0.6	0.13	N	17.1	33.2	22.8	0.0	0.6	0.12	27.0	68.1	47.3	0.0
20.02.24	0.0	0.5	0.13	NNE	17.0	31.2	21.9	0.0	0.5	0.10	30.4	67.6	45.0	0.0
21.02.24	0.0	1.1	0.08	NE	16.6	32.4	22.3	0.0	0.6	0.10	27.1	91.4	62.5	0.0
22.02.24	0.0	0.5	0.07	NW	15.0	31.5	21.3	0.0	0.6	0.08	16.2	93.1	53.3	12.0
23.02.24	0.0	0.5	0.10	NNW	12.2	32.0	21.1	0.0	0.6	0.09	22.0	65.6	40.3	22.0
24.02.24	0.0	0.7	0.05	N	14.4	32.3	21.8	0.0	0.6	0.14	22.0	93.1	52.2	0.0
25.02.24	0.0	1.5	0.07	N	18.1	31.0	22.8	0.0	0.5	0.08	49.3	93.5	77.3	0.0
26.02.24	0.0	1.7	0.32	NNE	17.0	33.1	22.8	0.0	0.6	0.08	42.2	93.3	72.6	0.0
27.02.24	0.0	1.2	0.12	N	18.0	34.4	24.2	0.0	1.0	0.17	39.3	93.3	66.2	0.0
28.02.24	0.0	2.9	0.67	NW	18.2	34.6	26.1	0.0	1.3	0.28	18.5	66.0	37.1	0.0
29.02.24	0.0	1.9	0.48	NE	18.1	32.8	25.7	0.0	1.3	0.30	14.2	52.5	29.4	0.0
				N										
	0.0	12.6	1.1		11.1	34.6	21.7	0.0	1.3	0.1	14.2	93.5	50.4	53.0
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total Rainfall in mm
	Wind Speed Km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Total Rainfall in mm

Lafarge Umiam Mining Pvt.Limited														
Daily Weather Monitoring Data For the Month of Mar 2024														
(Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.)														
Date	Wind Speed km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Rainfall in mm
	Min	Max	Avg.		Min	Max	Avg.	Min	Max	Avg.	Min	Max	Avg.	
01.03.24	0.0	5.3	2.06	SW	19.2	34.1	24.0	0.0	0.6	0.09	28.4	66.3	45.8	0.0
02.03.24	0.0	7.8	3.22	NE	18.0	35.4	24.7	0.0	0.5	0.08	23.0	63.1	41.7	0.0
03.03.24	0.0	8.4	2.82	NW	16.1	32.3	23.2	0.0	0.6	0.08	31.2	92.1	57.8	0.0
04.03.24	0.0	7.8	3.00	NE	16.6	33.2	23.0	0.0	0.6	0.08	29.3	93.1	57.0	0.0
05.03.24	0.0	2.6	0.93	NNW	17.0	27.1	20.4	0.0	0.4	0.06	51.0	93.2	76.6	0.0
06.03.24	0.0	3.5	1.12	NE	16.2	32.6	23.1	0.0	1.0	0.11	37.6	88.2	64.7	0.0
07.03.24	0.0	5.6	2.40	NW	17.1	34.0	23.7	0.0	1.0	0.12	25.2	68.2	47.3	0.0
08.03.24	0.0	2.0	0.22	NNE	19.2	35.0	24.4	0.0	0.5	0.06	33.0	76.0	58.3	0.0
09.03.24	0.0	1.1	0.14	NE	18.2	36.5	25.8	0.0	1.1	0.17	28.1	85.3	55.5	0.0
10.03.24	0.0	0.1	0.01	NNE	18.5	36.0	26.1	0.0	0.4	0.07	28.0	67.2	46.3	0.0
11.03.24	0.0	0.4	0.06	NE	18.3	35.1	24.9	0.0	0.6	0.12	32.2	93.3	66.4	0.0
12.03.24	0.0	0.5	0.10	NE	18.3	36.3	25.7	0.0	1.2	0.25	36.2	94.2	60.8	0.0
13.03.24	0.0	2.5	0.17	NE	18.3	37.3	27.4	0.0	1.3	0.30	27.0	88.3	53.0	0.0
14.03.24	0.0	5.3	1.60	W	14.3	31.4	21.8	0.0	0.6	0.08	22.6	72.5	48.1	0.0
15.03.24	0.0	6.4	1.65	N	17.0	32.1	22.2	0.0	0.6	0.07	26.0	67.0	49.7	0.0
16.03.24	0.0	3.4	1.16	NE	16.3	31.1	21.5	0.0	0.5	0.08	30.0	70.2	52.6	0.0
17.03.24	0.0	6.0	1.48	NNE	13.0	29.1	20.2	0.0	0.6	0.11	31.0	86.1	54.9	22.0
18.03.24	0.0	5.0	2.32	S	17.1	29.1	20.1	0.0	0.5	0.03	31.0	60.3	49.0	0.0
19.03.24	0.0	6.7	1.98	NE	20.2	35.4	26.4	0.0	1.2	0.27	17.3	66.3	35.0	0.0
20.03.24	0.0	4.9	1.71	NE	17.0	34.3	24.9	0.0	1.0	0.23	24.4	63.0	43.8	0.0
21.03.24	0.0	5.1	2.81	SW	19.0	35.6	25.8	0.0	1.1	0.23	21.2	55.5	39.9	0.0
22.03.24	0.0	6.7	2.81	NE	18.3	36.3	26.1	0.0	0.6	0.09	22.1	77.6	44.1	0.0
23.03.24	0.0	10.9	4.65	NE	19.1	36.1	26.0	0.0	1.1	0.12	21.3	59.3	40.8	0.0
24.03.24	0.0	8.7	2.61	NW	16.1	34.0	23.6	0.0	1.0	0.12	25.2	92.2	56.7	12.0
25.03.24	0.0	3.4	1.58	SW	18.3	35.6	25.6	0.0	1.2	0.27	25.2	71.2	50.8	0.0
26.03.24	0.0	4.8	2.02	NW	19.4	34.3	25.5	0.0	1.0	0.11	30.6	63.5	49.1	52.0
27.03.24	0.0	4.7	2.18	NW	21.0	37.4	27.4	0.0	1.1	0.20	24.2	61.0	46.1	0.0
28.03.24	0.0	1.6	0.40	NNE	23.0	37.6	28.3	0.0	0.5	0.07	31.6	80.4	57.3	0.0
29.03.24	0.0	1.7	0.50	N	23.4	37.2	29.8	0.0	1.2	0.23	26.0	72.0	46.6	0.0
30.03.24	0.0	1.0	0.40	NE	24.0	37.0	29.8	0.0	1.2	0.23	26.1	72.5	49.3	0.0
31.03.24	0.0	2.2	0.90	N	22.0	37.2	28.9	0.0	1.2	0.22	24.0	58.3	41.1	0.0
				NE										
	0.0	10.9	1.6		13.0	37.6	24.8	0.0	1.3	0.1	17.3	94.2	51.2	86.0
	Min	Max	Avg		Min	Max	Avg	Min	Max	Avg	Min	Max	Avg	Total Rainfall in mm
	Wind Speed Km/hr			Wind Dir.*	Ambient Temp.°C			Solar CCM			R. Humidity %			Total Rainfall in mm

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 03 - 10 - 2023

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	3-Oct-23	6:00	7:00	50.2
2			7:00	8:00	51.6
3			8:00	9:00	52.5
4			9:00	10:00	53.4
5			10:00	11:00	54.7
6			11:00	12:00	55.6
7			12:00	13:00	56.8
8			13:00	14:00	57.9
9			14:00	15:00	58.7
10			15:00	16:00	57.5
11			16:00	17:00	56.4
12			17:00	18:00	55.4
13			18:00	19:00	54.2
14			19:00	20:00	53.5
15			20:00	21:00	52.4
16			21:00	22:00	51.7
			Leq day in dB(A)		55.2
17	Night	03 & 04-Oct-23	22:00	23:00	49.8
18			23:00	0:00	48.6
19			0:00	1:00	47.5
20			1:00	2:00	46.2
21			2:00	3:00	45.4
22			3:00	4:00	44.6
23			4:00	5:00	45.8
24			5:00	6:00	46.9
			Leq Night in dB(A)		47.2

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE: 09- 10 - 2023					
STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)					
STATION CODE : LN-2					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	9-Oct-23	6:00	7:00	50.5
2			7:00	8:00	51.4
3			8:00	9:00	52.8
4			9:00	10:00	53.6
5			10:00	11:00	54.5
6			11:00	12:00	55.7
7			12:00	13:00	56.9
8			13:00	14:00	57.2
9			14:00	15:00	58.4
10			15:00	16:00	57.2
11			16:00	17:00	56.3
12			17:00	18:00	55.4
13			18:00	19:00	53.2
14			19:00	20:00	52.1
15			20:00	21:00	51.7
16			21:00	22:00	49.8
			Leq day in dB(A)		54.9
17	Night	9 & 10-Oct-23	22:00	23:00	46.5
18			23:00	0:00	45.4
19			0:00	1:00	43.2
20			1:00	2:00	42.5
21			2:00	3:00	43.8
22			3:00	4:00	44.2
23			4:00	5:00	45.6
24			5:00	6:00	45.9
			Leq Night in dB(A)		44.8

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE : 13-10-2023					
STATION : PHALANG KA RUH VILLAGE					
STATION CODE : LN-3					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	13-Oct-23	6:00	7:00	49.5
2			7:00	8:00	50.2
3			8:00	9:00	51.4
4			9:00	10:00	52.6
5			10:00	11:00	53.4
6			11:00	12:00	54.5
7			12:00	13:00	55.8
8			13:00	14:00	56.2
9			14:00	15:00	57.5
10			15:00	16:00	56.4
11			16:00	17:00	55.4
12			17:00	18:00	54.2
13			18:00	19:00	53.2
14			19:00	20:00	52.5
15			20:00	21:00	51.4
16			21:00	22:00	49.7
Leq day in dB(A)					54.0
17	Night	13 & 14-Oct-23	22:00	23:00	46.8
18			23:00	0:00	45.1
19			0:00	1:00	44.2
20			1:00	2:00	43.1
21			2:00	3:00	42.8
22			3:00	4:00	43.6
23			4:00	5:00	44.7
24			5:00	6:00	45.9
Leq Night in dB(A)					44.7

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 16 - 10 - 2023

STATION: OFFICE AREA

STATION CODE : LN-4

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	16-Oct-23	6:00	7:00	53.5
2			7:00	8:00	54.6
3			8:00	9:00	56.5
4			9:00	10:00	57.9
5			10:00	11:00	58.4
6			11:00	12:00	59.7
7			12:00	13:00	60.5
8			13:00	14:00	61.2
9			14:00	15:00	59.8
10			15:00	16:00	58.7
11			16:00	17:00	56.4
12			17:00	18:00	54.2
13			18:00	19:00	55.7
14			19:00	20:00	56.4
15			20:00	21:00	54.3
16			21:00	22:00	53.1
			Leq day in dB(A)		57.7
17	Night	16 & 17-Oct-23	22:00	23:00	52.5
18			23:00	0:00	51.7
19			0:00	1:00	49.5
20			1:00	2:00	47.6
21			2:00	3:00	46.5
22			3:00	4:00	47.5
23			4:00	5:00	48.6
24			5:00	6:00	50.4
			Leq Night in dB(A)		49.8

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -20 -10 - 2023

STATION : SHELLA PUNJEE

STATION CODE : LN-5

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 20-Oct-23	6:00	7:00	49.7
2		7:00	8:00	50.2
3		8:00	9:00	51.3
4		9:00	10:00	52.6
5		10:00	11:00	53.4
6		11:00	12:00	54.8
7		12:00	13:00	55.6
8		13:00	14:00	56.7
9		14:00	15:00	57.4
10		15:00	16:00	56.5
11		16:00	17:00	55.4
12		17:00	18:00	54.3
13		18:00	19:00	53.2
14		19:00	20:00	52.8
15		20:00	21:00	51.7
16		21:00	22:00	49.5
Leq day in dB(A)				54.1
17	Night 20 & 21-Oct-23	22:00	23:00	46.8
18		23:00	0:00	45.2
19		0:00	1:00	43.6
20		1:00	2:00	42.1
21		2:00	3:00	41.7
22		3:00	4:00	43.5
23		4:00	5:00	44.8
24		5:00	6:00	45.7
Leq Night in dB(A)				44.5

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 27-10-2023

STATION : MAWRYNGKHONG

STATION CODE : LN-6

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 27-Oct-23	6:00	7:00	48.9
2		7:00	8:00	49.7
3		8:00	9:00	50.5
4		9:00	10:00	51.2
5		10:00	11:00	52.6
6		11:00	12:00	53.5
7		12:00	13:00	54.7
8		13:00	14:00	55.2
9		14:00	15:00	56.4
10		15:00	16:00	55.3
11		16:00	17:00	54.2
12		17:00	18:00	53.4
13		18:00	19:00	52.7
14		19:00	20:00	51.6
15		20:00	21:00	50.2
16		21:00	22:00	48.4
Leq day in dB(A)				53.0
17	Night 27 & 28-Oct-23	22:00	23:00	45.8
18		23:00	0:00	44.2
19		0:00	1:00	43.1
20		1:00	2:00	42.6
21		2:00	3:00	43.2
22		3:00	4:00	44.5
23		4:00	5:00	45.1
24		5:00	6:00	45.8
Leq Night in dB(A)				44.4



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 01 - 11 - 2023

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 1-Nov-23	6:00	7:00	49.8
2		7:00	8:00	50.7
3		8:00	9:00	51.2
4		9:00	10:00	52.3
5		10:00	11:00	53.5
6		11:00	12:00	54.6
7		12:00	13:00	55.8
8		13:00	14:00	56.4
9		14:00	15:00	57.8
10		15:00	16:00	58.4
11		16:00	17:00	59.7
12		17:00	18:00	58.6
13		18:00	19:00	57.4
14		19:00	20:00	56.5
15		20:00	21:00	54.6
16		21:00	22:00	52.7
Leq day in dB(A)				55.9
17	Night 01 & 02-Nov-23	22:00	23:00	50.4
18		23:00	0:00	48.9
19		0:00	1:00	47.6
20		1:00	2:00	46.2
21		2:00	3:00	44.5
22		3:00	4:00	45.1
23		4:00	5:00	45.7
24		5:00	6:00	46.9
Leq Night in dB(A)				47.3

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE: 06- 11 - 2023

STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)

STATION CODE : LN-2

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	6-Nov-23	6:00	7:00	49.2
2			7:00	8:00	50.5
3			8:00	9:00	51.2
4			9:00	10:00	52.6
5			10:00	11:00	53.4
6			11:00	12:00	54.7
7			12:00	13:00	55.6
8			13:00	14:00	56.4
9			14:00	15:00	57.3
10			15:00	16:00	56.8
11			16:00	17:00	55.4
12			17:00	18:00	54.3
13			18:00	19:00	53.7
14			19:00	20:00	52.1
15			20:00	21:00	51.7
16			21:00	22:00	49.6
			Leq day in dB(A)		54.1
17	Night	6 & 7-Nov-23	22:00	23:00	46.8
18			23:00	0:00	45.4
19			0:00	1:00	44.3
20			1:00	2:00	43.2
21			2:00	3:00	41.8
22			3:00	4:00	43.5
23			4:00	5:00	44.7
24			5:00	6:00	45.9
			Leq Night in dB(A)		44.7

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE : 13-11-2023					
STATION : PHALANG KA RUH VILLAGE					
STATION CODE : LN-3					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	13-Nov-23	6:00	7:00	49.8
2			7:00	8:00	50.2
3			8:00	9:00	51.4
4			9:00	10:00	52.3
5			10:00	11:00	53.4
6			11:00	12:00	54.6
7			12:00	13:00	55.8
8			13:00	14:00	56.4
9			14:00	15:00	55.3
10			15:00	16:00	54.2
11			16:00	17:00	53.6
12			17:00	18:00	52.8
13			18:00	19:00	51.7
14			19:00	20:00	50.4
15			20:00	21:00	49.8
16			21:00	22:00	48.7
Leq day in dB(A)					53.1
17	Night	13 & 14-Nov-23	22:00	23:00	46.5
18			23:00	0:00	44.3
19			0:00	1:00	43.6
20			1:00	2:00	42.5
21			2:00	3:00	43.8
22			3:00	4:00	44.5
23			4:00	5:00	45.2
24			5:00	6:00	45.9
Leq Night in dB(A)					44.7

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 17 - 11 - 2023

STATION: OFFICE AREA

STATION CODE : LN-4

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	17-Nov-23	6:00	7:00	52.8
2			7:00	8:00	53.7
3			8:00	9:00	54.4
4			9:00	10:00	57.8
5			10:00	11:00	59.4
6			11:00	12:00	61.2
7			12:00	13:00	58.7
8			13:00	14:00	56.5
9			14:00	15:00	56.2
10			15:00	16:00	55.4
11			16:00	17:00	56.8
12			17:00	18:00	57.4
13			18:00	19:00	56.8
14			19:00	20:00	55.4
15			20:00	21:00	54.7
16			21:00	22:00	54.2
			Leq day in dB(A)		56.9
17	Night	17 & 18-Nov-23	22:00	23:00	52.9
18			23:00	0:00	51.7
19			0:00	1:00	50.8
20			1:00	2:00	48.9
21			2:00	3:00	46.5
22			3:00	4:00	47.9
23			4:00	5:00	48.4
24			5:00	6:00	49.3
			Leq Night in dB(A)		50

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -20 -11 - 2023

STATION : SHELLA PUNJEE

STATION CODE : LN-5

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	20-Nov-23	6:00	7:00	48.7
2			7:00	8:00	49.5
3			8:00	9:00	50.2
4			9:00	10:00	51.6
5			10:00	11:00	52.8
6			11:00	12:00	53.4
7			12:00	13:00	54.8
8			13:00	14:00	55.6
9			14:00	15:00	56.1
10			15:00	16:00	55.2
11			16:00	17:00	54.3
12			17:00	18:00	52.8
13			18:00	19:00	51.7
14			19:00	20:00	50.4
15			20:00	21:00	49.8
16			21:00	22:00	48.2
			Leq day in dB(A)		52.9
17	Night	20 & 21-Nov-23	22:00	23:00	46.1
18			23:00	0:00	45.3
19			0:00	1:00	44.2
20			1:00	2:00	43.1
21			2:00	3:00	42.5
22			3:00	4:00	43.9
23			4:00	5:00	44.8
24			5:00	6:00	45.7
			Leq Night in dB(A)		44.6

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 27-11-2023

STATION : MAWRYNGKHONG

STATION CODE : LN-6

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 27-Nov-23	6:00	7:00	48.2
2		7:00	8:00	49.7
3		8:00	9:00	50.4
4		9:00	10:00	51.6
5		10:00	11:00	52.3
6		11:00	12:00	53.4
7		12:00	13:00	55.7
8		13:00	14:00	56.1
9		14:00	15:00	55.4
10		15:00	16:00	54.8
11		16:00	17:00	53.6
12		17:00	18:00	53.2
13		18:00	19:00	52.8
14		19:00	20:00	51.4
15		20:00	21:00	50.2
16		21:00	22:00	49.3
Leq day in dB(A)				53.0
17	Night 27 & 28-Nov-23	22:00	23:00	46.9
18		23:00	0:00	45.4
19		0:00	1:00	44.3
20		1:00	2:00	42.1
21		2:00	3:00	41.9
22		3:00	4:00	43.1
23		4:00	5:00	44.7
24		5:00	6:00	45.9
Leq Night in dB(A)				44.6

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE : 01 -12- 2023					
STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)					
STATION CODE : LN-1					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	1-Dec-23	6:00	7:00	50.5
2			7:00	8:00	51.2
3			8:00	9:00	52.3
4			9:00	10:00	54.8
5			10:00	11:00	55.6
6			11:00	12:00	54.8
7			12:00	13:00	56.5
8			13:00	14:00	57.4
9			14:00	15:00	58.9
10			15:00	16:00	59.7
11			16:00	17:00	57.8
12			17:00	18:00	56.4
13			18:00	19:00	55.3
14			19:00	20:00	54.7
15			20:00	21:00	53.2
16			21:00	22:00	51.9
			Leq day in dB(A)		55.8
17	Night	01 & 02-Dec-23	22:00	23:00	50.2
18			23:00	0:00	48.6
19			0:00	1:00	46.5
20			1:00	2:00	44.2
21			2:00	3:00	43.4
22			3:00	4:00	44.1
23			4:00	5:00	45.8
24			5:00	6:00	46.9
			Leq Night in dB(A)		46.8

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE: 04- 12 - 2023					
STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)					
STATION CODE : LN-2					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	4-Dec-23	6:00	7:00	49.2
2			7:00	8:00	50.1
3			8:00	9:00	52.6
4			9:00	10:00	53.4
5			10:00	11:00	54.8
6			11:00	12:00	56.4
7			12:00	13:00	55.8
8			13:00	14:00	56.9
9			14:00	15:00	57.2
10			15:00	16:00	56.5
11			16:00	17:00	55.8
12			17:00	18:00	54.3
13			18:00	19:00	52.9
14			19:00	20:00	51.7
15			20:00	21:00	49.8
16			21:00	22:00	48.7
			Leq day in dB(A)		54.3
17	Night	04 & 05-Dec-23	22:00	23:00	46.8
18			23:00	0:00	45.2
19			0:00	1:00	43.6
20			1:00	2:00	42.5
21			2:00	3:00	41.7
22			3:00	4:00	43.2
23			4:00	5:00	44.8
24			5:00	6:00	45.9
			Leq Night in dB(A)		44.5



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 08-12-2023

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	8-Dec-23	6:00	7:00	49.7
2			7:00	8:00	50.5
3			8:00	9:00	51.6
4			9:00	10:00	52.8
5			10:00	11:00	54.6
6			11:00	12:00	55.8
7			12:00	13:00	54.3
8			13:00	14:00	53.2
9			14:00	15:00	55.9
10			15:00	16:00	54.8
11			16:00	17:00	55.2
12			17:00	18:00	54.6
13			18:00	19:00	53.2
14			19:00	20:00	52.5
15			20:00	21:00	51.9
16			21:00	22:00	49.2
			Leq day in dB(A)		53.5
17	Night	08 & 09-Dec-23	22:00	23:00	46.8
18			23:00	0:00	44.5
19			0:00	1:00	42.6
20			1:00	2:00	41.8
21			2:00	3:00	42.3
22			3:00	4:00	43.9
23			4:00	5:00	44.7
24			5:00	6:00	45.6
			Leq Night in dB(A)		44.3

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 11- 12- 2023

STATION: OFFICE AREA

STATION CODE : LN-4

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	11-Dec-23	6:00	7:00	51.9
2			7:00	8:00	52.8
3			8:00	9:00	53.6
4			9:00	10:00	55.9
5			10:00	11:00	57.4
6			11:00	12:00	58.9
7			12:00	13:00	59.7
8			13:00	14:00	62.5
9			14:00	15:00	60.5
10			15:00	16:00	58.7
11			16:00	17:00	57.6
12			17:00	18:00	56.5
13			18:00	19:00	55.4
14			19:00	20:00	53.2
15			20:00	21:00	54.7
16			21:00	22:00	52.8
Leq day in dB(A)					57.5
17	Night	11 & 12-Dec-23	22:00	23:00	50.1
18			23:00	0:00	48.7
19			0:00	1:00	46.5
20			1:00	2:00	44.8
21			2:00	3:00	45.7
22			3:00	4:00	46.8
23			4:00	5:00	47.5
24			5:00	6:00	48.4
Leq Night in dB(A)					47.6

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE : -19 -12- 2023					
STATION : SHELLA PUNJEE					
STATION CODE : LN-5					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	19-Dec-23	6:00	7:00	48.9
2			7:00	8:00	49.7
3			8:00	9:00	50.8
4			9:00	10:00	51.4
5			10:00	11:00	52.3
6			11:00	12:00	53.6
7			12:00	13:00	54.8
8			13:00	14:00	55.6
9			14:00	15:00	56.4
10			15:00	16:00	55.4
11			16:00	17:00	54.2
12			17:00	18:00	53.8
13			18:00	19:00	53.2
14			19:00	20:00	52.7
15			20:00	21:00	51.9
16			21:00	22:00	49.2
			Leq day in dB(A)		53.3
17	Night	19 & 20-Dec-23	22:00	23:00	45.8
18			23:00	0:00	45.4
19			0:00	1:00	43.6
20			1:00	2:00	42.5
21			2:00	3:00	43.8
22			3:00	4:00	44.6
23			4:00	5:00	45.4
24			5:00	6:00	46.9
			Leq Night in dB(A)		44.9

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 28-12-2023

STATION : MAWRYNGKHONG

STATION CODE : LN-6

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 28-Dec-23	6:00	7:00	48.6
2		7:00	8:00	49.5
3		8:00	9:00	50.4
4		9:00	10:00	52.3
5		10:00	11:00	51.8
6		11:00	12:00	53.6
7		12:00	13:00	54.7
8		13:00	14:00	55.8
9		14:00	15:00	56.2
10		15:00	16:00	57.1
11		16:00	17:00	55.9
12		17:00	18:00	54.3
13		18:00	19:00	53.5
14		19:00	20:00	52.8
15		20:00	21:00	51.6
16		21:00	22:00	49.5
Leq day in dB(A)				53.7
17	Night 28 & 29-Dec-23	22:00	23:00	46.5
18		23:00	0:00	44.8
19		0:00	1:00	43.1
20		1:00	2:00	41.5
21		2:00	3:00	43.6
22		3:00	4:00	44.2
23		4:00	5:00	45.7
24		5:00	6:00	46.4
Leq Night in dB(A)				44.8

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 04 -01- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 4-Jan-24	6:00	7:00	50.7
2		7:00	8:00	51.2
3		8:00	9:00	53.6
4		9:00	10:00	54.8
5		10:00	11:00	56.4
6		11:00	12:00	57.9
7		12:00	13:00	58.6
8		13:00	14:00	57.6
9		14:00	15:00	56.8
10		15:00	16:00	57.2
11		16:00	17:00	56.5
12		17:00	18:00	55.3
13		18:00	19:00	54.2
14		19:00	20:00	53.7
15		20:00	21:00	52.8
16		21:00	22:00	51.4
Leq day in dB(A)				55.6
17	Night 04 & 05-Jan-24	22:00	23:00	48.5
18		23:00	0:00	47.2
19		0:00	1:00	45.6
20		1:00	2:00	44.3
21		2:00	3:00	43.8
22		3:00	4:00	44.7
23		4:00	5:00	45.8
24		5:00	6:00	46.9
Leq Night in dB(A)				46.1

LAFARGE UMIAM MINING PVT. LTD.					
NOISE LEVEL DATA					
DATE: 04- 01 - 2024					
STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)					
STATION CODE : LN-2					
			Time (in hour)		
Sl. No.		Date	From	To	Hourly Leq dB(A)
1	Day	8-Jan-24	6:00	7:00	49.8
2			7:00	8:00	50.5
3			8:00	9:00	51.2
4			9:00	10:00	52.3
5			10:00	11:00	53.8
6			11:00	12:00	54.7
7			12:00	13:00	55.8
8			13:00	14:00	56.2
9			14:00	15:00	55.2
10			15:00	16:00	54.8
11			16:00	17:00	53.6
12			17:00	18:00	52.8
13			18:00	19:00	51.7
14			19:00	20:00	50.4
15			20:00	21:00	49.8
16			21:00	22:00	48.5
Leq day in dB(A)					53.2
17	Night	8 & 9-Jan-24	22:00	23:00	46.8
18			23:00	0:00	45.4
19			0:00	1:00	44.3
20			1:00	2:00	42.1
21			2:00	3:00	43.5
22			3:00	4:00	43.8
23			4:00	5:00	44.5
24			5:00	6:00	45.7
Leq Night in dB(A)					44.7

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 12-01-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	12-Jan-24	6:00	7:00	48.9
2			7:00	8:00	49.8
3			8:00	9:00	50.1
4			9:00	10:00	51.6
5			10:00	11:00	52.8
6			11:00	12:00	53.4
7			12:00	13:00	54.7
8			13:00	14:00	55.8
9			14:00	15:00	56.2
10			15:00	16:00	57.4
11			16:00	17:00	56.5
12			17:00	18:00	55.8
13			18:00	19:00	54.2
14			19:00	20:00	52.5
15			20:00	21:00	51.7
16			21:00	22:00	49.3
			Leq day in dB(A)		53.9
17	Night	12 & 13-Jan-24	22:00	23:00	46.9
18			23:00	0:00	45.4
19			0:00	1:00	43.2
20			1:00	2:00	41.5
21			2:00	3:00	42.5
22			3:00	4:00	43.8
23			4:00	5:00	44.2
24			5:00	6:00	46.8
			Leq Night in dB(A)		44.7

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 17- 01- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	17-Jan-24	6:00	7:00	51.8
2			7:00	8:00	52.7
3			8:00	9:00	53.6
4			9:00	10:00	55.8
5			10:00	11:00	57.9
6			11:00	12:00	58.7
7			12:00	13:00	59.6
8			13:00	14:00	60.5
9			14:00	15:00	61.4
10			15:00	16:00	59.7
11			16:00	17:00	58.6
12			17:00	18:00	56.4
13			18:00	19:00	55.6
14			19:00	20:00	54.9
15			20:00	21:00	53.6
16			21:00	22:00	52.4
			Leq day in dB(A)		57.4
17	Night	17 & 18-Jan-24	22:00	23:00	50.5
18			23:00	0:00	48.6
19			0:00	1:00	47.5
20			1:00	2:00	45.4
21			2:00	3:00	43.5
22			3:00	4:00	45.8
23			4:00	5:00	47.9
24			5:00	6:00	49.8
			Leq Night in dB(A)		47.9



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -22 -01- 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	22-Jan-24	6:00	7:00	48.6
2			7:00	8:00	49.7
3			8:00	9:00	50.2
4			9:00	10:00	51.6
5			10:00	11:00	52.8
6			11:00	12:00	53.4
7			12:00	13:00	54.8
8			13:00	14:00	55.6
9			14:00	15:00	56.4
10			15:00	16:00	55.8
11			16:00	17:00	54.3
12			17:00	18:00	53.2
13			18:00	19:00	52.6
14			19:00	20:00	51.7
15			20:00	21:00	50.2
16			21:00	22:00	49.5
			Leq day in dB(A)		53.2
17	Night	22 & 23-Jan-24	22:00	23:00	46.4
18			23:00	0:00	44.3
19			0:00	1:00	43.8
20			1:00	2:00	42.1
21			2:00	3:00	41.5
22			3:00	4:00	43.4
23			4:00	5:00	44.8
24			5:00	6:00	45.5
			Leq Night in dB(A)		44.2

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 27-01-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 27-Jan-23	6:00	7:00	49.5
2		7:00	8:00	50.2
3		8:00	9:00	51.6
4		9:00	10:00	52.8
5		10:00	11:00	53.7
6		11:00	12:00	54.5
7		12:00	13:00	55.6
8		13:00	14:00	56.4
9		14:00	15:00	55.8
10		15:00	16:00	54.6
11		16:00	17:00	53.2
12		17:00	18:00	52.7
13		18:00	19:00	51.4
14		19:00	20:00	50.7
15		20:00	21:00	49.8
16		21:00	22:00	48.5
Leq day in dB(A)				53.2
17	Night 27 & 28-Jan-24	22:00	23:00	46.2
18		23:00	0:00	44.8
19		0:00	1:00	43.1
20		1:00	2:00	42.5
21		2:00	3:00	41.6
22		3:00	4:00	43.5
23		4:00	5:00	44.7
24		5:00	6:00	45.9
Leq Night in dB(A)				44.3

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 01 -02- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	1-Feb-24	6:00	7:00	50.5
2			7:00	8:00	51.6
3			8:00	9:00	52.8
4			9:00	10:00	54.7
5			10:00	11:00	55.9
6			11:00	12:00	56.8
7			12:00	13:00	57.9
8			13:00	14:00	58.4
9			14:00	15:00	59.2
10			15:00	16:00	57.6
11			16:00	17:00	56.8
12			17:00	18:00	55.4
13			18:00	19:00	54.7
14			19:00	20:00	53.5
15			20:00	21:00	52.9
16			21:00	22:00	51.2
Leq day in dB(A)					55.7
17	Night	01 & 02-Feb-24	22:00	23:00	48.4
18			23:00	0:00	46.5
19			0:00	1:00	45.2
20			1:00	2:00	44.1
21			2:00	3:00	43.5
22			3:00	4:00	45.7
23			4:00	5:00	46.1
24			5:00	6:00	47.8
Leq Night in dB(A)					46.2

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE: 05- 02 - 2024

STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)

STATION CODE : LN-2

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	5-Feb-24	6:00	7:00	49.5
2			7:00	8:00	50.2
3			8:00	9:00	51.6
4			9:00	10:00	52.8
5			10:00	11:00	53.5
6			11:00	12:00	54.6
7			12:00	13:00	55.8
8			13:00	14:00	56.2
9			14:00	15:00	56.8
10			15:00	16:00	55.4
11			16:00	17:00	54.2
12			17:00	18:00	53.7
13			18:00	19:00	52.8
14			19:00	20:00	51.5
15			20:00	21:00	50.2
16			21:00	22:00	49.7
Leq day in dB(A)					53.6
17	Night	5 & 6-Feb-24	22:00	23:00	46.5
18			23:00	0:00	45.3
19			0:00	1:00	44.2
20			1:00	2:00	42.5
21			2:00	3:00	41.2
22			3:00	4:00	43.8
23			4:00	5:00	44.7
24			5:00	6:00	45.9
Leq Night in dB(A)					44.6

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 09-02-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 9-Feb-24	6:00	7:00	49.5
2		7:00	8:00	50.1
3		8:00	9:00	51.2
4		9:00	10:00	52.6
5		10:00	11:00	53.4
6		11:00	12:00	54.8
7		12:00	13:00	55.6
8		13:00	14:00	56.8
9		14:00	15:00	55.4
10		15:00	16:00	54.6
11		16:00	17:00	53.5
12		17:00	18:00	53.2
13		18:00	19:00	52.8
14		19:00	20:00	51.4
15		20:00	21:00	50.4
16		21:00	22:00	49.5
Leq day in dB(A)				53.4
17	Night 9 & 10-Feb-24	22:00	23:00	46.7
18		23:00	0:00	45.2
19		0:00	1:00	43.5
20		1:00	2:00	41.8
21		2:00	3:00	42.6
22		3:00	4:00	43.8
23		4:00	5:00	44.5
24		5:00	6:00	45.7
Leq Night in dB(A)				44.5

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 15- 02- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	15-Feb-24	6:00	7:00	50.8
2			7:00	8:00	51.7
3			8:00	9:00	53.6
4			9:00	10:00	55.8
5			10:00	11:00	56.9
6			11:00	12:00	57.8
7			12:00	13:00	58.2
8			13:00	14:00	59.7
9			14:00	15:00	58.6
10			15:00	16:00	57.5
11			16:00	17:00	56.9
12			17:00	18:00	56.2
13			18:00	19:00	55.4
14			19:00	20:00	54.8
15			20:00	21:00	53.2
16			21:00	22:00	51.7
			Leq day in dB(A)		56.3
17	Night	15 & 16-Feb-24	22:00	23:00	50.2
18			23:00	0:00	48.7
19			0:00	1:00	46.5
20			1:00	2:00	44.6
21			2:00	3:00	45.7
22			3:00	4:00	46.9
23			4:00	5:00	47.5
24			5:00	6:00	48.9
			Leq Night in dB(A)		47.7

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -20 -02- 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 20-Feb-24	6:00	7:00	48.7
2		7:00	8:00	49.5
3		8:00	9:00	50.2
4		9:00	10:00	51.4
5		10:00	11:00	52.6
6		11:00	12:00	53.8
7		12:00	13:00	54.7
8		13:00	14:00	55.4
9		14:00	15:00	56.8
10		15:00	16:00	55.3
11		16:00	17:00	55.2
12		17:00	18:00	54.6
13		18:00	19:00	53.6
14		19:00	20:00	52.4
15		20:00	21:00	51.2
16		21:00	22:00	49.5
Leq day in dB(A)				53.4
17	Night 20 & 21-Feb-24	22:00	23:00	46.2
18		23:00	0:00	44.8
19		0:00	1:00	43.2
20		1:00	2:00	41.5
21		2:00	3:00	42.8
22		3:00	4:00	43.5
23		4:00	5:00	44.8
24		5:00	6:00	45.8
Leq Night in dB(A)				44.3

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 26-02-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 26-Feb-24	6:00	7:00	48.2
2		7:00	8:00	49.5
3		8:00	9:00	50.1
4		9:00	10:00	51.4
5		10:00	11:00	52.6
6		11:00	12:00	53.8
7		12:00	13:00	54.7
8		13:00	14:00	55.8
9		14:00	15:00	56.4
10		15:00	16:00	55.4
11		16:00	17:00	54.2
12		17:00	18:00	53.6
13		18:00	19:00	52.8
14		19:00	20:00	51.5
15		20:00	21:00	50.7
16		21:00	22:00	49.8
Leq day in dB(A)				53.2
17	Night 26 & 27-Feb-24	22:00	23:00	46.2
18		23:00	0:00	45.1
19		0:00	1:00	44.2
20		1:00	2:00	42.5
21		2:00	3:00	41.5
22		3:00	4:00	43.6
23		4:00	5:00	44.8
24		5:00	6:00	45.7
Leq Night in dB(A)				44.4



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 01 -03- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 1-Mar-24	6:00	7:00	50.4
2		7:00	8:00	51.2
3		8:00	9:00	52.6
4		9:00	10:00	53.4
5		10:00	11:00	54.8
6		11:00	12:00	55.6
7		12:00	13:00	56.7
8		13:00	14:00	58.9
9		14:00	15:00	59.4
10		15:00	16:00	58.4
11		16:00	17:00	56.2
12		17:00	18:00	55.3
13		18:00	19:00	54.1
14		19:00	20:00	53.2
15		20:00	21:00	52.7
16		21:00	22:00	50.9
Leq day in dB(A)				55.5
17	Night 01 & 02-Mar-24	22:00	23:00	48.7
18		23:00	0:00	46.2
19		0:00	1:00	45.1
20		1:00	2:00	43.2
21		2:00	3:00	44.8
22		3:00	4:00	45.9
23		4:00	5:00	46.8
24		5:00	6:00	47.5
Leq Night in dB(A)				46.3

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE: 04- 03 - 2024

STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)

STATION CODE : LN-2

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	4-Mar-24	6:00	7:00	48.7
2			7:00	8:00	49.5
3			8:00	9:00	50.2
4			9:00	10:00	51.4
5			10:00	11:00	52.6
6			11:00	12:00	53.8
7			12:00	13:00	54.9
8			13:00	14:00	55.7
9			14:00	15:00	56.4
10			15:00	16:00	55.4
11			16:00	17:00	53.2
12			17:00	18:00	52.6
13			18:00	19:00	51.8
14			19:00	20:00	50.5
15			20:00	21:00	49.7
16			21:00	22:00	48.2
			Leq day in dB(A)		52.2
17	Night	4 & 5-Mar-24	22:00	23:00	46.8
18			23:00	0:00	44.5
19			0:00	1:00	43.2
20			1:00	2:00	41.8
21			2:00	3:00	42.7
22			3:00	4:00	43.5
23			4:00	5:00	44.9
24			5:00	6:00	45.8
			Leq Night in dB(A)		44.4

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 11-03-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 11-Mar-24	6:00	7:00	49.2
2		7:00	8:00	50.1
3		8:00	9:00	51.6
4		9:00	10:00	52.4
5		10:00	11:00	53.5
6		11:00	12:00	54.8
7		12:00	13:00	55.9
8		13:00	14:00	56.2
9		14:00	15:00	57.4
10		15:00	16:00	56.2
11		16:00	17:00	55.4
12		17:00	18:00	54.3
13		18:00	19:00	53.2
14		19:00	20:00	52.1
15		20:00	21:00	51.9
16		21:00	22:00	49.5
Leq day in dB(A)				54.0
17	Night 11 & 12-Mar-24	22:00	23:00	46.2
18		23:00	0:00	45.1
19		0:00	1:00	43.2
20		1:00	2:00	41.5
21		2:00	3:00	42.6
22		3:00	4:00	43.5
23		4:00	5:00	44.8
24		5:00	6:00	45.9
Leq Night in dB(A)				44.4

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 15- 03- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 15-Mar-24	6:00	7:00	51.8
2		7:00	8:00	52.6
3		8:00	9:00	53.4
4		9:00	10:00	55.7
5		10:00	11:00	56.8
6		11:00	12:00	57.9
7		12:00	13:00	59.8
8		13:00	14:00	58.7
9		14:00	15:00	60.5
10		15:00	16:00	59.7
11		16:00	17:00	58.4
12		17:00	18:00	56.2
13		18:00	19:00	54.3
14		19:00	20:00	55.4
15		20:00	21:00	54.3
16		21:00	22:00	52.5
Leq day in dB(A)				57.4
17	Night 15 & 16-Mar-24	22:00	23:00	50.4
18		23:00	0:00	48.9
19		0:00	1:00	47.5
20		1:00	2:00	46.5
21		2:00	3:00	45.8
22		3:00	4:00	46.9
23		4:00	5:00	47.2
24		5:00	6:00	49.5
Leq Night in dB(A)				48.1

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -20 -03- 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

Sl. No.		Date	Time (in hour)		Hourly Leq dB(A)
			From	To	
1	Day	20-Mar-24	6:00	7:00	48.5
2			7:00	8:00	49.7
3			8:00	9:00	50.1
4			9:00	10:00	51.2
5			10:00	11:00	52.3
6			11:00	12:00	53.6
7			12:00	13:00	54.8
8			13:00	14:00	54.9
9			14:00	15:00	55.8
10			15:00	16:00	54.6
11			16:00	17:00	53.2
12			17:00	18:00	52.5
13			18:00	19:00	51.8
14			19:00	20:00	50.4
15			20:00	21:00	49.7
16			21:00	22:00	48.6
			Leq day in dB(A)		52.6
17	Night	20 & 21-Mar-24	22:00	23:00	46.5
18			23:00	0:00	44.8
19			0:00	1:00	43.2
20			1:00	2:00	42.5
21			2:00	3:00	41.9
22			3:00	4:00	43.4
23			4:00	5:00	44.8
24			5:00	6:00	45.7
			Leq Night in dB(A)		44.4

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 27-03-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

Sl. No.	Date	Time (in hour)		Hourly Leq dB(A)
		From	To	
1	Day 27-Mar-24	6:00	7:00	48.7
2		7:00	8:00	49.5
3		8:00	9:00	50.1
4		9:00	10:00	51.6
5		10:00	11:00	52.8
6		11:00	12:00	53.4
7		12:00	13:00	54.9
8		13:00	14:00	55.8
9		14:00	15:00	56.8
10		15:00	16:00	57.4
11		16:00	17:00	55.8
12		17:00	18:00	53.8
13		18:00	19:00	52.7
14		19:00	20:00	51.4
15		20:00	21:00	49.7
16		21:00	22:00	48.2
Leq day in dB(A)				53.6
17	Night 27 & 28-Mar-24	22:00	23:00	46.7
18		23:00	0:00	45.1
19		0:00	1:00	43.2
20		1:00	2:00	41.8
21		2:00	3:00	42.5
22		3:00	4:00	43.8
23		4:00	5:00	44.7
24		5:00	6:00	45.8
Leq Night in dB(A)				44.5

Minimate Ground Vibration Report October 2023 to March 2024

Ground Vibration Report ( Oct - 2023)										
Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
W	5757	Oct 3 /23 14:02:18	4	Vert	2.477	1.969	1.715	114.0L	2.921	Nongtraï Limestone Mines
W	5757	Oct 6 /23 13:53:18	4	MicL	0.127	0.191	0.064	120.0L	0.222	Nongtraï Limestone Mines
W	5757	Oct 7 /23 13:55:41	4	Long	0.317	0.191	0.317	119.1L	0.460	Nongtraï Limestone Mines
W	5757	Oct 10 /23 14:02:00	4	Vert	0.191	1.270	1.905	112.0L	1.937	Nongtraï Limestone Mines
W	UM6171	Oct 13 /23 13:52:55	4	Long	0.969	0.394	0.599	110.4L	0.978	Nongtraï Lime Stone Mines
W	5757	Oct 13 /23 13:52:57	4	Vert	1.651	1.715	2.032	114.0L	2.254	Nongtraï Limestone Mines
W	UM6171	Oct 17 /23 13:49:33	4	Long	0.410	0.315	0.481	110.8L	0.529	Nongtraï Lime Stone Mines
W	5757	Oct 18 /23 14:01:08	4	Vert	1.080	0.953	1.016	118.1L	1.397	Nongtraï Limestone Mines
W	UM6171	Oct 18 /23 14:01:09	4	Long	0.276	0.221	0.394	113.9L	0.438	Nongtraï Lime Stone Mines
W	UM6171	Oct 20 /23 13:54:09	4	Long	0.315	0.260	0.331	109.4L	0.426	Nongtraï Lime Stone Mines
W	5757	Oct 20 /23 13:54:10	4	Long	0.826	1.524	2.095	116.9L	2.207	Nongtraï Limestone Mines
W	UM6171	Oct 24 /23 13:43:10	4	Long	0.213	0.244	0.473	107.9L	0.505	Nongtraï Lime Stone Mines
W	5757	Oct 24 /23 13:43:11	4	Vert	0.254	0.317	0.254	115.6L	0.429	Nongtraï Limestone Mines
W	UM6171	Oct 27 /23 13:56:41	4	Vert	0.749	0.465	0.599	112.3L	0.859	Nongtraï Lime Stone Mines
W	UM6171	Oct 30 /23 13:56:06	4	Long	0.418	0.260	0.315	114.0L	0.521	Nongtraï Lime Stone Mines

Ground Vibration Report ( Nov - 2023)										
Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
W	UM6171	Nov 4 /23 13:57:01	4	MicL	0.079	0.039	0.055	111.3L	0.088	Nongtraï Lime Stone Mines
W	UM6171	Nov 9 /23 13:58:41	4	Long	0.402	0.173	0.268	115.5L	0.449	Nongtraï Lime Stone Mines
W	UM6171	Nov 11 /23 13:56:53	4	Vert	0.229	0.315	0.276	106.6L	0.353	Nongtraï Lime Stone Mines
W	UM6171	Nov 15 /23 13:36:53	4	Long	0.473	0.339	0.670	<88L	0.730	Nongtraï Lime Stone Mines
W	UM6171	Nov 18 /23 13:58:31	4	Vert	0.173	0.284	0.158	110.1L	0.287	Nongtraï Lime Stone Mines
W	UM6171	Nov 21 /23 13:50:39	4	Long	0.347	0.205	0.512	109.2L	0.517	Nongtraï Lime Stone Mines
W	UM6171	Nov 23 /23 13:53:31	4	Tran	0.292	0.292	0.323	117.1L	0.412	Nongtraï Lime Stone Mines
W	UM6171	Nov 28 /23 13:57:13	4	MicL	0.079	0.047	0.055	109.8L	0.081	Nongtraï Lime Stone Mines

## Ground Vibration Report ( Dec - 2023)

Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
UM6171	Dec 1 /23 14:02:22	4	Tran	0.843	0.567	1.245	<88L	1.297	Nongtrai Lime Stone Mines
UM6171	Dec 2 /23 13:56:34	4	Tran	0.315	0.236	0.300	118.6L	0.431	Nongtrai Lime Stone Mines
UM6171	Dec 5 /23 13:56:48	4	Vert	1.482	1.482	2.081	114.7L	2.372	Nongtrai Lime Stone Mines
UM6171	Dec 6 /23 13:47:56	4	Long	0.307	0.229	0.378	105.9L	0.408	Nongtrai Lime Stone Mines
UM6171	Dec 8 /23 13:58:44	4	Long	0.575	0.331	0.441	107.8L	0.718	Nongtrai Lime Stone Mines
UM6171	Dec 9 /23 14:03:22	4	MicL	0.079	0.039	0.055	115.9L	0.086	Nongtrai Lime Stone Mines
UM6171	Dec 12 /23 14:11:28	4	Long	0.591	0.449	0.504	<88L	0.705	Nongtrai Lime Stone Mines
UM6171	Dec 14 /23 14:02:20	4	Long	0.465	0.276	0.615	<88L	0.619	Nongtrai Lime Stone Mines
UM6171	Dec 16 /23 14:03:53	4	Long	0.347	0.236	0.378	114.5L	0.388	Nongtrai Lime Stone Mines
UM6171	Dec 21 /23 14:08:42	4	Tran	0.701	0.394	0.457	105.5L	0.751	Nongtrai Lime Stone Mines
5390	Dec 22 /23 14:21:29	4	Vert	0.889	1.143	1.080	119.1L	1.365	Nongtrai Lime stone mines
UM6171	Dec 22 /23 14:21:29	4	Long	0.441	0.347	0.481	111.4L	0.670	Nongtrai Lime Stone Mines
5390	Dec 28 /23 14:29:49	4	Vert	0.445	0.889	0.064	124.1L	0.889	Nongtrai Lime stone mines
UM6171	Dec 28 /23 14:29:50	4	Long	0.331	0.197	0.323	112.7L	0.417	Nongtrai Lime Stone Mines

## Ground Vibration Report ( Jan - 2024)

Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
W	UM6171	Jan 3 /24 14:00:54	4	Long	1.639	0.843	1.285	115.6L	1.646	Nongtrai Lime Stone Mines
W	UM6171	Jan 4 /24 14:12:46	4	Tran	0.315	0.213	0.221	119.8L	0.326	Nongtrai Lime Stone Mines
W	UM6171	Jan 5 /24 14:14:32	4	Tran	0.315	0.166	0.181	117.0L	0.362	Nongtrai Lime Stone Mines
W	UM6171	Jan 9 /24 14:19:50	4	Tran	0.560	0.331	0.560	116.0L	0.602	Nongtrai Lime Stone Mines
W	UM6171	Jan 10 /24 15:13:29	4	Long	0.268	0.315	0.457	111.7L	0.497	Nongtrai Lime Stone Mines
W	UM6171	Jan 12 /24 14:13:04	4	Long	0.292	0.236	0.292	110.0L	0.314	Nongtrai Lime Stone Mines
W	UM6171	Jan 16 /24 14:23:07	4	Long	0.402	0.434	0.922	108.6L	0.951	Nongtrai Lime Stone Mines
W	5390	Jan 16 /24 14:23:09	4	Tran	0.381	0.191	0.508	115.6L	0.540	Nongtrai Lime stone mines
W	5390	Jan 18 /24 14:05:32	4	Vert	1.969	2.159	2.095	124.1L	2.461	Nongtrai Lime stone mines
W	UM6171	Jan 18 /24 14:05:32	4	Long	1.143	0.670	1.080	121.9L	1.468	Nongtrai Lime Stone Mines
W	5390	Jan 20 /24 14:09:23	4	Tran	0.762	0.445	0.508	116.9L	0.984	Nongtrai Lime stone mines
W	UM6171	Jan 20 /24 14:09:23	4	Long	0.323	0.426	0.812	109.7L	0.885	Nongtrai Lime Stone Mines
W	UM6171	Jan 23 /24 14:17:12	4	Long	0.820	0.599	0.662	117.6L	0.891	Nongtrai Lime Stone Mines
W	UM6171	Jan 27 /24 14:15:16	4	Long	0.284	0.189	0.355	106.0L	0.417	Nongtrai Lime Stone Mines
W	UM6171	Jan 29 /24 14:11:50	4	Long	0.244	0.181	0.347	109.1L	0.400	Nongtrai Lime Stone Mines
W	UM6171	Jan 31 /24 14:35:54	4	Tran	0.394	0.142	0.497	114.4L	0.519	Nongtrai Lime Stone Mines



## Ground Vibration Report ( Feb - 2024)

Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
W	UM6171	Feb 2 /24 14:12:50	4	Long	0.370	0.197	0.434	115.2L	0.460	Nongtrai Lime Stone Mines
W	5390	Feb 2 /24 14:12:51	4	Long	0.508	0.381	0.317	118.1L	0.508	Nongtrai Lime stone mines
W	UM6171	Feb 7 /24 14:21:53	4	Long	0.567	0.418	0.481	117.0L	0.678	Nongtrai Lime Stone Mines
W	UM6171	Feb 9 /24 14:44:55	4	Long	0.307	0.150	0.276	103.3L	0.320	Nongtrai Lime Stone Mines
W	5390	Feb 12 /24 14:04:47	4	Vert	1.651	2.286	1.461	121.6L	2.461	Nongtrai Lime stone mines
W	UM6171	Feb 12 /24 14:04:47	4	Long	0.213	0.142	0.378	116.5L	0.388	Nongtrai Lime Stone Mines
W	5390	Feb 14 /24 14:17:00	4	Long	0.064	1.524	2.159	122.9L	2.191	Nongtrai Lime stone mines
W	UM6171	Feb 14 /24 14:17:00	4	Long	0.512	0.370	0.607	115.5L	0.667	Nongtrai Lime Stone Mines
W	UM6171	Feb 16 /24 14:08:36	4	Long	0.276	0.181	0.284	106.7L	0.295	Nongtrai Lime Stone Mines
W	UM6171	Feb 19 /24 14:15:13	4	Long	1.592	0.867	1.253	113.5L	1.596	Nongtrai Lime Stone Mines
W	5390	Feb 20 /24 14:08:10	4	Long	1.778	0.889	1.778	123.5L	2.048	Nongtrai Lime stone mines
W	UM6171	Feb 20 /24 14:08:13	4	Long	0.583	0.276	0.465	<88L	0.606	Nongtrai Lime Stone Mines
W	UM6171	Feb 22 /24 14:12:24	4	Long	0.623	0.378	0.946	107.9L	1.071	Nongtrai Lime Stone Mines
W	5390	Feb 22 /24 14:12:27	4	MicL	0.064	0.064	0.000	112.0L	0.095	Nongtrai Lime stone mines
W	5390	Feb 24 /24 14:13:31	4	Long	1.524	1.842	2.159	118.1L	2.350	Nongtrai Lime stone mines
W	UM6171	Feb 24 /24 14:13:31	4	Long	0.434	0.402	0.473	119.2L	0.637	Nongtrai Lime Stone Mines
W	5390	Feb 26 /24 14:09:24	4	Vert	0.953	0.699	0.635	114.0L	1.016	Nongtrai Lime stone mines
W	UM6171	Feb 26 /24 14:09:25	4	Long	1.198	1.025	2.018	109.4L	2.141	Nongtrai Lime Stone Mines
W	UM6171	Feb 27 /24 14:05:00	4	Long	0.434	0.323	0.749	110.5L	0.785	Nongtrai Lime Stone Mines
W	5390	Feb 29 /24 14:06:29	4	Long	0.889	0.762	0.889	115.6L	1.286	Nongtrai Lime stone mines
W	UM6171	Feb 29 /24 14:06:30	4	Long	0.347	0.166	0.370	107.2L	0.411	Nongtrai Lime Stone Mines

## Ground Vibration Report ( March - 2024)

Type	Serial No.	Date/Time	No. Chan	Trigger	Tran Peak (mm/s)	Vert Peak (mm/s)	Long Peak (mm/s)	Mic Peak (dB)	PVS1 (mm/s)	Description
W	5390	Mar 2 /24 14:06:46	4	Long	0.064	1.461	2.667	115.6L	2.667	Nongtrai Lime stone mines
W	UM6171	Mar 2 /24 14:06:47	4	Long	0.489	0.307	0.615	108.9L	0.683	Nongtrai Lime Stone Mines
W	UM6171	Mar 4 /24 14:16:40	4	Long	0.528	0.315	0.512	105.8L	0.580	Nongtrai Lime Stone Mines
W	UM6171	Mar 5 /24 14:25:20	4	Long	0.386	0.236	0.418	114.2L	0.517	Nongtrai Lime Stone Mines
W	UM6171	Mar 7 /24 14:05:14	4	Long	0.615	0.386	0.434	115.9L	0.711	Nongtrai Lime Stone Mines
W	5390	Mar 7 /24 14:05:15	4	Vert	2.095	1.588	1.905	116.1L	2.350	Nongtrai Lime stone mines
W	UM6171	Mar 8 /24 14:02:05	4	Tran	0.646	0.339	0.481	111.7L	0.723	Nongtrai Lime Stone Mines
W	5390	Mar 9 /24 14:07:05	4	Vert	0.064	1.080	1.207	115.6L	1.397	Nongtrai Lime stone mines
W	UM6171	Mar 9 /24 14:07:06	4	Long	0.544	0.426	0.504	107.2L	0.684	Nongtrai Lime Stone Mines
W	UM6171	Mar 11 /24 14:22:58	4	Long	1.450	0.985	2.144	110.7L	2.397	Nongtrai Lime Stone Mines
W	5390	Mar 11 /24 14:23:01	4	Vert	0.064	1.651	0.064	120.0L	1.651	Nongtrai Lime stone mines
W	5390	Mar 12 /24 14:09:45	4	Long	0.064	0.191	0.317	114.0L	0.349	Nongtrai Lime stone mines
W	UM6171	Mar 12 /24 14:09:45	4	Long	0.355	0.189	0.434	109.5L	0.438	Nongtrai Lime Stone Mines
W	5390	Mar 13 /24 14:06:58	4	Long	0.064	1.016	1.270	115.6L	1.349	Nongtrai Lime stone mines
W	UM6171	Mar 13 /24 14:07:02	4	MicL	0.079	0.039	0.047	106.1L	0.083	Nongtrai Lime Stone Mines
W	5390	Mar 15 /24 14:05:17	4	Long	0.064	0.826	1.842	120.8L	1.857	Nongtrai Lime stone mines
W	UM6171	Mar 15 /24 14:05:22	4	MicL	0.071	0.047	0.055	110.4L	0.071	Nongtrai Lime Stone Mines
W	UM6171	Mar 16 /24 14:13:57	4	Long	0.580	0.347	0.504	125.4L	0.633	Nongtrai Lime Stone Mines
W	5390	Mar 20 /24 14:07:00	4	Long	0.064	1.588	1.080	120.0L	1.667	Nongtrai Lime stone mines
W	5390	Mar 21 /24 14:11:14	4	Long	0.064	0.953	2.159	120.0L	2.175	Nongtrai Lime stone mines
W	UM6171	Mar 21 /24 14:11:23	4	Tran	0.646	0.331	0.536	109.5L	0.684	Nongtrai Lime Stone Mines
W	5390	Mar 23 /24 13:55:23	4	MicL	0.064	0.064	0.064	116.9L	0.095	Nongtrai Lime stone mines
W	5390	Mar 26 /24 14:07:38	4	Long	1.270	1.080	2.794	115.6L	2.842	Nongtrai Lime stone mines
W	UM6171	Mar 26 /24 14:08:23	4	Long	0.300	0.260	0.315	110.5L	0.371	Nongtrai Lime Stone Mines
W	UM6171	Mar 28 /24 14:08:25	4	Long	0.071	0.197	0.347	93.78L	0.350	Nongtrai Lime Stone Mines
W	5390	Mar 29 /24 14:14:52	4	MicL	0.064	0.064	0.064	116.9L	0.111	Nongtrai Lime stone mines
W	UM6171	Mar 29 /24 14:14:53	4	MicL	0.071	0.047	0.047	109.7L	0.075	Nongtrai Lime Stone Mines
W	UM6171	Mar 30 /24 14:10:38	4	Long	0.891	0.473	0.922	108.1L	1.097	Nongtrai Lime Stone Mines
W	5390	Mar 30 /24 14:10:41	4	Tran	0.889	0.317	0.699	122.3L	0.921	Nongtrai Lime stone mines



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpynggad, Shillong-793014  
**TEST REPORT**



Report No: WQ/2023/308

1.	Issue Date	:	11.3.2024
2.	Name of the Project	:	Drinking water source
3.	Sample matrix	:	Water
4.	Date of sample collection	:	18.10.2023
5.	Samples collected by	:	MSPCB
6.	Date of sample receipt	:	19.10.2023
7.	Date of sample analysis	:	19.10.2023-31.10.2023
8.	Sample Registration No.	:	G202A/23/1-4
9.	Sample plan reference	:	-
10.	Report sent to (Name & Address)	:	Mines Manager, Lafarge Umiam Mining Pvt. Ltd
11.	Deviation, if any	:	-
12.	Method of sampling	:	IS-3025-Part I
13.	Remarks	:	-

Parameters	Test Method: APHA 21 <sup>st</sup> Ed. No.	Sampling Code/Location			
		G/202A/23/1 LWQ1	G/202A/23/2 LWQ2	G/202A/23/3 LWQ3	G/202A/23/4 LWG4
<i>pH</i>	4500-H <sup>+</sup> B	8.1	7.9	7.9	7.0
<i>Conductivity (µmho/cm)</i>	2510 A	150.0	140.0	200.0	210.0
<i>Turbidity (NTU)</i>	2130 B	0.7	0.5	0.7	0.7
<i>Total Suspended Solids (mg/l)</i>	2540D	12.0	10.0	10.0	10.0
<i>Total Dissolved Solids (mg/l)</i>	2540C	108.0	98.0	125.0	170.0
<i>Chloride (mg/l)</i>	4500-Cl <sup>-</sup> B	4.0	5.0	4.0	6.0
<i>Total Hardness (mg/l)</i>	2340 C	80.0	60.0	120.0	110.0
<i>Alkalinity (mg/l)</i>	2320 B	74.0	46.0	101.0	102.0
<i>Nitrate-N (mg/l)</i>	4500-NO <sub>3</sub> <sup>-</sup> D	1.2	1.0	1.1	1.2
<i>Nitrite-N (mg/l)</i>	4500NO <sub>2</sub> -B	BDL*	BDL*	BDL*	BDL*
<i>Iron (mg/l)</i>	3500-Fe B	0.22	0.2	0.2	0.22
<i>Fluoride (mg/l)</i>	4500-F-D	0.05	0.06	0.06	0.06
<i>Dissolved Oxygen (mg/l)</i>	4500-O C	7.8	7.0	7.0	7.6
<i>Biochemical Oxygen Demand (mg/l)</i>	IS-3025 (P-44)	1.2	1.2	1.5	1.3
<i>Calcium as CaCO<sub>3</sub> (mg/l)</i>	3500-CaB	60.0	40.0	84.0	82.0
<i>Magnesium as CaCO<sub>3</sub> (mg/l)</i>	3500-MgB	20.0	20.0	38.0	28.0
<i>Potassium (mg/l)</i>	3500-KB	1.0	1.0	1.0	1.2
<i>Sodium (mg/l)</i>	3500-NaB	2.1	2.2	2.3	3.0
<i>Ammonia Nitrogen (mg/l)</i>	4500-NH <sub>3</sub> A&C	0.14	0.1	0.07	0.1



MEGHALAYA STATE POLLUTION CONTROL BOARD  
CENTRAL LABORATORY  
"Arden", Lumpynggad, Shillong-793014  
**TEST REPORT**



Phosphates (mg/l)	4500-P D	0.01	0.01	0.01	0.01
Sulphates (mg/l)	4500-SO4-2E	6.8	6.0	6.8	5.8
Sulphides (mg/l)	4500-S <sup>2-</sup>	BDL*	BDL*	BDL*	BDL*
Arsenic (mg/l)	3500 As B	BDL*	BDL*	BDL*	BDL*
Copper (mg/l)	3030 E,3111B	BDL*	BDL*	BDL*	BDL*
Lead (mg/l)		BDL*	BDL*	BDL*	BDL*
Chromium (mg/l)		BDL*	BDL*	BDL*	BDL*
Zinc (mg/l)		BDL*	0.01	0.01	BDL
Cadmium (mg/l)		BDL*	BDL*	BDL*	BDL*
Nickel (mg/l)		BDL*	BDL*	BDL*	BDL*
Manganese(mg/l)		BDL*	BDL*	BDL*	BDL*
Total Coliform (MPN/100ml)	9221 B	79	67	94	70

\*BDL – Below Detectable Limit

**Statement:**

1. The results are reported based on the materials received
2. Sample will be destroyed after one month from the date of issue of the report.
3. The report shall not be reproduced except in full, without the written approval of the laboratory.

  
(J. Sawian)  
Sr. Scientist



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpyngngad, Shillong-793014  
**TEST REPORT**



TC: 4054

Report No: WQ/2023/313

- |     |                                 |   |  |
|-----|---------------------------------|---|--|
| 1.  | Issue Date                      | : | 11.3.2024                                    |
| 2.  | Name of the Project             | : | Water quality                                |
| 3.  | Sample matrix                   | : | Water  |
| 4.  | Date of sample collection       | : | 14.11.2023                                   |
| 5.  | Samples collected by            | : | MSPCB  |
| 6.  | Date of sample receipt          | : | 15.11.2023                                   |
| 7.  | Date of sample analysis         | : | 15.11.2023-30.11.2023                        |
| 8.  | Sample Registration No.         | : | G/ 214/23/1-4                                |
| 9.  | Sample plan reference           | : | -  |
| 10. | Report sent to (Name & Address) | : | Mines Manager, Lafarge Umiam Mining Pvt. Ltd |
| 11. | Deviation, if any               | : | -  |
| 12. | Method of sampling              | : | IS-3025-Part I                               |
| 13. | Remarks                         | : | -  |

Parameters	Test Method: APHA 21 <sup>st</sup> Ed. No.	Sampling Code/Location			
		G/214/23/1 LWQ1	G/214/23/2 LWQ2	G/214/23/3 LWQ3	G/214/23/4 LWQ4
<i>pH</i>	4500-H <sup>+</sup> B	7.8	7.9	8.0	7.9
<i>Conductivity (µmho/cm)</i>	2510 A	124.0	122.0	166.0	164.0
<i>Turbidity (NTU)</i>	2130 B	1.1	1.0	1.1	1.2
<i>Total Suspended Solids (mg/l)</i>	2540D	11.0	12.0	10.0	11.0
<i>Total Dissolved Solids (mg/l)</i>	2540C	86.0	84.0	110.0	112.0
<i>Chloride (mg/l)</i>	4500-Cl <sup>-</sup> B	6.0	6.0	6.0	7.0
<i>Total Hardness (mg/l)</i>	2340 C	66.0	64.0	82.0	84.0
<i>Alkalinity (mg/l)</i>	2320 B	78.0	76.0	90.0	94.0
<i>Nitrate-N (mg/l)</i>	4500-NO <sub>3</sub> <sup>-</sup> D	0.7	0.8	0.7	0.6
<i>Nitrite-N (mg/l)</i>	4500NO <sub>2</sub> -B	BDL*	BDL*	BDL*	BDL*
<i>Iron (mg/l)</i>	3500-Fe B	0.21	0.21	0.22	0.2
<i>Fluoride (mg/l)</i>	4500-F-D	0.05	0.06	0.05	0.06
<i>Dissolved Oxygen (mg/l)</i>	4500-O C	7.0	7.2	7.0	7.2
<i>Biochemical Oxygen Demand (mg/l)</i>	IS-3025 (P-44)	1.5	1.5	1.8	1.8
<i>Calcium as CaCO<sub>3</sub> (mg/l)</i>	3500-CaB	38.0	36.0	34.0	38.0



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpyngngad, Shillong-793014  
**TEST REPORT**



Magnesium as CaCO <sub>3</sub> (mg/l)	3500-MgB	28.0	28.0	34.0	30.0
Potassium (mg/l)	3500-KB	1.1	1.1	1.2	1.2
Sodium (mg/l)	3500-NaB	3.0	3.0	3.0	3.2
Ammonia Nitrogen (mg/l)	4500-NH3A&C	0.4	0.3	0.2	0.19
Phosphates (mg/l)	4500-P D	BDL*	BDL*	BDL*	BDL*
Sulphates (mg/l)	4500-SO4-2E	7.8	7.9	8.0	8.6
Sulphides (mg/l)	4500-S <sup>2-</sup>	BDL*	BDL*	BDL*	BDL*
Arsenic (mg/l)	3500 As B	BDL*	BDL*	BDL*	BDL*
Copper (mg/l)	3030 E,3111B	0.1	BDL*	0.01	0.01
Lead (mg/l)		0.01	BDL*	0.02	0.01
Chromium (mg/l)		BDL*	BDL*	BDL*	BDL*
Zinc (mg/l)		0.03	0.03	0.04	0.04
Cadmium (mg/l)		BDL*	BDL*	BDL*	BDL*
Nickel (mg/l)		0.01	BDL*	0.01	0.01
Manganese(mg/l)		0.01	0.01	0.01	0.01
Total Coliform (MPN/100ml)		9221 B	94	79	74

\*BDL – Below Detectable Limit

**Statement:**

1. The results are reported based on the materials received
2. Sample will be destroyed after one month from the date of issue of the report.
3. The report shall not be reproduced except in full, without the written approval of the laboratory.

  
 (J. Sawian)  
 Sr. Scientist



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpynggad, Shillong-793014  
**TEST REPORT**



Report No: WQ/2023/318

- |     |                                 |   |  |
|-----|---------------------------------|---|--|
| 1.  | Issue Date                      | : | 12.3.2024                                    |
| 2.  | Name of the Project             | : | Water quality                                |
| 3.  | Sample matrix                   | : | Water  |
| 4.  | Date of sample collection       | : | 14.12.2024                                   |
| 5.  | Samples collected by            | : | MSPCB  |
| 6.  | Date of sample receipt          | : | 15.12.2023                                   |
| 7.  | Date of sample analysis         | : | 15.12.2023-10.1.2024                         |
| 8.  | Sample Registration No.         | : | G/ 241/23/1-4                                |
| 9.  | Sample plan reference           | : | -  |
| 10. | Report sent to (Name & Address) | : | Mines Manager, Lafarge Umiam Mining Pvt. Ltd |
| 11. | Deviation, if any               | : | -  |
| 12. | Method of sampling              | : | IS-3025-Part I                               |
| 13. | Remarks                         | : | -  |

Parameters	Test Method: APHA 23 <sup>rd</sup> Ed. except BOD  IS-3025	Sampling Code/Location			
		G/241/23/1 LWQ1	G/241/23/2 LWQ2	G/241/23/3 LWQ3	G/241/23/4 LWQ4
pH	4500-H <sup>+</sup> B	7.9	7.8	7.8	7.9
Conductivity (µmho/cm)	2510 A	156.0	158.0	160.0	160.0
Turbidity (NTU)	2130 B	2.0	2.2	2.6	2.8
Total Suspended Solids (mg/l)	2540D	10.0	11.0	10.0	10.0
Total Dissolved Solids (mg/l)	2540C	114.0	113.0	115.0	113.0
Chloride (mg/l)	4500-Cl <sup>-</sup> B	7.0	7.0	6.0	7.0
Total Hardness (mg/l)	2340 C	76.0	74.0	76.0	76.0
Alkalinity (mg/l)	2320 B	40.0	38.0	34.0	32.0
Nitrate-N (mg/l)	4500-NO <sub>3</sub> <sup>-</sup> D	0.6	0.7	0.6	0.7
Nitrite-N (mg/l)	4500NO <sub>2</sub> -B	BDL*	BDL*	BDL*	BDL*
Iron (mg/l)	3500-Fe B	0.2	0.2	0.21	0.2
Fluoride (mg/l)	4500-F-D	0.06	0.06	0.06	0.05
Potassium (mg/l)	3500-KB	1.8	1.6	2.0	1.8
Sodium (mg/l)	3500-NaB	3.0	3.2	3.0	3.0



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
"Arden", Lumpynggad, Shillong-793014  
**TEST REPORT**




Ammonia Nitrogen (mg/l)	4500-NH3A&C	0.1	0.1	0.11	0.1
Phosphates (mg/l)	4500-P D	0.02	0.02	0.03	0.03
Sulphates (mg/l)	4500-SO4-2E	7.6	7.8	7.8	7.4
Sulphides (mg/l)	4500-S <sup>2-</sup>	BDL*	BDL*	BDL*	BDL*
Arsenic (mg/l)	3500 As B	BDL*	BDL*	BDL*	BDL*
Copper (mg/l)	3030 E,3111B	BDL*	BDL*	BDL*	BDL*
Lead (mg/l)		BDL*	BDL*	BDL*	BDL*
Chromium (mg/l)		BDL*	BDL*	BDL*	BDL*
Zinc (mg/l)		0.01	0.01	0.01	BDL
Cadmium (mg/l)		BDL*	BDL*	BDL*	BDL*
Nickel (mg/l)		BDL*	BDL*	BDL*	BDL*
Manganese(mg/l)		BDL*	BDL*	BDL*	BDL*
Total Coliform (MPN/100ml)		9221 B	53	43	43

\*BDL – Below Detectable Limit

**Statement:**

1. The results are reported based on the materials received
2. Sample will be destroyed after one month from the date of issue of the report.
3. The report shall not be reproduced except in full, without the written approval of the laboratory.

  
(J. Sawian)  
Sr. Scientist



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpyngngad, Shillong-793014  
**TEST REPORT**



Report No: WQ/2023/253

- |     |                                 |   |  |
|-----|---------------------------------|---|--|
| 1.  | Issue Date                      | : | 13.11.2023                                   |
| 2.  | Name of the Project             | : | Drinking water source                        |
| 3.  | Sample matrix                   | : | Water  |
| 4.  | Date of sample collection       | : | 12.7.2023                                    |
| 5.  | Samples collected by            | : | MSPCB  |
| 6.  | Date of sample receipt          | : | 13.7.2023                                    |
| 7.  | Date of sample analysis         | : | 13.7.2023-28.7.2023                          |
| 8.  | Sample Registration No.         | : | G/ 141/23/1-4                                |
| 9.  | Sample plan reference           | : | -  |
| 10. | Report sent to (Name & Address) | : | Mines Manager, Lafarge Umiam Mining Pvt. Ltd |
| 11. | Deviation, if any               | : | -  |
| 12. | Method of sampling              | : | IS-3025-Part I                               |
| 13. | Remarks                         | : | -  |

Parameters	Test Method: APHA 21 <sup>st</sup> Ed. No.	Sampling Code/Location			
		G/141/23/1 LWQ1	G/141/23/2 LWQ2	G/141/23/3 LWQ3	G/141/23/4 LWQ4
<i>pH</i>	4500-H <sup>+</sup> B	7.9	8.0	7.8	7.9
<i>Conductivity (µmho/cm)</i>	2510 A	124.0	120.0	170.0	178.0
<i>Turbidity (NTU)</i>	2130 B	5.0	4.5	5.2	8.0
<i>Total Suspended Solids (mg/l)</i>	2540D	10.0	12.0	12.0	12.0
<i>Total Dissolved Solids (mg/l)</i>	2540C	88.0	62.0	122.0	126.0
<i>Chloride (mg/l)</i>	4500-Cl <sup>-</sup> B	6.0	5.0	5.0	5.0
<i>Total Hardness (mg/l)</i>	2340 C	54.0	66.0	76.0	82.0
<i>Alkalinity (mg/l)</i>	2320 B	52.0	54.0	74.0	75.0
<i>Nitrate-N (mg/l)</i>	4500-NO <sub>3</sub> <sup>-</sup> D	0.7	0.7	0.7	0.6
<i>Nitrite-N (mg/l)</i>	4500NO2-B	BDL*	BDL*	BDL*	BDL*
<i>Iron (mg/l)</i>	3500-Fe B	0.2	0.22	0.22	0.22
<i>Fluoride (mg/l)</i>	4500-F-D	0.06	0.06	0.06	0.05
<i>Dissolved Oxygen (mg/l)</i>	4500-O C	7.2	7.4	7.4	7.4
<i>Biochemical Oxygen Demand (mg/l)</i>	IS-3025 (P-44)	1.4	1.2	1.4	1.8
<i>Calcium as CaCO<sub>3</sub> (mg/l)</i>	3500-CaB	32.0	34.0	46.0	50.0





**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
"Arden", Lumpyngngad, Shillong-793014  
**TEST REPORT**



TC: 4054

Magnesium as CaCO <sub>3</sub> (mg/l)	3500-MgB	20.0	20.0	30.0	32.0
Potassium (mg/l)	3500-KB	2.2	1.6	1.8	1.6
Sodium (mg/l)	3500-NaB	4.2	3.2	4.0	4.0
Ammonia Nitrogen (mg/l)	4500-NH3A&C	0.12	0.1	0.12	0.12
Phosphates (mg/l)	4500-P D	0.02	0.02	0.03	0.03
Sulphates (mg/l)	4500-SO4-2E	7.6	7.9	7.9	8.0
Sulphides (mg/l)	4500-S <sup>2-</sup>	BDL*	BDL*	BDL*	BDL*
Arsenic (mg/l)	3500 As B	BDL*	BDL*	BDL*	BDL*
Copper (mg/l)	3030 E,3111B	BDL*	BDL*	BDL*	BDL*
Lead (mg/l)		BDL*	BDL*	BDL*	BDL*
Chromium (mg/l)		BDL*	BDL*	BDL*	BDL*
Zinc (mg/l)		BDL*	0.01	0.01	BDL
Cadmium (mg/l)		BDL*	BDL*	BDL*	BDL*
Nickel (mg/l)		BDL*	BDL*	BDL*	BDL*
Manganese(mg/l)		0.01	0.01	0.01	0.01
Total Coliform (MPN/100ml)	9221 B	110	120	110	90

\*BDL – Below Detectable Limit

**Statement:**

1. The results are reported based on the materials received
2. Sample will be destroyed after one month from the date of issue of the report.
3. The report shall not be reproduced except in full, without the written approval of the laboratory.

  
(J. Sawian)  
Sr. Scientist



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpyngad, Shillong-793014  
**TEST REPORT**



Report No: WQ/2023/248

- |     |                                 |   |  |
|-----|---------------------------------|---|--|
| 1.  | Issue Date                      | : | 14.11.2023                                   |
| 2.  | Name of the Project             | : | Drinking water source                        |
| 3.  | Sample matrix                   | : | Water  |
| 4.  | Date of sample collection       | : | 21.8.23                                      |
| 5.  | Samples collected by            | : | MSPCB  |
| 6.  | Date of sample receipt          | : | 22.8.2023                                    |
| 7.  | Date of sample analysis         | : | 22.8.2023-15.9.2023                          |
| 8.  | Sample Registration No.         | : | G/ 160A/23/1-4                               |
| 9.  | Sample plan reference           | : | -  |
| 10. | Report sent to (Name & Address) | : | Mines Manager, Lafarge Umiam Mining Pvt. Ltd |
| 11. | Deviation, if any               | : | -  |
| 12. | Method of sampling              | : | IS-3025-Part I                               |
| 13. | Remarks                         | : | -  |

Parameters	Test Method: APHA 21 <sup>st</sup> Ed. No.	Sampling Code/Location			
		G/160A/23/1 LWQ1	G/160A/23/2 LWQ2	G/160A/23/3 LWQ3	G/160A/23/4 LWQ4
<i>pH</i>	4500-H <sup>+</sup> B	8.1	7.9	8.0	8.0
<i>Conductivity (µmho/cm)</i>	2510 A	124.0	126.0	170.0	178.0
<i>Turbidity (NTU)</i>	2130 B	5.0	4.5	5.0	7.0
<i>Total Suspended Solids (mg/l)</i>	2540D	12.0	10.0	12.0	10.0
<i>Total Dissolved Solids (mg/l)</i>	2540C	88.0	62.0	122.0	126.0
<i>Chloride (mg/l)</i>	4500-Cl <sup>-</sup> B	6.0	6.0	5.0	5.0
<i>Total Hardness (mg/l)</i>	2340 C	64.0	66.0	78.0	80.0
<i>Alkalinity (mg/l)</i>	2320 B	52.0	54.0	74.0	76.0
<i>Nitrate-N (mg/l)</i>	4500-NO <sub>3</sub> <sup>-</sup> D	0.72	0.7	0.7	0.62
<i>Nitrite-N (mg/l)</i>	4500NO <sub>2</sub> -B	BDL*	BDL*	BDL*	BDL*
<i>Iron (mg/l)</i>	3500-Fe B	0.22	0.2	0.2	0.22
<i>Fluoride (mg/l)</i>	4500-F-D	0.06	0.06	0.06	0.05
<i>Dissolved Oxygen (mg/l)</i>	4500-O C	7.0	7.4	7.2	7.4
<i>Biochemical Oxygen Demand (mg/l)</i>	IS-3025 (P-44)	1.3	1.2	1.4	1.6
<i>Calcium as CaCO<sub>3</sub> (mg/l)</i>	3500-CaB	44.0	42.0	46.0	48.0



**MEGHALAYA STATE POLLUTION CONTROL BOARD  
CENTRAL LABORATORY**

**"Arden", Lumpynggad, Shillong-793014**

**TEST REPORT**



TC: 4054

Magnesium as CaCO <sub>3</sub> (mg/l)	3500-MgB	20.0	24.0	32.0	32.0
Potassium (mg/l)	3500-KB	2.0	1.6	1.8	1.8
Sodium (mg/l)	3500-NaB	4.0	3.2	4.0	4.0
Ammonia Nitrogen (mg/l)	4500-NH3A&C	0.12	0.1	0.12	0.12
Phosphates (mg/l)	4500-P D	0.02	0.03	0.03	0.03
Sulphates (mg/l)	4500-SO4-2E	8.0	7.9	7.9	8.0
Sulphides (mg/l)	4500-S <sup>2-</sup>	BDL*	BDL*	BDL*	BDL*
Arsenic (mg/l)	3500 As B	BDL*	BDL*	BDL*	BDL*
Copper (mg/l)	3030 E,3111B	BDL*	BDL*	BDL*	BDL*
Lead (mg/l)		BDL*	BDL*	BDL*	BDL*
Chromium (mg/l)		BDL*	BDL*	BDL*	BDL*
Zinc (mg/l)		BDL*	0.01	0.01	BDL
Cadmium (mg/l)		BDL*	BDL*	BDL*	BDL*
Nickel (mg/l)		BDL*	BDL*	BDL*	BDL*
Manganese(mg/l)		0.01	0.01	0.01	0.01
Total Coliform (MPN/100ml)		9221 B	120	110	110

\*BDL – Below Detectable Limit

**Statement:**

1. The results are reported based on the materials received
2. Sample will be destroyed after one month from the date of issue of the report.
3. The report shall not be reproduced except in full, without the written approval of the laboratory.

  
(J. Sawian)  
Sr. Scientist



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
 "Arden", Lumpynggad, Shillong-793014  
**TEST REPORT**



TC: 4054

Report No: WQ/2023/258

- |     |                                 |   |  |
|-----|---------------------------------|---|--|
| 1.  | Issue Date                      | : | 14.11.2023                                   |
| 2.  | Name of the Project             | : | Drinking water source                        |
| 3.  | Sample matrix                   | : | Water  |
| 4.  | Date of sample collection       | : | 5.9.2023                                     |
| 5.  | Samples collected by            | : | MSPCB  |
| 6.  | Date of sample receipt          | : | 6.9.2023                                     |
| 7.  | Date of sample analysis         | : | 6.9.2023-29.9.2023                           |
| 8.  | Sample Registration No.         | : | G/ 174/23/1-4                                |
| 9.  | Sample plan reference           | : | -  |
| 10. | Report sent to (Name & Address) | : | Mines Manager, Lafarge Umiam Mining Pvt. Ltd |
| 11. | Deviation, if any               | : | -  |
| 12. | Method of sampling              | : | IS-3025-Part I                               |
| 13. | Remarks                         | : | -  |

Parameters	Test Method: APHA 21 <sup>st</sup> Ed. No.	Sampling Code/Location			
		G/174/23/1 LWQ1	G/174/23/2 LWQ2	G/174/23/3 LWQ3	G/174/23/4 LWQ4
pH	4500-H <sup>+</sup> B	7.9	7.7	8.1	7.9
Conductivity ( $\mu\text{mho/cm}$ )	2510 A	126.0	121.0	166.0	165.0
Turbidity (NTU)	2130 B	1.0	1.2	1.1	2.4
Total Suspended Solids (mg/l)	2540D	10.0	10.0	12.0	10.0
Total Dissolved Solids (mg/l)	2540C	87.0	83.0	114.0	114.0
Chloride (mg/l)	4500-Cl <sup>-</sup> B	5.0	6.0	6.0	7.0
Total Hardness (mg/l)	2340 C	64.0	58.0	84.0	84.0
Alkalinity (mg/l)	2320 B	82.0	80.0	108.0	106.0
Nitrate-N (mg/l)	4500-NO <sub>3</sub> <sup>-</sup> D	0.5	0.9	0.6	0.6
Nitrite-N (mg/l)	4500NO2-B	BDL*	BDL*	BDL*	BDL*
Iron (mg/l)	3500-Fe B	0.2	0.2	0.22	0.2
Fluoride (mg/l)	4500-F-D	0.06	0.05	0.06	0.05
Dissolved Oxygen (mg/l)	4500-O C	6.9	7.2	7.0	6.7
Biochemical Oxygen Demand (mg/l)	IS-3025 (P-44)	1.3	1.5	1.8	2.1
Calcium as CaCO <sub>3</sub> (mg/l)	3500-CaB	42.0	38.0	56.0	56.0



**MEGHALAYA STATE POLLUTION CONTROL BOARD**  
**CENTRAL LABORATORY**  
"Arden", Lumpynggad, Shillong-793014  
**TEST REPORT**




TC: 4054

Magnesium as CaCO <sub>3</sub> (mg/l)	3500-MgB	22.0	20.0	28.0	28.0
Potassium (mg/l)	3500-KB	1.1	1.1	1.2	1.4
Sodium (mg/l)	3500-NaB	2.9	2.8	3.1	3.4
Ammonia Nitrogen (mg/l)	4500-NH3A&C	0.4	0.23	0.19	0.18
Phosphates (mg/l)	4500-P D	BDL*	BDL*	BDL*	BDL*
Sulphates (mg/l)	4500-SO4-2E	8.3	7.9	8.3	9.2
Sulphides (mg/l)	4500-S <sup>2-</sup>	BDL*	BDL*	BDL*	BDL*
Arsenic (mg/l)	3500 As B	BDL*	BDL*	BDL*	BDL*
Copper (mg/l)	3030 E,3111B	0.1	BDL*	0.01	0.01
Lead (mg/l)		0.02	BDL*	0.02	0.01
Chromium (mg/l)		BDL*	BDL*	BDL*	BDL*
Zinc (mg/l)		0.03	0.03	0.04	0.05
Cadmium (mg/l)		BDL*	BDL*	BDL*	BDL*
Nickel (mg/l)		0.01	0.01	0.01	0.01
Manganese(mg/l)		0.01	0.01	0.01	0.01
Total Coliform (MPN/100ml)		9221 B	130	150	110

\*BDL – Below Detectable Limit

**Statement:**

1. The results are reported based on the materials received
2. Sample will be destroyed after one month from the date of issue of the report.
3. The report shall not be reproduced except in full, without the written approval of the laboratory.

  
(J. Sawian)  
Sr. Scientist

# MEGHALAYA STATE POLLUTION CONTROL BOARD



mspcb

Book No. : 148

"ARDEN", LUMPYNGGAD, SHILLONG - 793014

e-mail : memsecy.spcb-meg@gov.in; megspcb@rediffmail.com

Phone : 0364-2521533, 2521514, 2522726

Sl. No. 14718

## VEHICLE EMISSION TEST REPORT (DIESEL DRIVEN)


Date of testing : 08/01/24

Certified that the exhaust emission of Vehicle No. ML05 M 0536

has been tested and the result is as under :-

Method of Test	Maximum Smoke Density			Result (Hartridge Smoke Unit)
	Light Absorption Co-efficient (l/m)	Bosch Units	Hartridge Unit	
a) For vehicles other than agricultural tractors : Full load at 60 to 70% of maximum engine rated rpm declared by the manufacturer. or	3.25	5.2	75	
Free acceleration for turbo charged engine or Free acceleration for naturally aspirated engine	2.45	--	65	12-1
b) For agricultural tractors 80% load corresponding to maximum power developed in PTO performance tests.	3.25	5.2	75	

Certified that the vehicle meets the emission standard and this certificate is valid for 6 (six) months from the date of issue. This Certificate is valid upto 08/07/24



Signature of Issuing Official

Authority vide Order No. Com/Trans/89/216/52 dt. 03/02/1990 of Commissioner of Transport, Govt. of Meghalaya

Ground water level results for the period Oct – Dec 2023 and Jan – Mar 2024

(Vibrating Wire Piezometer)

Location	Oct			Nov			Dec		
	Reading in Unit meter			Reading in Unit meter			Reading in Unit meter		
	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg
PWD Road (To the south west of the Mine)	52.84	54.46	53.78	51.26	52.82	51.92	50.08	51.20	50.63
Near Mine entry gate (To the South of the Mine)	53.28	54.24	53.82	52.70	53.24	52.97	51.12	52.64	51.93
Near Transit House (To the South East of the Mine)	52.40	53.24	52.83	50.84	52.38	51.65	49.12	50.76	49.84
Location	Jan			Feb			Mar		
	Reading in Unit meter			Reading in Unit meter			Reading in Unit meter		
	Min	Max	Avg	Min	Max	Avg	Min	Max	Avg
PWD Road (To the south west of the Mine)	47.78	50.04	48.66	47.64	48.06	47.85	47.64	47.94	47.77
Near Mine entry gate (To the South of the Mine)	49.96	51.08	50.53	49.74	50.06	49.89	49.46	49.72	49.57
Near Transit House (To the South East of the Mine)	48.02	49.06	48.54	47.54	48.16	47.93	47.26	47.52	47.39

Report on Biodiversity Conservation Plant

**GOVERNMENT OF MEGHALAYA**  
DEPARTMENT OF FORESTS AND ENVIRONMENT  
**OFFICE OF THE PRINCIPAL CHIEF CONSERVATOR OF FORESTS &**  
**HOFF: MEGHALAYA**

No. 20/2018/CAMPA/Vol-III /912Dated Shillong, the 29<sup>th</sup> April, 2024

To,

The Director Corporate Affairs,  
Lafarge Umiam Mining Private Limited,  
3<sup>rd</sup> Floor, Goenka Towers,  
Morello Compound, Keating Road,  
Shillong – 793001, Meghalaya.

Sub: Monitoring Observations by Ministry of Environment, Forests & Climate Change  
Regional Office, Shillong – Response thereof.

Ref: Letter No. Nil, dated April 22, 2024.

Sir,

With reference to the subject cited above, I am furnishing here under the status report of implementation of works carried out by Forest Department in respect of the Biodiversity Conservation Plan, Catchment Area Treatment and Species-Specific Conservation Plan for Schedule-I which is as follows:-

Sl. No	Queries	Replies
1	Biodiversity Conservation Plan and Species-Specific Conservation Plan for Schedule-I being implemented by the Department of Forests and Environment, Government of Meghalaya, implementation are very slow.	The item of works for Implementation of the Biodiversity Conservation Plan is enclosed as <b>Annexure I</b> Whereas, for Species Specific Conservation Plan for Schedule-I species the item of works have been included in the APO 2023-24, however since fund has not yet been released by State Government, the said works could not be carried out.
2	LUMPL informed that Rs.50.00 lakhs have been deposited in the CAMPA Fund for the CAT Plan, leaving a balance of Rs.8.0 lakhs. LUMPL must submit a report outlining how the State Government intends to use the remaining Rs.8.0 lakhs allocated for the CAT Plan	An amount of ₹ 8,00,000/- (Rupees Eight Lakh) only has been fully utilized in respect of the approved APOs 2020-21, 2021-22 & 2022-23. Detail information is enclosed as <b>Annexure II</b>
3	Action Plan defined in the Biodiversity Conservation Plan along with the allocated funds (Rs 439 lakhs), is to be implemented over the next ten years, beginning in 2013. However, just Rs. 58,32,000/- has been spent so far on the implementation of the BCP. The implementation of the activities described in the Biodiversity Conservation Plan must be expedited.	Details of action taken by the Forest Department towards utilizing of the fund in Biodiversity Conservation Plan is contained in the enclosed <b>Annexure I</b>
4	Species-Specific Conservation Plan for Schedule -I have yet to be implemented by the State Forest Department. LUMPL must submit a report on the progress of implementing species-specific conservation plans for Schedule-I species.	Details information is enclosed as <b>Annexure III</b>

This is for your kind information and necessary action.

Yours faithfully,

Chief Conservator of Forests (FC & CAMPA)  
Meghalaya, Shillong



## Annexure I

**Status Report on Implementation of the Biodiversity Conservation Plan Fund in respect of the approved  
APOs 2011-14, 2014-17, 2020-21, 2021-22 & 2022-23**

Year	Physical Achievement	Location	Amount (in Lakh)	Remarks
Released during 2015-2016	A. Biodiversity Conservation Plan for Lafarge Mining at Nongtraï			Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	(i) Species recovery of important plants	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 5,00,000	
	(ii) Improvement works for Insitu Conservation of plants		₹ 2,00,000	
	(iii) Conservation of Horticulture species		₹ 3,00,000	
	(iv) Providing alternate livelihood support to local people	Saïkarap Lumbaniang Under Sohra Range	₹ 5,00,000	
	B. Promoting herbal garden	Balat Nursery under Mawsynram Range	₹ 5,00,000	
<b>Total</b>			<b>₹ 20,00,000</b>	
Released during 2015-2016	Biodiversity Conservation Plan for Lafarge Mining at Nongtraï			
	(i) Development of eco-park	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 14,00,000	
	(ii) Creation of safety-zone		₹ 2,00,000	
	(iii) Nursery and advanced work, creation for green belt plantation (areas =24 Ha)		₹ 6,72,000	
	(iv) Creation of green belt along conveyor = 10 Ha		₹ 3,80,000	
	(v) Compensatory Afforestation nursery and advance work (Area = 60 Ha)	Pyrkan-I - 28Ha Pyrkan_II - 14Ha Umkut Pyrkan -15Ha Pyrkan-III - 3Ha Under Sohra Range	₹ 16,80,000	
<b>Total</b>			<b>₹ 43,32,000</b>	
Released during 2018-2019	Biodiversity Conservation Plan Lafarge Project			
	(i) Compensatory Afforestation - 1st year creation plantation -60 ha	Pyrkan-I - 28Ha Pyrkan_II - 14Ha Umkut Pyrkan -15Ha Pyrkan-III - 3Ha Under Sohra Range	₹ 9,52,000	
	(ii) Creation of Green Belt - 1st year plantation – 24 ha	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 3,81,000	
	(iii) Improvement Works for In-situ - 1st year plantation – 18.1 ha		₹ 1,10,000	
	(iv) Species recovery of important plants - 2nd year maintenance nursery of 20 beds	Saïkarap Lumbaniang Under Sohra Range	₹ 10,000	
	(v) 2nd year maintenance of 60 Ha Compensatory Afforestation @ 21,666/- per Ha (21666/- × 60 Ha)	Pyrkan-I - 28Ha Pyrkan_II - 14Ha Umkut Pyrkan -15Ha Pyrkan-III - 3Ha Under Sohra Range	₹ 12,99,960	
	(vi) 2nd year maintenance of 24 Ha Green Belt plantation @ 21,666/- per Ha (21666/- × 24 Ha)	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 5,19,984	
	(vii) 2nd year maintenance of 12 Ha Species Recovery of important plants plantation @ 21,666/- per Ha (21666/- × 12 Ha)	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 2,59,992	

Released during 2018-2019	(viii) 2nd year maintenance of 18.1 Ha Improvement work for insitu conservation of plants plantation by way of ANR @ 6594/- per Ha (6594/- × 18.1 Ha)	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,19,351	Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	(ix) 2nd year maintenance of 6.07 Ha Safety zone plantation	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,31,513	
	(x) 2nd year maintenance of 7 Ha Conservation of horticulture species plantation @ 21,666/- per Ha (21,666/- × 7 Ha)	Pukri Sohlap Shella - 1Ha Khahmalai - 1Ha Pyrkan-Shella - 1Ha Lum Pyrkan - 1Ha Nongtraï - 3 Ha	₹ 1,51,662	
	(xi) 2nd year maintenance of 1.31 Km Green Belt Plantation along the Conveyor Belt @ 251/- per plant (251/- × 657 plants)	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,64,907	
	(xii) 2nd year maintenance of 237 Beds @ 769/- per bed (769/- 237 Beds)	Saikarap Lumbaniang Under Sohra Range	₹ 1,82,253	
	(xiii) 3rd year maintenance of 8.971 Ha out of 12 Ha Species Recovery of important plants plantation @ 18212/- per Ha (18,212/- × 8.971 Ha)	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,63,378	
	<b>Total</b>			
Released during 2020-2021	<b>Nursery:-</b> (i) 1st year creation and maintenance of nursery 261 Beds for compensatory afforestation	Saikarap Lumbaniang Forest Nursery Under Sohra Range	₹ 24,94,418	
	<b>Plantation:-</b> (ii) Preliminary/Advance work for 100 Ha Compensatory Afforestation	Khahbadar Shella Plot-I, 7.9 Ha Khahbadar Shella Plot-II, 9.5 Ha Khahbadar Shella Plot-III, 7.15 Ha Khahbadar Shella Plot-IV, 6.2 Ha Khahbadar Shella Plot-V, 3.08 Ha Khahbadar Shella Plot-VI, 2.68 Ha Pyrkan Shella Plot-I, 8.1 Ha Pyrkan Shella (Khahmohi) Plot-II, 3 Ha Pyrkan Shella Plot-III, 4.09 Ha Khahmalai Mustoh Shella, 22.8 Ha Disham Shella, 20.4 Ha Saikarap-Ulei, 5.1 Ha Under Sohra Range	₹ 36,61,200	
	(iii) 3rd year maintenance Species recovery	Saikarap Lumbaniang Under Sohra Range	₹ 8,00,000	
	(iv) Improvement works for Insitu conservation of plants	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 3,00,000	
	(v) Conservation of agricultural species		₹ 8,00,000	
	(vi) Establishment of demo garden		₹ 5,00,000	
	(vii) 24 Ha Green Belt Plantation created during 2015-16 in SF, Division, East Khasi Hills:-	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 4,51,008	
	(viii) 60 Ha Plantation created during 2015-16 in SF, Division, East Khasi Hills:- (a) 3rd year Creation	Pyrkan-I - 28Ha Pyrkan_II - 14Ha Umkut Pyrkan - 15Ha Pyrkan-III - 3Ha Under Sohra Range	₹ 11,27,520	

Released during 2020-2021	12 Ha Recovery of important plants:- (a) 4th year maintenance	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,36,080	Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	18.1 Ha Insitu conservation of plants:- (a) 3rd year maintenance		₹ 3,40,136	
	7 Ha Conservation of Horticulture species:- (a) 3rd year maintenance	Pukri Sohlap Shella - 1Ha Khahmalai - 1Ha Pyrkan-Shella - 1Ha Lum Pyrkan - 1Ha Nongtraï - 3 Ha	₹ 1,31,544	
	1.3 Km along the Conveyor:- a) 3rd year maintenance	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,70,163	
	6.7 Ha Safety Zone a) 3rd year maintenance		₹ 1,14,067	
<b>Total</b>			<b>₹ 1,10,26,136</b>	
Released during 2021-2022	4th year maintenance of 24 Ha Green Belt plantation at BCP Lafarge Project at Nongtraï under Sohra Range	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 3,02,400	Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	4th year maintenance of 60 Ha plantation at BCP Lafarge Project at Pyrkan Shella	Pyrkan-I - 28Ha Pyrkan_II - 14Ha Umkut Pyrkan - 15Ha Pyrkan-III - 3Ha Under Sohra Range	₹ 7,56,000	
	5th year maintenance of 12 Ha plantation at BCP Lafarge Project at Nongtraï	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 1,90,080	
	4th year maintenance of 18.1 Ha plantation at BCP Lafarge Project at Nongtraï		₹ 2,28,060	
	4th year maintenance of 7 Ha plantation at BCP Lafarge Project at Nongtraï	Pukri Sohlap Shella - 1Ha Khahmalai - 1Ha Pyrkan-Shella - 1Ha Lum Pyrkan - 1Ha Nongtraï - 3 Ha Under Sohra Range	₹ 88,200	
	4th year maintenance of 6.7 Ha plantation at BCP Lafarge Project at Nongtraï	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 84,420	
<b>Total</b>			<b>₹ 16,49,160</b>	
Released during 2022-2023	5 <sup>th</sup> Year Maintenance of 24 Ha. Green Belt plantation at BCP Lafarge Project at Nongtraï under Sohra Range	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 3,90,720	Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	5 <sup>th</sup> Year Maintenance of 60 Ha. plantation at BCP Lafarge Project at PyrkanShella under Sohra Range	Pukri Sohlap Shella - 1Ha Khahmalai - 1Ha Pyrkan-Shella - 1Ha Lum Pyrkan - 1Ha Nongtraï - 3 Ha Under Sohra Range	₹ 9,76,800	
	5 <sup>th</sup> Year Maintenance of 18.1 Ha. Green Belt plantation at BCP Lafarge Project at Nongtraï	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 2,94,668	
	5 <sup>th</sup> Year Maintenance of 7 Ha. plantation at BCP Lafarge Project at Nongtraï	Pukri Sohlap Shella - 1Ha Khahmalai - 1Ha Pyrkan-Shella - 1Ha Lum Pyrkan - 1Ha Nongtraï - 3 Ha Under Sohra Range	₹ 1,13,960	

Released during 2022-2023	5 <sup>th</sup> Year Maintenance of 6.07 Ha. plantation at BCP Lafarge Project at Nongtraï	M/S Lafarge Umiam Mining Pvt. Ltd. Nongtraï Village Under Sohra Range	₹ 98,820	Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	2 <sup>nd</sup> Year Maintenance of 260 Beds poly pot Nursery at Saikarap Lumbaning for 100 Ha. Plantation during the year 2022-23 for Compensatory afforestation under Sohra Range	Saikarap Lumbaniang Forest Nursery Under Sohra Range	₹ 1,92,485	
	1 <sup>st</sup> Year Creation and Maintenance works of 100 Ha. Areas (Consists of 12 plots) plantation for compensatory afforestation i. KhahbadarShella Plot-I 7.9 Ha ii. KhahbadarShella Plot-II 9.5 Ha iii. KhahbadarShella Plot-III 7.15 Ha iv. KhahbadarShella Plot-IV 6.2 Ha v. KhahbadarShella Plot-V 3.08 Ha vi. KhahbadarShella Plot-VI 2.68 Ha vii. PyrkanShella Plot-I 8.1 Ha viii. PyrkanShella Plot-II 3.0 Ha ix. PyrkanShella Plot-III 4.09 Ha x. KhahmalaiMustohShella 22.8 Ha xi. DishamShella 20.4 Ha xii. WahdohthliShella 5.1 Ha	Khahbadar Shella Plot-I, 7.9 Ha Khahbadar Shella Plot-II, 9.5 Ha Khahbadar Shella Plot-III, 7.15 Ha Khahbadar Shella Plot-IV, 6.2 Ha Khahbadar Shella Plot-V, 3.08 Ha Khahbadar Shella Plot-VI, 2.68 Ha Pyrkan Shella Plot-I, 8.1 Ha Pyrkan Shella Plot-II, 3.0 Ha Pyrkan Shella Plot-III, 4.09 Ha Khahmalai Mustoh Shella 22.8 Ha Disham Shella 20.4 Ha Wahdohthli Shella 5.1 Ha	₹ 29,97,000	
<b>Total</b>			<b>₹ 50,64,453</b>	
<b>Grand Total</b>			<b>₹ 2,85,17,749</b>	

**Annexure II**

**Status Report on Implementation of the Catchment Area Treatment Plan in respect of the approved  
APOs 2011-14, 2014-17, 2020-21, 2021-22 & 2022-23**

Year	Physical Achievement	Location	Amount (in Lakh)	Remarks
Released during 2015-2016	(i) Development and maintenance of 100 beds nursery	Mawsynram Range, Myllem Range	5,00,000	Amount fully utilised by Divisional Forest Officer (SF) Division, Shillong and Work is Completed
	(ii) Civil works expenditure for treatment measures including masonry work, check dam, drain, etc (2 Nos check dam).	1 (one) No at Saikarap, Lumbaniang Forest nursery under Sohra Range and 1 (one) No under Mawsynram Range	15,00,000	
	(iii) Maintenance cost for protection and upkeep barbed wire, fencing, wire create, etc (1 unit).	Ichamati village under Sohra Range	3,00,000	
	(iv) Afforestation and roadside plantation plus maintenance cost (4 Km).	Sohra 2 km and Mawsynram Range 2 Km	8,00,000	
	(v) Plantation integrated plant and its maintenance (10 Ha).	Parkan Shella under Sohra Range - 5 Ha and Lawbah under Mawsynram Range - 5 Ha	3,00,000	
	(vi) Soil conservation measure for stream bank protection (2 Nos check dam).	1 No (one) at Ichamati village, under Sohra Range and 1 No (one) at Lawbah under Mawsynram Range	8,00,000	
<b>Sub-total</b>			<b>₹ 42,00,000</b>	
Released during 2020-2021	2nd year maintenance of 10 Ha integrated plantation	Umkut Parkan Shella under Sohra Range-5 Ha Lawbah under Mawsynram Range- 5 Ha	₹ 2,23,560	
<b>Sub-total</b>			<b>₹ 2,23,560</b>	
Released during 2021-2022	3rd year maintenance of 10 Ha integrated plantation	Umkut Parkan Shella under Sohra Range-5 Ha Lawbah under Mawsynram Range- 5 Ha	₹ 2,08,800	
<b>Sub-total</b>			<b>₹ 2,08,800</b>	
Released during 2022-2023	4th Year Maintenance of 10 Ha. integrated Plantation	Umkut Parkan Shella under Sohra Range-5 Ha Lawbah under Mawsynram Range- 5 Ha	₹ 1,29,500	
	2nd Year Maintenance of 4 Km Road side Plantation	Pyrkan village under Sohra Range – 2 Km Janiaw to Lawbah under Mawsynram Range- 2 Km	₹ 5,92,000	
<b>Sub-total</b>			<b>₹ 7,21,500</b>	
<b>Grand Total</b>			<b>₹ 53,53,860</b>	

**Note:** Out of the total amount of Rs 50 lakhs deposited by Lafarge Umiam Mining Private Limited an excess amount of Rs. 3,53,860/- has been incurred and utilised in the APOs during the year 2022-23 for 2nd & 4th year maintenance of Plantations

### Annexure III

#### Status Report on Implementation of the Species Specific Conservation Plan for Schedule-I Species in respect of the approved APOs 2023-24

APOs	Physical Achievement	Amount (in Lakh)	Remarks
2023-24	<b>I. Addendum to Biodiversity Conservation Programme (Conservation plan for threatened Floral Species )</b> (i) Germplasm collection, Rescue and Rehabilitation	₹ 11,50,000	The item of works pertaining to Silviculture Division, Shillong, Social Forestry Division, East Khasi Hills, Shillong & Khasi Hills Wildlife Division, Shillong have been included in the APO 2023-24, however since fund has not yet been released by State Government, the said works could not be carried out.
	(ii) Propagation through Tissue culture	₹ 5,00,000	
	Species Re-introduction i) Alsophila gigantean	₹ 49,236	
	ii) Bauhinia scandens	₹ 32,824	
	Seed propagation through women groups to be distributed to Local people	₹ 50,000	
	Construction of culvert	₹ 5,50,000	
	Annual surveys related consulting fees for implementation and data collection @INR 125,000 per annum.	₹ 1,25,000	
	Protection of specific and unique habitat.	₹ 2,50,000	
		<b>₹ 27,07,060</b>	