

**SIX MONTHLY COMPLIANCE REPORT OF  
ENVIRONMENTAL CLEARANCE  
FOR THE PERIOD APRIL TO SEPTEMBER 2024  
5MTPA**



**SUBMITTED BY**

**Lafarge Umiam Mining Pvt Ltd**

**FOR  
NONGTRAI LIMESTONE MINE  
VILLAGE NONGTRAI,  
DISTRICT EAST KHASI HILLS, MEGHALAYA**

**NOV 2024**



**November 22, 2024**

**Ministry of Environment, Forest and Climate Change  
Government of India  
Integrated Regional Office,  
Shillong – 793021, Meghalaya**

**Subject:** Implementation of conditions stipulated in the Ministry's environmental clearance letter No. J-11015/17/2013 IA. II (M) dated 28 November 2016 and regarding limestone opencast mining project at Phlangkaruh, Nongtraï, Tehsil-Sohra, Distt. East Khasi Hills, Meghalaya of M/S Lafarge Umiam Mining Pvt. Ltd.

Madam,

With reference to the environmental clearance letter stated above, we are pleased to submit following reports as detailed below. This is as per EIA notification 14 September 2006.

Half yearly Environmental Monitoring Report for the month of April to September 2024 along with Compliance status as on 30<sup>th</sup> September 2024 and the Conditions of Environmental Clearance No. J-11015/17/2013 IA. II (M) dated 28 November 2016.

The above report is also displayed on our official website "<http://www.lumpl.com>"

We are fully committed to comply with environmental safeguards.

Thanking You,

  
George Chacko  
Director Corporate Affairs

Enclosure: As stated above

- Cc: 1. The Member Secretary Meghalaya State Pollution Control Board, Arden Lumpyngad Shillong  
2. Zonal Officer, Central Pollution Control Board Shillong Meghalaya "TUM-SIR", Lower Motinagar; Near Fire Brigade  
3. Director (S), Impact Assessment Division Ministry of Environment, Forests and Climate Change Indira Paryavaran Bhavan Jorbagh Road New Delhi - 110 003 INDIA

**Lafarge Umiam Mining Private Limited**

A company of  LafargeHolcim and 

CIN No. U14107ML 1999PTC005707

Correspondence Office: 3<sup>rd</sup> Floor, Goenka Towers, Morello Compound, Keating Road, Shillong – 793001, Meghalaya, India  
Regd. Office: Nongtraï Limestone Mine, Nongtraï - Shella, P.O. Shella Bazar – 793112 East Khasi Hills District, Meghalaya, India  
Mines Office: Nongtraï – Shella, PO: Shella Bazar – 793112, East Khasi Hills, Meghalaya, India  
Tel (+91 364) 2501115, Fax Tel (+91 364) 2505519

## CONTENTS

|  |          |
|--|----------|
| 1. Compliance Status of Conditions of Environmental Clearance<br>(no. J-11015/17/2013-IA. II (M) dated 28th November 2016) | : 4-25   |
| 2. Environmental Monitoring Conducted from 01 April to 30 September 2024   |          |
| 2.1. Introduction  | : 26     |
| 2.2. Environmental Monitoring  | : 27     |
| 2.3. Micrometeorology  | : 27     |
| 2.4. Ambient Air Quality Monitoring Locations  | : 27-29  |
| 2.5. Surface Water Quality Monitoring Locations  | : 30-31  |
| 2.6. Surface Water Flow Measurement Locations  | : 31-32  |
| 2.7. Noise Levels Monitoring   | : 32-34  |
| 2.8. Vehicular emission`   | : 34     |
| 2.9. Cave protection   | : 34     |
| 3. Conclusion  | : 35     |
| 4. Table, Exhibits & Plates  | : 36-123 |

### List of Annexure

|  |           |
|--|-----------|
| Annexure I – Compliance status of Task identified under Actions Plan on Issues<br>raised during Public Hearing with budgetary provisions | : 124-137 |
| Annexure II - Vehicular Emission Report by MSPCB   | : 138     |
| Annexure III – No Objection Certificate for drawl of surface water   | :139-140  |
| Annexure IV Discharged waste water quality   | : 141-146 |
| Annexure V- Ground water level results for the period April to September 2024  | : 147     |
| Annexure VI - Water Quality Results  | : 148-195 |

**1. Compliance Status of Conditions of Environmental Clearance (no. J-11015/17/2013-IA. II (M) dated 28th November 2016) for the period April 1, to September 30, 2024**


The Ministry of Environment Forests and Climate Change (MoEFCC), New Delhi through their letter no. J-11015/17/2013-IA. II/M dated 28 November 2016 issued Environmental Clearance for enhancement of Nongtraï Limestone Mine with production capacity from 2.0 million TPA to 5.0 million TPA of limestone by Lafarge Umiam Mining Pvt Ltd, located at village Nongtraï, District East Khasi Hills, Meghalaya (MLA; 100.00 Ha). The compliance status of Conditions of the Environmental Clearance for the period April 1, to September 30, 2024 of Nongtraï Limestone Mine is as following:

**Table 1.1: Compliance Status of Conditions of Environmental Clearance dated 28 November 2016**

| <b>SN</b> | <b>Condition</b>  | <b>Compliance Status</b>   |
|-----------|---|--|
| <b>A</b>  | <b>Specific Conditions</b>  |  |
| 1         | Environmental Clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court of Meghalaya, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project. | Noted  |
| 2         | This Environmental Clearance is subject to obtaining requisite NBWL Clearance from the Standing Committee of National Board for Wildlife, if any, as applicable for this Mining project.                              | Not Applicable.<br><br>The area for 5.0 million TPA Project will continue to remain the same as was being available for 2.0 million TPA opencast limestone mine with total land area of 139.026 Ha including 116.589 Ha of forestland (with mine lease area of 100 Ha). No additional land acquisition is required for 5.0 MTPA limestone mining expansion.<br><br>No Schedule-I faunal species and threatened floral species have been encountered in the core zone of the existing land. |
| 3         | The Project Proponent shall obtain Consent to Operate from the State Pollution Control Board, Meghalaya and effectively implement all the conditions stipulated therein.  | LUMPL obtained Consent to Operate from Meghalaya State Pollution Control Board on 09 December 2016 and the amendment to the Consent to Operate on 16 June 2017 valid up to 30 November 2026 LUMPL is complying with the Conditions of the CTO.   |



| SN | Condition   | Compliance Status  |
|----|---|--|
| 4  | <p>Project Proponent reported that Six Schedule-I species have been reported in the buffer area. An Addendum to Conservation Plan for Schedule I Faunal Species encountered in the Study Area has been prepared by North East Hill University (NEHU). An Addendum Conservation Plan with budgetary provisions of Rs 41 lakhs has been approved by the Additional Chief Conservator of Forests, Wildlife &amp; Wildlife Warden, vide letter no. FWC/G/117/Pt/1058, dated 1st August 2016. Project Implementation of species-specific conservation plan for Schedule I species. The project proponent shall take all precautionary measures for conservation and protection of flora and fauna spotted in the study area.</p> | <p>For implementation of Addendum Conservation Plans, LUMPL deposited amount of INR 41 Lakhs and INR 11 Lakhs in the corporation Bank New Delhi through letter dated No.15.01.2018 and a return receipt through letter No.MFG.3/2014/CAMPA/Vol-1/18646 from the Chief Conservator of Forest (FC Act).</p>  |
| 5  | <p>Project Proponent shall plant only native species for green belt development. Plantation of local species should be carried out during the Monsoon Season.</p>   | <p>Native plant species, as confirmed by the Department of Forests and Environment, Office of the Principal Chief Conservator of Forests, Government of Meghalaya, Shillong (vide letter no. MFG. 16/18/PCCF(T)/Vol.II/71727 dated 12 September 2016 have been considered for greenbelt development i.e. plantation in and around the mine:<br/>LUMPL has carried out plantations of 45,399 as on 30<sup>th</sup> September 2024 in and around the mine site area with survival rate of ~77.1%. LUMPL will ensure plantation of only the Forest Department specified plant species during monsoon seasons.</p> |

| SN | Condition   | Compliance Status  |
|----|---|--|
| 6  | Average ground water level based on Piezometer reading in three locations indicates that there is a decrease in ground water level from 52.24 m during 2012 to 51.05 m during 2015. Project Proponent should implement the ground water recharge system at several locations in and around the lease area to augment the ground water resource. | <p>No groundwater abstraction is practiced or proposed for the mining Project. Mining will be restricted to ultimate pit depth up to 90 m RL. Depth of water table as monitored through piezometers is much below 90 m RL hence there will be no intersection of groundwater regime.</p> <p>LUMPL has also established rainwater harvesting system at two locations by collecting rainwater from roof top of transit camp area and mine office buildings. The rainwater harvested is used for domestic purposes and for recharging of ground water regime.</p> <p>Replacement of old PVC pipes by UPVC pipes on the Transit House buildings and Office buildings are in progress.</p> <p>LUMPL has identified three recharging sumps to augment recharging of rainwater into groundwater regime by collecting rainwater through haul roads and open area towards south of the mine at the following locations:</p> <ol style="list-style-type: none"> <li>I. Sump no. 1 of 8mx6m at 110m RL adjacent to haul road near topsoil storage shed;</li> <li>II. Sump no. 2 of 10m x 8m at 68 m RL near conveyor take off point; and</li> <li>III. Sump no. 3 of 6 m x 4 m at 125 m RL near workshop area.</li> </ol> <p>The above of recharging pits are being developed as per design guidance of “Manual on artificial recharge of ground water” published by CGWA. Overall, it is expected that above mentioned mitigation measures would help augment the groundwater resource.</p> <p>The design of all the three sumps has been approved by the Central Ground Water Board, NER Guwahati as per letter No-CGWA/Lafarge/AR/2017/1058 dated October 18, 2017. LUMPL is in process of developing sumps as per the approved design.</p> <p>Overall, it is expected that the above-mentioned recharging pits would help augment the groundwater resource.</p> <div style="text-align: center;">  <p><b>Pictures of Sumps</b></p> </div> |

| SN | Condition  | Compliance Status  |
|----|--|--|
| 7  | <p>The Proponent shall install online Ambient Air Quality Monitoring System and there should be system for display of digital AAQ data within 03 months at least at three locations as per wind direction. Online provisions of pH and turbidity meters at discharge points of STP and ETP and also at water storage ponds in the mining area may be made. Project Proponent should display the result digitally in front of the main Gate of the mine site.</p> | <p>The online Ambient Air Quality Monitoring System have been installed and operational at three locations to monitor particulate matter (PM<sub>10</sub> &amp; PM<sub>2.5</sub>), SO<sub>2</sub> and NO<sub>x</sub> as follows;</p> <p>Station No.1 – Near Light Sections<br/> Station No.2 – Near Old Nursery (magazine area) at Quarry<br/> Station No.3 – Near Transit House</p> <p>Online pH and turbidity meters have been installed and operational at discharge points of STP, ETP and also at water storage ponds.</p> <p>Monitoring results are being displayed digitally in front of the main Gate of the mine.</p> |

| SN | Condition   | Compliance Status  |
|----|---|--|
| 8  | <p>The project proponent shall implement the Catchment Area Treatment Plan in consultation with the State Government should also implement Community Development and Welfare program in the area of Health, Education and Environmental Protection.</p> | <p>Report on Upper Catchment Area Treatment Plan as prepared by CIMFR, Nagpur and NEERI, Nagpur was submitted to MoEF, New Delhi and its Regional Office, Shillong through a covering letter dated 30 June 2010.</p> <p>MoEF vide letter no. F.No.8-64/2007-FC dated 29 December 2011, advised LUMPL to deposit the funds required to implement the Catchment Area Treatment (CAT) Plan amounting to Rs.50,00,000/- (Rupees Fifty Lakh Only). The requisite amount was deposited by LUMPL in CAMPA Fund in account No. SB01025217 with Corporation Bank on 5 January, 2012 for implementation of CAT Plan.</p> <p>As part of the recommendations of Catchment Area Treatment Plan, eight check dams have been constructed in the gullies and area surrounding the mine.</p> <p>Drains have been constructed along the active mine benches linking it with siltation ponds. However, most of the rainwater gets percolated down from the mine surface (having crevices and fractured rocks due to karst topography). Greenbelt of 100 m all along the mine is being maintained.</p> <p>LUMPL has been implementing community development activities in the surrounding Nongtraï and Shella Villages. The community development activities are focused on the areas of Health Services; Educational Support; Infrastructure Improvement; Income generation programs – development of skill sets, training and awareness programs etc.; and sponsoring, environmental and cultural events.</p> <p>As directed by Hon'ble Supreme Court, LUMPL has been contributing a sum of INR 90/- per tonne of the limestone mined from the date on which mining commenced on monthly basis to Special Purpose Vehicles (SPV) notified under the Chairmanship of Chief Secretary, Meghalaya for welfare projects mandated upon it including the development of health, education, economy, irrigation and agriculture in the project area of 50 kms solely for local community and welfare of tribals. As on 30th September 2024, LUMPL made payments to SPV of INR ~31,614.00 Lakhs.</p> |

| SN | Condition  | Compliance Status  |
|----|--|--|
| 9  | <p>Proponent shall appoint an Occupational Health Specialist for Regular and Periodical medical examination of the workers engaged in the Project and maintain records accordingly; also, Occupational health check-ups for workers having some ailments like BP, diabetes, habitual smoking, etc. shall be undertaken once in six months and necessary remedial/preventive measures taken accordingly. The Recommendations of National Institute for ensuring good occupational environment for mine workers shall be implemented; The prevention measure for burns, malaria and provision of anti-snake venom including all other paramedical safeguards may be ensured before initiating the mining activities.</p> | <p>Qualified doctors based at the site have been providing medical support to the employees and community in the surrounding villages.</p> <p>Qualified Occupational Health Specialist available at site for Regular and Periodical medical examination of the workers engaged in the project.</p> <p>Records of periodical medical examinations done in the recent past are being maintained for all employees (including contractor workers) as per the requirement of Mines Rules, 1955: Treatment for the identified ailments is being provided to the workers having ailments BP, diabetes, etc.</p> <p>Preventive measures for burns, malaria and anti-snake venom are in place under direct control and supervision of onsite Occupational Health Specialist.</p> <p>LUMPL has developed a Site Specific Standard Operating Procedures (SOP) incorporating with the guidelines framed by DGMS, MHA, Government of Meghalaya and Lafarge Holcim for the Quarry operations during the Covid-19 pandemic or after.</p> |
| 10 | <p>Sewage treatment plant for treating residential and waste from industrial area should be provided. ETP shall also be provided for the workshop and wastewater generated during the mining operation.</p>  | <p>Six package STPs are operational for treatment of domestic wastewater.</p> <p>An ETP is operational for treatment of wastewater generated during washing of HMMes at the workshop.</p>  |

| SN       | Condition   | Compliance Status  |
|----------|---|--|
| 11       | The project proponent shall carry out scientific investigation in respect of "Blast induced ground vibration, fly rock & air blast". Based on this study, Project Proponent should design an effective blast design to curb blast induced menace & public annoyance.  | <p>LUMPL conducted the scientific investigation in respect of blast induced ground vibration, fly rock &amp; air blast, by engaging Central Institute of Mining and Fuel Research (CIMFR), Nagpur in the year 2015 and the recommendations of the study are being implemented.</p> <p>Further LUMPL has engaged Central Institute of Mining and Fuel Research (CIMFR), Nagpur in the year 2017- 2018 to carry out scientific investigation in respect of "blast induced ground vibration, fly rock and air blast". Based on the recommendations of the study, LUMPL has further modified the blast design to curb blast induced menace &amp; public annoyance. The study report was submitted during the reporting period April to September 2018.</p> |
| 12       | Implementation of Action Plan on the issues raised during the Public Hearing. The Proponent shall complete all the tasks as per the Action Plan submitted with the budgetary provisions during the Public Hearing.  | <p>Implementation of action plan of the issues raised in the public hearing is ongoing.</p> <p>Refer to <b>Annexure- I</b> for the current status of implementation of the action plan.</p>  |
| 13       | The pollution due to transportation load on the environment will be effectively controlled & water sprinkling will also be done regularly. Vehicles with PUC only will be allowed to ply. The mineral transportation shall be carried out through covered trucks only and the vehicles carrying the mineral shall not be overloaded. Project should obtain 'PUC' certificate for all the vehicles from authorized pollution testing center. | <p>Pollution due to transportation within the mine is controlled through mitigation measures including water sprinkling on the haul road and ensuring that all vehicles (including HEMM) hold PUC certificates.</p> <p>PUC certificate obtained from MSPCB is valid up to December 2024. A sample of the report is enclosed as <b>Annexure- II</b> of the six monthly compliance report April to September 2024.</p> <p>Mineral transportation is carried out through covered long belt conveyor. No road transportation outside the mine is done through trucks.</p>  |
| <b>B</b> | Standard Conditions   |  |
| 1        | A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forest and Climate Change 5 years in advance of final mine closure for approval  | <p>Noted.</p> <p>Final Mine Closure Plan with Corpus Fund as approved by IBM shall be submitted to MoEFCC five years in advance of final mine closure for approval.</p>  |

| SN | Condition   | Compliance Status   |
|----|---|---|
| 2  | No change in mining technology and scope of working should be made without prior approval of the Ministry of Environment, Forest and Climate Change.  | Noted.  |
| 3  | No change in the calendar plan including excavation, quantum of limestone and waste should be made.   | Noted.  |
| 4  | The project proponent shall obtain necessary prior permission of the competent authorities for drawl of requisite quantity of water (surface water and ground water) for the project.   | <p>No groundwater withdrawal is practiced.</p> <p>Approval for withdrawal of surface water from Phlangkaruh stream has been taken from Nongtraï Village Durbar.</p> <p>As per direction of Ministry of Environment Forest and Climate Change (MoEFCC), Regional Office, vide letter No.RO-NE/E/IA/ML/MI/3,16/2773-74 dated 31<sup>st</sup> October 2018, LUMPL has been granted the No Objection Certificate for drawl of surface water from the Water Resources Department, Government of Meghalaya.</p> |
| 5  | Mining shall be carried out as per the provisions outlined in mining plan approved by Indian Bureau of Mines (IBM)/State Mines and Geology Department as well as by abiding to the guidelines of Directorate General Mines Safety (DGMS).                     | Mining will continue to be carried out as per the IBM approved mining plan and scheme of mining.  |
| 6  | The lands which are not owned by Proponent, mining will be carried out only after obtaining the consents from all the concerned land owners as per the provisions of the Mineral Concession Rules, 1960 and MMDR Act, 1957.                                   | Mining being carried out within 100 hectare mining lease area.  |
| 7  | Digital processing of the entire lease area using remote sensing technique shall be carried out regularly once in three years for monitoring land use pattern and report submitted to Ministry of Environment, Forest and Climate Change its Regional Office. | The digital processing of the entire lease area using remote sensing technique was carried out for the period of 2020-2022 and the study report was submitted during the reporting period April to September 2023.  |

| SN | Condition   | Compliance Status   |
|----|---|---|
| 8  | <p>Five ambient air quality-monitoring stations shall be established in the core zone as well as in the buffer zone for PM10, PM2.5, SO2 and NOx monitoring. Location of the station be decided based on the meteorological data topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the state Pollution Control Board.</p> | <p>Ambient Air Quality (AAQ) is being monitored with respect to PM10, PM2.5, SO2 and NOx at five locations within and surrounding areas (covering core and buffer zones) as selected by MSPCB through their letter dated 24 February 2012. The locations are</p> <ol style="list-style-type: none"> <li>1) HEMM Workshop</li> <li>2) Near Magazine</li> <li>3) Near Phlangkaruh Village</li> <li>4) Pyrkan Village; and</li> <li>5) Shella Bazar</li> </ol> <p>The observed results of ambient air quality parameters (as monitored from 1<sup>st</sup> April to 30<sup>th</sup> September 2024) remained within the prescribed limits and have been included in <b>Tables 2 to 11</b> in the six-monthly monitoring reports.</p> |



| SN | Condition  | Compliance Status  |
|----|--|--|
| 9  | <p>The critical parameters as per the Notification 2009 such as PM10, PM2.5, SO2 and NOx etc. in the ambient air within the impact zone, peak particle velocity at 300m distance or within the nearest habitation, whichever is closer shall be monitored periodically. Further, quality of discharged water shall also be monitored [(TDS, DO, pH and Total Suspended Solids (TSS)]. The monitored data shall be uploaded on the website of the company as well as displayed on a display board digitally at the project site at a suitable location near the main gate of the Company in public domain. The circular No. 3- 20012/1/2006-IA.II (M) dated 27.05.2009 issued by Ministry of Environment, Forest and Climate Change shall also be referred in this regard for its compliance.</p> | <p>The ambient air quality (AAQ) is being monitored with respect to PM10, PM2.5, SO2 and NOx at five locations within the core and buffer zones as recommended by Meghalaya State Pollution Control Board. All parameters that were monitored during the period 1<sup>st</sup> April to 30<sup>th</sup> September 2024) remained within the permissible limits.</p> <p>Peak particle velocity (i.e. ground vibrations) is being measured with every blast. All the measured values remained less than 5 mm/sec at the distance of 200 m to 300 m, which is well within the standard of 10 mm/sec (for dominant frequency range of 8 to 25 Hz) as prescribed by Directorate General of Mines Safety – DGMS (Tech.) Circular No.7 dated 29 September 1997).</p> <p>Discharged waste water quality for TDS, DO, TSS and pH are being monitored by ABNS SCIENTIFIC SERVICES PRIVATE LIMITED recognized by Meghalaya State Pollution Control Board on monthly basis and analyzed in their laboratory. The monitored values remained within the prescribed limits. Monitoring report enclosed as <b>Annexure-IV</b>. The monthly monitored results are being displayed (on public domain) as per the requirement of MoEFCC Circular dated 27 May 2009 on:</p> <ul style="list-style-type: none"> <li>▪ LED screen for digital display of critical pollutants near the main gate entry of the Nongtra Limestone Mine; and</li> <li>▪ Six monthly compliance reports are available on Company's website ".www.lumpl.com".</li> </ul> |

| SN | Condition   | Compliance Status  |
|----|---|--|
| 10 | <p>Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of PM10 and PM2.5 such as haul road, loading and unloading point and transfer points. Fugitive dust emissions from all the sources shall be controlled regularly. It shall be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard. Monitoring of Ambient Air Quality to be carried out based on the Notification 2009, as amended from time to time by the Central Pollution Control Board.</p> | <p>Effective safeguard measures to control dust and PM10, PM2.5 generation include the following:</p> <ul style="list-style-type: none"> <li>▪ Provision of dry drilling with dust extraction system in place or wet drilling of holes;</li> <li>▪ Use of good quality explosives, implementing CIMFR recommended measures during blasting i.e. provision of proper stemming after charging of explosives and use of delay detonators minimizing dust throw and its spread in ambient air;</li> <li>▪ Ensuring blasting is done only in the daytime when no strong winds are blowing or there is no overcast or lightening event.</li> <li>▪ Loading /unloading of limestone from an optimum height and use of sharp teeth for shovel to reduce dust blow;</li> <li>▪ Avoiding overloading of haul trucks to eliminate spillage during transit on haul road;</li> <li>▪ Water sprinkling on unpaved areas and haul road during dry wind periods through fixed sprinklers supplemented with water tankers in active mine pit area;</li> <li>▪ Ensuring speed controls as already practiced to the limit of 20 km/hour on vehicle movements on haul roads;</li> <li>▪ Preventive maintenance of mine machinery and regular fine-tuning of engines of HEMMs in use to ensure that the emission levels remain within the stipulated norms and maintaining Pollution Under Control (PUC) Certificates for HEMMs;</li> <li>▪ Provision of water sprinkling, rain gun and fogger system to minimize dust generation while unloading of dumper into the crusher hopper;</li> <li>▪ Provision of dust extraction system with bag filters in crushing and transfer operations. High efficiency dust collection system will continue to operate to achieve particulate emission to less than 50 mg/Nm<sup>3</sup> through crushers, TB-1 and TB-2 stacks;</li> <li>▪ Provision of water sprinkling for transfer of crushed limestone through hoods/chutes before unloading on long belt conveyor to prevent dust emissions;</li> <li>▪ Provision of close conduit type long belt conveyor provided with water sprinkling for transportation of crushed limestone;</li> <li>▪ Personnel working in dusty area to be provided protective gears such as dust masks.</li> </ul> |

| SN | Condition  | Compliance Status  |
|----|--|--|
| 11 | <p>Regular monitoring of ground water level and quality shall be carried out in and around the mine lease by establishing a network of existing wells and constructing new piezometers during the mining operation. The project proponent shall ensure that no natural water course and/or water resources shall be obstructed due to any mining operations. The monitoring shall be carried out four times in a year pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January) and the data thus collected may be sent regularly to Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority and Regional Director, Central Ground Water Board.</p> | <p>Three piezometers installed outside at (i) PWD Road (to the Southwest of the mine), (ii) Near Mine Entry Gate (to the South of the mine); and (iii) Near Transit House (to the Southeast of the mine). The groundwater levels and ground water quality are being monitored covering all the four seasons. The month wise piezometers monitored ground water levels and ground water quality are included in <b>Annexure- V</b> of this six monthly compliance report (as enclosed).</p> <p>The monitored results are being submitted to CGWA/CGWB on six monthly basis.</p> <p>It is being ensured that no natural water course and water resources are obstructed due to mining operations.</p>                              |
| 12 | <p>Regular monitoring of the flow rate of the springs and perennial nallahs flowing in and around the mine lease shall be carried out and records maintain. The natural water bodies and or streams which are flowing in an around the village, should not be disturbed. The Water Table should be nurtured so as not to go down below the pre-mining period. In case of any water scarcity in the area, the Project Proponent has to provide water to the villagers for their use. A provision for regular monitoring of water table in open dug wall located in village should be incorporated to ascertain the impact of mining over ground water table.</p>  | <p>Flow rates of the water springs, Phlangkaruh and Umiam Rivers are being monitored on monthly basis. The monitored flow rates are being reported to MoEFCC on six monthly basis.</p> <p>Mining will be restricted to ultimate pit depth up to 90 m RL. Depth of water table as monitored through piezometers is much below 90 m RL hence there will be no intersection of groundwater regime.</p> <p>No natural water bodies and or steams are being disturbed due to mining operations.</p> <p>Water table monitoring is done through month wise recording of water levels in three piezometers as described in response on condition # 11. Rainwater recharging efforts are as described in response to condition no. 6.</p> |

| SN | Condition  | Compliance Status   |
|----|--|---|
| 13 | Regular monitoring of water quality upstream and downstream of water bodies shall be carried out and record of monitoring data should be maintained and submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office, Central Ground Water Authority, Regional Director, Central Ground Water Board, State Pollution Control Board and Central Pollution Control Board.   | Monitoring of water quality of Phlangkaruh springs (upstream and downstream), and Umiam River (upstream and down streams) is being carried out by ABNS SCIENTIFIC SERVICES PRIVATE LIMITED recognized by Meghalaya State Pollution Control Board on monthly basis in their laboratory.<br><br>The water quality results are included in the <b>Annexure- VI</b> of this six-monthly compliance report (1 <sup>st</sup> April to 30 <sup>th</sup> September 2024)) being submitted to MoEFCC, New Delhi, MoEFCC Regional Office, Shillong, MSPCB and CGWA, CGWB and CPCB RO, Shillong. |
| 14 | Transportation of the minerals by road passing through the village shall not be allowed. A 'bypass' road should be constructed (say, leaving a gap of at least 200 meters) for the purpose of transportation of the minerals so that the impact of sound, dust and accidents could be mitigated. The project proponent shall bear the cost towards the widening and strengthening of existing public road network in case the same is proposed to be used for the Project. No road movement should be allowed on existing village road network without appropriately increasing the carrying capacity of such roads. | Not applicable.<br><br>No mineral transportation through road is involved. The transportation of limestone to Bangladesh is being done through Long Belt Conveyor fully covered from top.   |
| 15 | The illumination and sound at night at project sites disturb the villages in respect of both human and animal population. Consequent sleeping disorders and stress may affect the health in the villages located close to mining operations. Habitations have a right for darkness and minimal noise levels at night. PPs must ensure that the biological clock of the villages is not disturbed; by orienting the floodlights/masks away from the villagers and keeping the noise levels well within the prescribed limits for day light/night hours.   | Measures have been adopted to minimize disturbance to human settlements due to illumination and noise levels.<br><br>Noise levels are being monitored on regular basis in the surrounding settlements. The noise levels observed at all the settlements remained well within the prescribed equivalent noise limits of 55 dB(A) for day time and 45dB(A) for night time.  |

| SN | Condition   | Compliance Status   |
|----|---|---|
| 16 | Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. Crusher and material transfer points should invariably be provided with Bag filters and or dry fogging system. Belt-conveyors should be fully covered to avoid air borne dust.   | <p>Permanent water sprinklers have been provided on the median of the haul road within the mine site. Water sprinkling is also being done through water tankers at other locations with potential dust emissions.</p> <p>Mitigation measures to control dust emission including provision of water sprinkling, bag filters, fogging system and rain-gun are in place on crushing operations and transfer points. Belt conveyor is covered to avoid air borne dust.</p>  |
| 17 | Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. Crusher and material transfer points should invariably be provided with Bag filters and or dry fogging system. Belt-conveyors should be fully covered to avoid air borne dust. Main haulage road in the mine should be provided with permanent water sprinklers and other roads should be regularly wetted with water tankers fitted with sprinklers. The material transfer points should invariably be provided with Bag filters and or dry fogging system. In case of Belt- conveyors facilities the system should be fully covered to avoid air borne dust; Use of effective sprinkler system to suppress fugitive dust on haul roads and other transport roads shall be ensured. | <p>Permanent water sprinklers have been provided on the median of the haul road within the mine site. Water sprinkling is also being done through water tankers at other locations with potential dust emissions.</p> <p>Mitigation measures to control dust emission including provision of water sprinkling, bag filters, fogging system and rain-gun are in place on crushing operations and transfer points. Belt conveyor is covered to avoid air borne dust.</p> <p>Other dust control systems as described in response to condition no. 10 are in place.</p> |
| 18 | Sufficient number of Gullies to be provided for better management of water. Regular Monitoring of pH shall be included in the monitoring plan and report shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office on six monthly basis.   | <p>The mining operations include provision of bunds along the benches to guide water flow. Proper slope is being maintained towards the lowest elevation. Silt traps have been provided before water merges into sumps and cavities down to the south of the mine lease area. Regular cleaning of silt traps and check dams is in place.</p> <p>Monitoring of pH of the water discharging from the sumps during monsoon season being conducted regularly.</p>   |

| SN | Condition  | Compliance Status   |
|----|--|---|
| 19 | There shall be planning, developing and implementing facility of rainwater harvesting measures on long term basis and implementation of conservation measures to augment ground water resources in the area in consultation with Central Ground Water Board.   | Rainwater harvesting and measures to augment ground water resources are as described in response to Condition no. 6. Three water sumps for recharging of ground water are being set up as per design approved by Central Ground Water Board Guwahati as described in response to condition no.6.  |
| 20 | The Project Proponent has to take care of gullies formed on slopes. Dump mass should be consolidated with proper filling/levelling with the help of dozer/compactors.  | <p>No overburden dumps involved as the mine is devoid of overburden. Hence, no overburden dumps are involved for mining from Nongtraï Limestone Mine.</p> <p>Rain water flow along the limestone mine is guided along the benches through bunds. Silt traps have been provided before water enters the sumps for discharge/ groundwater recharge.</p> |
| 21 | The reclamation at waste dump sites shall be ecologically sustainable. Scientific reclamation shall be followed. The local species may be encouraged and species are so chosen that the slope, bottom of the dumps and top of the dumps are able to sustain these species. The aspect of the dump is also a factor which regulates some climatic parameters and allows only species adopted to that micro climate. | <p>Not Applicable.</p> <p>The limestone mine is devoid of any overburden. Hence, no overburden dumps are involved for mining from Nongtraï Limestone Mine.</p>  |

| SN | Condition   | Compliance Status  |                                   |   |                                 |  |
|----|---|--|-----------------------------------|---|---------------------------------|--|
| 22 | <p>The top soil, if any, shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation. The over burden (OB) generated during the mining operations shall be stacked at earmarked dump site(s) only and it should not be kept active for a long period of time. The maximum height of the dumps shall not exceed 8m and width 20 m and overall slope of the dumps shall be maintained to 45°. The OB dumps should be scientifically vegetated with suitable native species to prevent erosion and surface run off. In critical areas, use of geo textiles shall be undertaken for stabilization of the dump. The entire excavated area shall be backfilled and afforested. Monitoring and management of rehabilitated areas should continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office on six monthly basis.</p> | <p>Availability of top soil in the mining lease area is almost negligible as the area within the mine lease is devoid of any overburden. Any trapped soil, encountered from the crevices or fractured rocks (due to Karst topography) is being collected and properly stacked.</p> <p>As the limestone is exposed on the surface and the mining area is practically devoid of any overburden or topsoil, no overburden waste dumping is involved.</p> <p>Records of topsoil recovered during the last three years is presented as following:</p> |                                   |   |                                 |  |
|    |   | Status as on   | Clay/ Top Soil Recovered in tonne | Clay/ Top Soil Used in Greenbelt/ Plantation in tonne | Balance Clay Available in tonne | Remarks                                  |
|    |   | December 2022  | 9.920                             | 7.000   | 12.480                          | Use at Nursery, Green Belt & Safety zone |
|    |   | December 2023  | 3.440                             | 4.000   | 11.920                          | Use at Nursery, Safety zone & Block A    |
|    |   | September 2024   | 2.570                             | 4.800   | 9.690                           | Use at Nursery, Safety Zone, Block A & B |
|    |   | <p>Measures for rehabilitation of mined out areas will be done as per progressive mine closure plan and five years prior to decommissioning of mines as per prior approval of IBM and Mining and Geology Department Government of Meghalaya.</p>   |                                   |   |                                 |  |

| SN | Condition  | Compliance Status  |
|----|--|--|
| 23 | <p>Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, mineral and OB dumps to prevent run off of water and flow of sediments directly into the river and other water bodies. The water so collected should be utilized for watering the mine area, roads, green belt development etc. The drains shall be regularly desilted particularly after monsoon and maintained properly. The drains, settling tanks and check dams of appropriate size, gradient and length shall be constructed both around the mine pit and over burden dumps to prevent run off of water and flow of sediments directly into the river and other water bodies and sump capacity should be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity should also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and desilted at regular intervals.</p> | <p>As part of the recommendations of Catchment Area Treatment Plan, eight check dams have been constructed in the gullies and area surrounding the mine. Drains have been constructed along the active mine benches linking it with siltation pond. Deposited silt from the drains and siltation pond is being desilted periodically. However, most of the rainwater gets percolated down from the mine surface (having crevices and fractured rocks due to karst topography).</p> <p>Greenbelt of 100 m all along the mine is being maintained.</p> <p>No overburden dumps involved as the mine is devoid of overburden.</p> <p>LUMPL has identified three recharging sumps to augment recharging of rainwater into groundwater regime by collecting rainwater through haul roads and open area towards south of the mine at the following locations:</p> <ul style="list-style-type: none"> <li>○ Sump no. 1 of 8mx6m at 110m RL adjacent to haul road near topsoil storage shed;</li> <li>○ Sump no. 2 of 10m x 8m at 68 m RL near conveyor take off point; and</li> <li>○ Sump no. 3 of 6 m x 4 m at 125 m RL near workshop area.</li> </ul> <p>The above of recharging pits are being developed as per design approved by CGWA, Guwahati. Overall, it is expected that above mentioned mitigation measures would help augment the groundwater resource.</p> |
| 24 | <p>Plantation shall be raised in a 7.5m wide green belt in the safety zone around the mining lease, backfilled and reclaimed area, around water body, along the roads etc. by planting the native species in consultation with the local DFO/Agriculture Department and as per CPCB Guidelines. The density of the trees should be around 2500 plants per ha. Greenbelt shall be developed all along the mine lease area in a phased manner and shall be completed within first five years.</p>  | <ul style="list-style-type: none"> <li>● An area of 7.5 m width has been earmarked as the safety zone as per approved mining scheme and reclamation has been started as per Progressive Mining closure Plan in the year 2017-18.</li> <li>● LUMPL has also been carrying out plantation by maintaining a green belt of 100 m width as per the condition of EC no. J-11015/10/2000-IA.II. (M) dated 9 August 2001 and Transferred to LUMPL dated 30 July 2002 modified by MoEFCC on 19 April 2010 for 2.0 MTPA limestone mining. Total plantations carried out in the greenbelt area, along the roads and safety zone are 45,399 as on 30<sup>th</sup> September 2024 with survival rate of ~77.1%.</li> </ul>  |



| SN | Condition  | Compliance Status   |
|----|--|---|
| 25 | Project Proponent shall follow the mitigation measures provided in Office Memorandum No. Z-11013/57/2014-IA.II (M), dated 29th October, 2014, titled "Impact of mining activities on Habitations-Issues related to the mining Projects wherein Habitations and villages are the part of mine lease areas or Habitations and villages are surrounded by the mine lease area".   | <ul style="list-style-type: none"> <li>• No National Parks/ Wildlife Sanctuaries / Biosphere Reserves/ Wildlife Corridors/ Tiger/ Elephant Reserves are located within the 10 km study area of the mine lease.</li> <li>• No village settlement is located within 1 km from the mine site.</li> </ul> |
| 26 | The Project Proponent shall make necessary alternative arrangements, where required, in consultation with the State Government to provide alternate areas for livestock grazing, if any. In this context, Project Proponent should implement the directions of the Hon'ble Supreme Court with regard to acquiring grazing land. The sparse trees on such grazing ground, which provide mid-day shelter from the scorching sun, should be scrupulously guarded against felling and plantation of such trees should be promoted. | No livestock grazing land is involved for the existing limestone mine lease area of 100 Ha. No area of Project component is involved in hindering cattle grazing.   |
| 27 | The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna, if any, spotted in the study area. Action plan for conservation of flora and fauna shall be prepared and implemented in consultation with the State Forest and Wildlife Department. A copy of action plan shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office.   | Noted   |

| SN | Condition   | Compliance Status  |
|----|---|--|
| 28 | <p>As per the Company Act, the CSR cost should be 2% of average net profit of last three years. Hence CSR expenses should be as per the Company Act/ Rule for the Socio-Economic Development of the neighborhood Habitats which could be planned and executed by the Project Proponent more systematically based on the 'Need based door to door survey' by established Social Institutes/ Workers. The report shall be submitted to the Ministry of Environment, Forest and Climate Change and its Regional Office on six monthly basis.</p> | <p>The CSR budget of INR 171.40 Lakhs has been earmarked for the year 2024 based on last three years net profit.</p> <p>LUMPL has been implementing community development activities since 2006 and the company is continuously focusing for improvements and enhancements of the services over time. The community development activities are focused on the areas of Health Services; Educational Support; Infrastructure Improvement; Income generation programs – development of skill sets, training and awareness programs etc.; and Sponsoring social and cultural events.</p> <p>The CSR activities from 2006 to present have been taken up in 12 villages with an approximate population of about 4,000 in the Shella Village Durbar and over 1,000 in Nongtraï Village Durbar. From the year 2006 up to 30<sup>th</sup> September 2024, LUMPL has contributed INR 1,823.32 Lakhs for community development activities in the villages of Nongtraï and Shella Durbars.</p> <p>As directed by Hon'ble Supreme Court, LUMPL has also been contributing to SPV a sum of INR 90/- per tonne of the limestone mined from the date on which mining commenced on monthly basis for welfare projects mandated upon it including the development of health, education, economy, irrigation and agriculture in the project area of 50 kms solely for local community and welfare of tribals. As on 30<sup>th</sup> September 2024, LUMPL made payment to SPV of ~INR 31,614.00 Lakhs.</p> |
| 29 | <p>Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.</p>  | <p>Any construction labour to be deployed will be provided with necessary infrastructure within the existing project footprint and facilities including cooking, toilets, package STP, safe drinking water, health care facility etc.</p>  |

| SN | Condition  | Compliance Status   |
|----|--|---|
| 30 | Measures should be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs   | Mitigations measures are in place to minimize noise levels. All working areas will be maintained within 85 dB(A) of noise levels in the work environment area. Workers engaged in operations of HEMM have been provided with ear plugs/ muffs.  |
| 31 | Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December, 1993 or as amended from time to time. Oil and grease trap should be installed before discharge of workshop effluents. | Waste water generated from mine workshop is collected in effluent treatment plant (ETP) for with physico-chemical treatment including oil and grease trap installed before discharge at workshop is operational.  |
| 32 | Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects.  | <p>Personnel working in mine area are provided with personal protective equipment (PPE). Use of PPEs including dust masks, ear plugs, safety shoes, illuminating jacket, hard hat are compulsory for all workers working in the mine. Life Saving talk is held daily. Refresher training on safety and information on health aspects is provided on monthly basis to all the workers.</p> <p>LUMPL has developed a Site Specific Standard Operating Procedures (SOP) incorporating with the guidelines framed by DGMS, MHA, Government of Meghalaya and Lafarge Holcim for the Quarry operations during the Covid-19 pandemic or after.</p> |
| 33 | A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.   | An Environmental Management Cell has been established and operational. The department is headed by a Senior Executive officer who reports to Head of the Mining Operation.  |
| 34 | The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Ministry and its Regional Office.   | <p>Funds earmarked for environment protection are being maintained in the separate bank account.</p> <p>Expenditure incurred on environment protection and monitoring measures during the period 1st April to 30<sup>th</sup> September 2024 was INR 27.02 Lakhs.</p>   |
| 35 | The project authorities should inform to the Regional Office regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.   | It is an expansion Project of limestone mining from 2.0 MTPA to 5.0 MTPA. No new land development work is involved as the area of the mine lease will remain unchanged to the existing 100 Ha.  |


| SN | Condition   | Compliance Status   |
|----|---|---|
| 36 | The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.   | Noted   |
| 37 | The project proponent shall submit six monthly reports on the status of the implementation of the stipulated environmental safeguards to the Ministry of Environment, Forest and Climate Change, its Regional Office, Central Pollution Control Board and State Pollution Control Board.  | Noted   |
| 38 | A copy of clearance letter will be marked to concerned Panchayat / local NGO, if any, from whom suggestion / representation has been received while processing the proposal.  | Copies were circulated through letters dated 2 December 2016 to <ul style="list-style-type: none"> <li>▪ Village Dorbar U Sandi Nongtra; and</li> <li>▪ Dorbar Shnong Shella.</li> </ul>  |
| 39 | State Pollution Control Board should display a copy of the clearance letter at the Regional office, District Industry Centre and Collector's office/ Tehsildar's Office for 30 days.  | Complied with   |
| 40 | The project authorities should advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and also at web site of the Ministry of Environment, Forest and Climate Change at <a href="http://www.environmentclearance.nic.in">www.environmentclearance.nic.in</a> and a copy of the same should be forwarded to the Regional Office. | Advertised in the following widely circulated newspapers: <ul style="list-style-type: none"> <li>▪ English Daily Newspaper The Shillong Times dated 5<sup>th</sup> December 2016</li> <li>▪ Khasi Daily Newspaper Mawphor dated 5<sup>th</sup> December 2016.</li> </ul> Copies of advertisements in the above mentioned newspapers were submitted to MoEFCC RO Shillong through letter dated 27 <sup>th</sup> December 2016. |

## 2. ENVIRONMENTAL MONITORING CONDUCTED FROM 1 APRIL TO 30 SEPTEMBER 2024

### 2.1 INTRODUCTION

Lafarge Umiam Mining Pvt. Ltd. (LUMPL), a company incorporated in India as a 100% subsidiary of LafargeHolcim Bangladesh Ltd., (formerly Lafarge Surma Cement Ltd.) has been operating Nongtraí Limestone Mine located at village Nongtraí, District East Khasi Hills in Meghalaya, India for the purpose of extraction and export of limestone via long belt conveyor to its parent company in Bangladesh for the manufacture of clinker and cement. This report on environmental monitoring for the period from 01 April to 30 September 2024 covers compliance status of conditions of Environmental Clearances (i) no. J-11015/17/2013-IA. II (M) dated 28<sup>th</sup> November 2016. The location of Nongtraí Limestone Mine is shown in **Figure 2.1**.

**Figure 2.1: Location of Nongtraí Limestone Mine**



## **2.2 ENVIRONMENTAL MONITORING**

This six-monthly report covers the environmental monitoring done for the period from 1 April to 30 September 2024 covering the following environmental monitoring results:

- i) Micrometeorology
- ii) Ambient Air Quality
- iii) Water Quality
- iv) Water Flow
- v) Noise level
- vi) Cave Protection

### **2.3 Micrometeorology**

A weather monitoring station has been installed on rooftop of the mine office building of Nongtrai Limestone Mine for recording of hourly temperature, humidity, wind speed, wind direction and rainfall data. The observed meteorology is described in the following subsections.

#### **a) Wind speed and wind direction**

The predominant wind direction recorded was N-NE with wind speed varying from 0.0 to 13.9 km per hour during Apr to Jun 2024 and 0.0 to 6.8 km per hour during Jul to Sep 2024. The details wind direction is given in Table 1.

#### **b) Temperature**

The maximum and minimum temperature recorded during Apr - Jun 2024 was 46.3°C and 16.1°C respectively while during Jul to Sep 2024 the maximum and minimum temperature recorded was 42.5°C and 23.0°C respectively (Table No.1). The diurnal variation of temperature is shown in Exhibit No.1 for the month of Apr to Jun 2024 and Exhibit No.2 for the month of Jul to Sep 2024.

#### **c) Humidity:**

The maximum and minimum Humidity during Apr to Jun 2024 was 95.2% and 13.0% respectively while during Jul to Sep 2024 the maximum and minimum humidity recorded was 98.3% and 26.1% respectively (Table No.1) The diurnal variation of humidity is shown in Exhibit No.3 for the month of Apr to Jun 2024 and Exhibit No.4 for the month of Jul to Sep 2024

#### **d) Rainfall:**

The total rainfall observed during the period 1 April to 30 September 2024 was 6331.0 mm.

## **2.4 Ambient Air Quality Monitoring Locations**

Ambient air quality monitoring is carried out twice a week at five stations selected as per recommendation of Meghalaya State Pollution Control Board as per their letter no. MPCB/TB-CON-227(Pt-II)/2011-2012/19 24 February 2012. Two monitoring stations are located in the core zone and three in the buffer zone for monitoring of Particulate Matter of size less than 10 micron (PM10), Particulate Matter of size less than 2.5 micron (PM2.5),

Sulphur Dioxide (SO<sub>2</sub>) and Nitrogen Oxide (NO<sub>x</sub>) for the study period using Respirable Dust Sampler of Envirotech make. The distance and direction of the ambient air quality monitoring stations are summarized in Table 2.1:

**Table 2.1: AAQ Monitoring Locations**


| <b>AAQ Monitoring Station Code</b>                  | <b>Distance and Bearing from Centre of the Mine</b> | <b>AAQ Description</b>   |
|---|---|--|
| LA-1: HEMM Workshop (Light section near ETP)        | 0.7 km to Southeast                                 | Respirable Dust Sampler was placed near HEMM Workshop (Light section near ETP) in the quarry to assess the present pollution level in the core zone. |
| LA -2: Magazine Area                                | 0.40 km to West                                     | Respirable Dust Sampler was placed near Magazine area in the core zone.  |
| LA-3: Phlangkaruh Village (near Security Barrack-I) | 1.40 km to South                                    | Respirable Dust Sampler was placed near Phlangkaruh Village (near Security Barrack-I) in the buffer zone.  |
| LA - 4: Pyrkan Village                              | 2.60 km to South Southeast                          | Respirable Dust Sampler was placed near Pyrkan Village in the buffer zone.   |
| LA -5: Shella Bazaar                                | 3.40 km to Southeast                                | Respirable Dust Sampler was placed near Shella Bazaar in the buffer zone on the roof top of a House.   |

The location of five ambient air quality stations is shown in **Figure 2.2**.

Concentrations of PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub> and NO<sub>x</sub> recorded at all the five locations are described in **Tables 2 to 11**. All the observed values were found to be below the prescribed NAAQS.

Graphical representation of Ambient Air Quality is shown in **Exhibit Nos. 5 & 6** on the Industrial and mixed areas for the months of Apr to Jun 2024 and Jul to Sep 2024 and **Exhibit Nos. 7 & 8** on the Residential areas for the months Apr to Jun 2024 and Jul to Sep 2024 respectively

Figure 2.2: Locations of Ambient Air Quality Stations





## 2.5 Surface Water Quality Monitoring Locations


Surface water quality was assessed by collecting once a month water samples from four locations as per the recommendations of Meghalaya State Pollution Control Board vide letter no. MPCB/TB-CON-227(Pt-II)/2011-2012/19. The locations of surface water sampling are described as following

**Table 2.2: Surface Water Quality Monitoring Locations**

| Surface Water Sampling Location Code | Surface Water Sampling Description |
|--------------------------------------|------------------------------------|
| LWQ - 1:                             | Upstream of Umiam River            |
| LWQ - 2:                             | Downstream of Umiam River          |
| LWQ - 3:                             | Upstream of Phlangkaruh River      |
| LWQ - 4:                             | Downstream of Phlangkaruh River    |

The surface water quality sampling locations are shown in **Figure 2.3**

**Figure 2.3: Surface Water Quality and Flow Measurement Locations**



The observed surface water quality is described as following:

#### **LWQ-1 Upstream of Umiam River:**

The sample represents the quality of surface water Upstream of Umiam River. The results of samples collected during April to September 2024 are shown in **Table No. 12**.

The water quality parameters were pH 7.8 - 8.1; Sulphates 21.0 – 38.0 mg/l; Total hardness 54.9 – 102.0 mg/l; Fluorides 0.04 – 0.06 mg/l; TDS 102.0 – 156.0 mg/l; Chlorides 12.7 - 25.4mg/l; Nitrates 0.28 – 3.40 mg/l; and Total Coliform were 18.0 – 194.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

#### **LWQ-2 Downstream of Umiam River:**

The results of samples collected during April to September 2024 are shown in **Table No. 13**. The concentrations were within the prescribed limit.

The analyzed water quality parameters were pH 7.7 – 8.0; Chlorides 9.4 – 23.0 mg/l; Sulphates 21.5 – 50.3 mg/l; Nitrates 0.4 – 4.6 mg/l; Total hardness 57.3 – 151.2 mg/l; TDS 76.0 - 186.0mg/l and Fluorides were 0.04 - 0.05 mg/l and total coliform were 43.0 - 327.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

#### **LWQ-3 Upstream of Phlangkaruh River:**

This sample represents the quality of surface water. The results of samples collected during April to September 2024 are shown in **Table No. 14**.

The analyzed water quality parameters were pH 7.8 - 8.0; Chlorides 19.3 - 39.0 mg/l; Sulphates 8.4 - 44.5 mg/l; Nitrates 0.4 – 2.7 mg/l; Total hardness 28.6- 99.5 mg/l; Fluorides 0.05 - 0.06 mg/l; TDS were 74.0-143.0 mg/l and total coliform were 11.0 – 75.0 MPN/100ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

#### **LWQ-4 Downstream of Phlangkaruh River:**

This sample represents the quality of surface water. The results of April to September 2024 are shown in **Table No. 15**.

The analyzed water quality parameters were pH 7.8 – 8.2; Chlorides 18.3 - 31.0 mg/l; Sulphates 25.3 - 41.0 mg/l; Nitrates 0.30 – 3.80 mg/l; Total hardness 38.2 - 75.5 mg/l; Fluorides 0.04 - 0.06 mg/l; TDS 62.0 – 136.0 mg/l; and Total coliform were 22.0 – 68.0 MPN/100 ml. Heavy metals (As, Cu, Pb, Cd, Ni, & Mn) remained below detectable limits.

## **2.6 Surface Water Flow Measurement Locations**

Surface water flow measurements were carried out once a month at two locations to assess the surface water quantity of the nearby water bodies. The sampling locations are described in Table 2.3 and shown in Figure 2.3.

**Table 2.3: Surface Water Flow Measurement Locations**

| Surface Sampling Code | Water Location | Surface Water Sampling Description                       |
|-----------------------|----------------|--|
| LWF - 1:              |                | Downstream of Umiam River (near Shella Bazar)            |
| LWF - 2:              |                | Downstream of Phlangkaruh River near Phlangkaruh Village |

Water Flow Measurements were carried out at two locations using water current meter using Bureau of Indian Standards method IS: 1192 (1959). The results and cross section of the water flow measurements are given in **Tables 16-17 e**. From the table, it can be seen that the water flow downstream of Umiam River near the bridge (during fair weather) (LWF-1) was highest followed by Downstream of Phlangkaruh River (LWF2). The results are given below:

| SL.NO | Location                | Discharge in m <sup>3</sup> /hour |          |         |          |         |          |
|-------|-------------------------|-----------------------------------|----------|---------|----------|---------|----------|
|       |                         | Apr-24                            | May-24   | Jun-24  | Jul-24   | Aug-24  | Sep-24   |
| 1     | LWF-1 UMIAM RIVER       | 25068.96                          | 30512.16 | 85050.0 | 111094.2 | 98128.8 | 80067.96 |
| 2     | LWF-2 PHLANGKARUH RIVER | 3951.0                            | 5983.2   | 10209.6 | 7581.6   | 8071.2  | 7434.0   |

## 2.7 Noise Levels Monitoring


Monitoring of Noise levels was done at six locations during the period April to September 2024 by using an integrating sound level meter (Type II Envirotech). Out-door noise level measurements were made at a height of 1.5 meter above the ground, and away from the sound reflecting sources like walls, buildings. Noise levels were measured at six locations once per month as per description given in **Table 2.4**.

**Table 2.4: Noise Levels Monitoring Locations**

| Noise Levels Monitoring Location Code | Noise Monitoring Location Description  |
|---------------------------------------|--|
| LN-1: Shella Bazar (non-market day)   | Noise monitoring was done at Shella Bazaar on non-market day in front of PWD guest house |
| LN - 2: Pyrkan Village                | Noise monitoring was done in Pyrkan Village near Ram Krishna Mission School              |
| LN-3: Phlangkaruh Village             | Noise monitoring was done at Phalangkaruh Village  |
| LN- 4: Mine lease area (office area)  | Noise monitoring was done to assess the noise levels within the core zone.               |
| LN-5: Shellapunji Village             | Noise monitoring was done at Shellapunji village to assess the noise levels.             |
| LN-6: Mawryngkhong Village            | Noise monitoring was done at Mawryngkhong Village  |

The noise levels monitoring locations are shown in **Figure 2.4**.

Figure 2.4: Noise Levels Monitoring Locations



Noise monitoring was carried out at 6 locations during the period April to September 2024. The Leq (day and night), Lmax and Lmin were analyzed from the recorded sound level meter (SLM). Refer to Tables 18 - 29.

| <b>APRIL TO JUNE 2024</b>              |                       |  |  |                                       |                                    |
|--|-----------------------|--|--|---------------------------------------|------------------------------------|
| <b>NOISE LEVEL AT THE VILLAGES</b>     |                       |  |  |                                       |                                    |
| <b>Location</b>                        | <b>Range in dB(A)</b> | <b>Leq.Value in dB(A)<br/>Day time</b> | <b>Leq.Value in dB(A)<br/>Night time</b> | <b>Permissible<br/>limit Day time</b> | <b>Permissible<br/>limit Night</b> |
| LN 1                                   | 44.2-59.6             | 55.9-56.2                              | 47.2-47.8                                | 65                                    | 55                                 |
| LN 2                                   | 41.2-57.4             | 53.1-54.1                              | 44.4-44.8                                | 55                                    | 45                                 |
| LN 3                                   | 41.6-57.9             | 53.0-53.9                              | 44.4-44.5                                | 55                                    | 45                                 |
| LN 5                                   | 41.2-57.1             | 53.1-53.8                              | 44.1-44.7                                | 55                                    | 45                                 |
| LN 6                                   | 41.2-57.8             | 53.1-54.0                              | 44.3-44.7                                | 55                                    | 45                                 |
| <b>AMBIENT NOISE INSIDE THE QUARRY</b> |                       |  |  |                                       |                                    |
| LN 4                                   | 45.6-63.8             | 57.7-59.0                              | 48.6-49.3                                | 75                                    | 70                                 |
| <b>JULY TO SEPTEMBER 2024</b>          |                       |  |  |                                       |                                    |
| <b>NOISE LEVEL AT THE VILLAGES</b>     |                       |  |  |                                       |                                    |
| <b>Location</b>                        | <b>Range in dB(A)</b> | <b>Leq.Value in dB(A)<br/>Day time</b> | <b>Leq.Value in dB(A)<br/>Night time</b> | <b>Permissible<br/>limit Day time</b> | <b>Permissible<br/>limit Night</b> |
| LN 1                                   | 43.2-60.1             | 55.8-56.3                              | 46.3-47.0                                | 65                                    | 55                                 |
| LN 2                                   | 41.4-57.9             | 53.3-54.2                              | 44.0-44.8                                | 55                                    | 45                                 |
| LN 3                                   | 41.6-57.6             | 53.4-54.1                              | 44.6-44.8                                | 55                                    | 45                                 |
| LN 5                                   | 41.5-57.4             | 53.5-53.9                              | 44.2-44.4                                | 55                                    | 45                                 |
| LN 6                                   | 41.5-57.2             | 53.1-54.0                              | 44.5-44.6                                | 55                                    | 45                                 |
| <b>AMBIENT NOISE INSIDE THE QUARRY</b> |                       |  |  |                                       |                                    |
| LN 4                                   | 43.6-63.5             | 56.7-58.8                              | 47.9-48.7                                | 75                                    | 70                                 |

## **2.8 Vehicular emission:**

Vehicular emission monitored was done once during the study period of April to September 2024 for all the Heavy Earth Moving Machines (HEMM) operating in the mine by Meghalaya State Pollution Control Board using Smoke Density Meter.

## **2.9 Cave Protection**

Monitoring of cave was conducted by physical inspection. The entry to the cave has been protected by providing fencing and gate which is locked to prevent unauthorized entry as shown in figure (Refer Plate No.1). Photographs of twin sink holes during the study period also shown in plate No.1 of page No.84.

**CONCLUSION****AIR ENVIRONMENT:**

The ambient air quality monitored at the five locations in the core and buffer zones from 1 April to 30 September 2024 remained well within the permissible limits.

**WATER QUALITY:**

The surface water quality results indicate that all parameters were well within the permissible limits as prescribed for surface water (IS-2296 Class C).

**NOISE ENVIRONMENT:**

Noise monitoring results show that noise levels remained well within the prescribed limits.

**CAVE PROTECTION:**

Based on visual observation, no change in physical appearance was observed on twin sink holes and cave. Cave openings have been protected as shown in (Plate No.1).

#### **4. Tables, Exhibits and Plates**

**Table No.1**

| <b>Sl. No</b> | <b>Parameters</b>                           | <b>Apr to Jun 2024</b> | <b>Jul to Sep 2024</b> |
|---------------|---|------------------------|------------------------|
| <b>1</b>      | <b>Predominant Wind with direction from</b> | N-NW                   | N-NE                   |
| <b>2</b>      | <b>Temperature ° C</b>                      |                        |                        |
|               | I)Minimum                                   | 16.1 ° C               | 23.0 ° C               |
|               | ii)Maximum                                  | 46.3 ° C               | 44.8 ° C               |
|               | Average Temperature                         | 30.7 ° C               | 30.6 ° C               |
| <b>3</b>      | <b>Humidity %</b>                           |                        |                        |
|               | I)Minimum                                   | 13.0 %                 | 26.1 %                 |
|               | ii)Maximum                                  | 95.2 %                 | 98.3 %                 |
|               | Average humidity                            | 68.5 %                 | 79.0 %                 |
| <b>4</b>      | <b>Rainfall (mm)</b>                        | 2883.5 mm              | 3447.5 mm              |



**LAFARGE UMIAM MINING PVT. LTD.**  
**AMBIENT AIR QUALITY DATA**  
*HEMM Workshop (Light Section Near ETP)*  
**STATION : LA-1**

**Table :2**

| DATE   | 24 HOURLY                                  |                   |                 |                 | Permissible Limit<br>( $\mu\text{g}/\text{m}^3$ ) |
|--|--|-------------------|-----------------|-----------------|---|
|  | PM <sub>10</sub>                           | PM <sub>2.5</sub> | SO <sub>2</sub> | NO <sub>x</sub> |   |
| 2-Apr-2024                                   | 55.6                                       | 23.5              | 6.5             | 10.4            | PM 10 100 $\mu\text{g}/\text{m}^3$                |
| 5-Apr-2024                                   | 56.5                                       | 23.6              | 6.5             | 10.2            | PM 2.5 60 $\mu\text{g}/\text{m}^3$                |
| 8-Apr-2024                                   | 57.2                                       | 25.4              | 6.4             | 10.8            | Sox 80 $\mu\text{g}/\text{m}^3$                   |
| 11-Apr-2024                                  | 58.2                                       | 26.2              | 6.2             | 12.4            | Nox 80 $\mu\text{g}/\text{m}^3$                   |
| 14-Apr-2024                                  | 54.6                                       | 24.2              | 6.2             | 9.4             |   |
| 18-Apr-2024                                  | 55.7                                       | 22.4              | 6.2             | 10.2            |   |
| 22-Apr-2024                                  | 53.2                                       | 21.5              | 6.2             | 8.4             |   |
| 25-Apr-2024                                  | 56.5                                       | 23.8              | 6.2             | 10.0            |   |
| 29-Apr-2024                                  | 57.8                                       | 24.6              | 6.5             | 8.8             |   |
| 2-May-2024                                   | 55.8                                       | 22.4              | 6.2             | 8.5             |   |
| 5-May-2024                                   | 54.6                                       | 24.2              | 6.2             | 9.4             |   |
| 8-May-2024                                   | 56.2                                       | 22.7              | 6.2             | 9.5             |   |
| 11-May-2024                                  | 54.7                                       | 23.2              | 6.8             | 10.4            |   |
| 14-May-2024                                  | 57.4                                       | 24.2              | 6.8             | 9.2             |   |
| 18-May-2024                                  | 55.7                                       | 22.4              | 6.5             | 8.4             |   |
| 22-May-2024                                  | 57.2                                       | 23.6              | 5.2             | 9.5             |   |
| 25-May-2024                                  | 58.2                                       | 26.5              | 6.2             | 12.4            |   |
| 29-May-2024                                  | 55.6                                       | 25.2              | 6.7             | 10.3            |   |
| 2-Jun-2024                                   | 54.7                                       | 23.2              | 6.8             | 10.4            |   |
| 5-Jun-2024                                   | 56.8                                       | 24.5              | 6.7             | 9.8             |   |
| 8-Jun-2024                                   | 57.2                                       | 24.6              | 5.2             | 9.5             |   |
| 11-Jun-2024                                  | 55.8                                       | 23.6              | 6.7             | 10.6            |   |
| 14-Jun-2024                                  | 49.5                                       | 21.2              | 5.4             | 6.2             |   |
| 18-Jun-2024                                  | 45.2                                       | 19.4              | 4.8             | 5.8             |   |
| 22-Jun-2024                                  | 49.7                                       | 19.8              | 4.5             | 6.8             |   |
| 25-Jun-2024                                  | 51.2                                       | 21.8              | 5.4             | 7.2             |   |
| 29-Jun-2024                                  | 49.7                                       | 19.8              | 4.5             | 6.8             |   |
|  |  |                   |                 |                 |   |
|  | PM <sub>10</sub>                           | PM <sub>2.5</sub> | SO <sub>2</sub> | NO <sub>x</sub> |   |
| Number of observation                        | 27   | 27                | 27              | 27              |   |
| Arithmetic Mean                              | 54.8                                       | 23.2              | 6.1             | 9.3             |   |
| Geometric Mean                               | 54.7                                       | 23.2              | 6.0             | 9.2             |   |
| STD. GEO. Devn. (24 hrs)                     | 3.2  | 1.8               | 0.7             | 1.7             |   |
|  |  |                   |                 |                 |   |
| Max. Concentration                           | 58.2                                       | 26.5              | 6.8             | 12.4            |   |
| Min. Concentration                           | 45.2                                       | 19.4              | 4.5             | 5.8             |   |
| 98 Percentile values                         | 58.2                                       | 26.3              | 6.8             | 12.4            |   |
|  |  |                   |                 |                 |   |
| Detection Limit ( $\mu\text{g}/\text{m}^3$ ) |  |                   |                 |                 |   |
| NOTE:  | ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$ |                   |                 |                 |   |

LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
*Near Magazine*  
 STATION : LA-2

**Table:3**

| DATE                                 | 24 HOURLY                           |                   |                 |      | Permissible<br>(µg/m <sup>3</sup> ) | Limit                 |
|--------------------------------------|-------------------------------------|-------------------|-----------------|------|-------------------------------------|-----------------------|
|                                      | PM <sub>10</sub>                    | PM <sub>2.5</sub> | SO <sub>2</sub> | NOx  |                                     |                       |
| 2-Apr-2024                           | 53.5                                | 22.4              | 5.5             | 8.3  | PM 10                               | 100 µg/m <sup>3</sup> |
| 5-Apr-2024                           | 54.6                                | 22.8              | 5.8             | 6.2  | PM 2.5                              | 60 µg/m <sup>3</sup>  |
| 8-Apr-2024                           | 55.2                                | 23.4              | 5.7             | 7.2  | Sox                                 | 80 µg/m <sup>3</sup>  |
| 11-Apr-2024                          | 56.8                                | 24.2              | 6.0             | 10.2 | Nox                                 | 80 µg/m <sup>3</sup>  |
| 14-Apr-2024                          | 52.5                                | 22.8              | 5.4             | 7.8  |                                     |                       |
| 18-Apr-2024                          | 53.6                                | 21.8              | 5.9             | 7.6  |                                     |                       |
| 22-Apr-2024                          | 51.4                                | 20.5              | 4.8             | 6.4  |                                     |                       |
| 25-Apr-2024                          | 54.6                                | 22.6              | 5.5             | 7.4  |                                     |                       |
| 29-Apr-2024                          | 55.6                                | 22.4              | 5.8             | 6.9  |                                     |                       |
| 2-May-2024                           | 53.7                                | 21.2              | 5.4             | 6.8  |                                     |                       |
| 5-May-2024                           | 52.5                                | 22.8              | 5.4             | 7.8  |                                     |                       |
| 8-May-2024                           | 54.2                                | 22.4              | 5.2             | 7.8  |                                     |                       |
| 11-May-2024                          | 52.8                                | 21.5              | 5.7             | 8.5  |                                     |                       |
| 14-May-2024                          | 55.7                                | 23.5              | 5.8             | 8.5  |                                     |                       |
| 18-May-2024                          | 54.7                                | 21.2              | 5.8             | 7.8  |                                     |                       |
| 22-May-2024                          | 54.7                                | 22.5              | 4.9             | 5.8  |                                     |                       |
| 25-May-2024                          | 56.8                                | 24.2              | 6.0             | 10.2 |                                     |                       |
| 29-May-2024                          | 53.6                                | 23.2              | 5.4             | 8.3  |                                     |                       |
| 2-Jun-2024                           | 52.8                                | 21.5              | 5.7             | 8.5  |                                     |                       |
| 5-Jun-2024                           | 54.2                                | 23.4              | 6.2             | 7.8  |                                     |                       |
| 8-Jun-2024                           | 54.7                                | 22.5              | 4.9             | 5.8  |                                     |                       |
| 11-Jun-2024                          | 53.6                                | 22.6              | 5.6             | 8.2  |                                     |                       |
| 14-Jun-2024                          | 47.8                                | 20.2              | 5.0             | 5.9  |                                     |                       |
| 18-Jun-2024                          | 43.2                                | 18.6              | 4.6             | 5.4  |                                     |                       |
| 22-Jun-2024                          | 47.5                                | 18.2              | 5.2             | 7.5  |                                     |                       |
| 25-Jun-2024                          | 49.6                                | 21.4              | 5.2             | 6.8  |                                     |                       |
| 29-Jun-2024                          | 47.5                                | 18.2              | 5.2             | 7.5  |                                     |                       |
|                                      | PM <sub>10</sub>                    | PM <sub>2.5</sub> | SO <sub>2</sub> | NOx  |                                     |                       |
| Number of observations               | 27                                  | 27                | 27              | 27   |                                     |                       |
| Arithmetic Mean                      | 52.9                                | 21.9              | 5.5             | 7.5  |                                     |                       |
| Geometric Mean                       | 52.8                                | 21.9              | 5.5             | 7.4  |                                     |                       |
| STD. GEO. Devn. (24 hrs)             | 3.2                                 | 1.6               | 0.4             | 1.2  |                                     |                       |
| Max. Concentration                   | 56.8                                | 24.2              | 6.2             | 10.2 |                                     |                       |
| Min. Concentration                   | 43.2                                | 18.2              | 4.6             | 5.4  |                                     |                       |
| 98 Percentile values                 | 56.8                                | 24.2              | 6.1             | 10.2 |                                     |                       |
| Detection Limit (µg/m <sup>3</sup> ) |                                     |                   |                 |      |                                     |                       |
| NOTE:                                | ALL VALUES ARE IN µg/m <sup>3</sup> |                   |                 |      |                                     |                       |













**LAFARGE UMIAM MINING PVT. LTD.**  
**AMBIENT AIR QUALITY DATA**  
*Near Phlangkaruh village (Near Barrack I)*  
**STATION : LA-3**

**Table :9**

| DATE   | 24 HOURLY                                  |                   |                 |     | Permissible Limit<br>( $\mu\text{g}/\text{m}^3$ ) |                             |
|--|--|-------------------|-----------------|-----|---|-----------------------------|
|  | PM <sub>10</sub>                           | PM <sub>2.5</sub> | SO <sub>2</sub> | NOx | PM 10   | PM 2.5                      |
| 2-Jul-2024                                   | 41.5                                       | 15.8              | 4.2             | 5.0 | 100 $\mu\text{g}/\text{m}^3$                      | 60 $\mu\text{g}/\text{m}^3$ |
| 5-Jul-2024                                   | 43.6                                       | 16.8              | 4.0             | 5.2 | 80 $\mu\text{g}/\text{m}^3$                       | 80 $\mu\text{g}/\text{m}^3$ |
| 8-Jul-2024                                   | 46.2                                       | 17.5              | 4.8             | 5.5 |   |                             |
| 11-Jul-2024                                  | 44.2                                       | 16.1              | 4.2             | 5.2 |   |                             |
| 14-Jul-2024                                  | 44.8                                       | 18.6              | 4.5             | 5.4 |   |                             |
| 18-Jul-2024                                  | 47.2                                       | 20.5              | 4.2             | 5.4 |   |                             |
| 22-Jul-2024                                  | 47.6                                       | 21.2              | 5.0             | 5.6 |   |                             |
| 25-Jul-2024                                  | 48.7                                       | 21.7              | 5.6             | 6.9 |   |                             |
| 29-Jul-2024                                  | 46.2                                       | 18.6              | 4.9             | 5.9 |   |                             |
| 2-Aug-2024                                   | 47.9                                       | 17.5              | 4.7             | 6.2 |   |                             |
| 5-Aug-2024                                   | 48.2                                       | 20.7              | 5.2             | 6.5 |   |                             |
| 8-Aug-2024                                   | 48.7                                       | 21.2              | 5.2             | 5.8 |   |                             |
| 11-Aug-2024                                  | 45.6                                       | 19.2              | 4.5             | 5.7 |   |                             |
| 14-Aug-2024                                  | 47.6                                       | 21.2              | 5.0             | 5.6 |   |                             |
| 18-Aug-2024                                  | 48.7                                       | 21.2              | 5.2             | 5.8 |   |                             |
| 22-Aug-2024                                  | 47.6                                       | 18.4              | 4.2             | 8.2 |   |                             |
| 25-Aug-2024                                  | 48.2                                       | 20.7              | 5.2             | 6.5 |   |                             |
| 29-Aug-2024                                  | 51.7                                       | 22.1              | 5.2             | 6.0 |   |                             |
| 2-Sep-2024                                   | 48.2                                       | 20.7              | 5.2             | 6.5 |   |                             |
| 5-Sep-2024                                   | 51.5                                       | 19.8              | 4.7             | 5.8 |   |                             |
| 8-Sep-2024                                   | 52.4                                       | 19.8              | 4.9             | 6.5 |   |                             |
| 11-Sep-2024                                  | 52.4                                       | 20.2              | 4.3             | 5.4 |   |                             |
| 14-Sep-2024                                  | 53.5                                       | 22.2              | 5.5             | 6.5 |   |                             |
| 18-Sep-2024                                  | 55.4                                       | 23.2              | 5.2             | 6.8 |   |                             |
| 22-Sep-2024                                  | 52.1                                       | 22.2              | 5.4             | 6.0 |   |                             |
| 25-Sep-2024                                  | 51.4                                       | 20.2              | 5.3             | 6.5 |   |                             |
| 29-Sep-2024                                  | 50.5                                       | 21.7              | 5.4             | 6.2 |   |                             |
|  | PM <sub>10</sub>                           | PM <sub>2.5</sub> | SO <sub>2</sub> | NOx |   |                             |
| Number of observations                       | 27   | 27                | 27              | 27  |   |                             |
| Arithmetic Mean                              | 48.6                                       | 20.0              | 4.9             | 6.0 |   |                             |
| Geometric Mean                               | 48.5                                       | 19.9              | 4.9             | 6.0 |   |                             |
| STD. GEO. Devn. (24 hrs)                     | 3.3  | 2.0               | 0.5             | 0.7 |   |                             |
| Max. Concentration                           | 55.4                                       | 23.2              | 5.6             | 8.2 |   |                             |
| Min. Concentration                           | 41.5                                       | 15.8              | 4.0             | 5.0 |   |                             |
| 98 Percentile values                         | 54.4                                       | 22.7              | 5.5             | 7.5 |   |                             |
| Detection Limit ( $\mu\text{g}/\text{m}^3$ ) |  |                   |                 |     |   |                             |
| NOTE:  | ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$ |                   |                 |     |   |                             |





LAFARGE UMIAM MINING PVT. LTD.  
 AMBIENT AIR QUALITY DATA  
*Shella Bazar*  
 STATION : LA-5

**Table:11**

| DATE   | 24 HOURLY                                  |                   |                 |                 | Permissible<br>( $\mu\text{g}/\text{m}^3$ ) | Limit                        |
|--|--|-------------------|-----------------|-----------------|---|------------------------------|
|  | PM <sub>10</sub>                           | PM <sub>2.5</sub> | SO <sub>2</sub> | NO <sub>x</sub> |   |                              |
| 2-Jul-2024                                   | 40.7                                       | 15.3              | 3.4             | 4.5             | PM 10                                       | 100 $\mu\text{g}/\text{m}^3$ |
| 5-Jul-2024                                   | 43.5                                       | 16.8              | 3.2             | 5.2             | PM 2.5                                      | 60 $\mu\text{g}/\text{m}^3$  |
| 8-Jul-2024                                   | 44.7                                       | 18.2              | 3.8             | 4.7             | Sox   | 80 $\mu\text{g}/\text{m}^3$  |
| 11-Jul-2024                                  | 41.7                                       | 16.2              | 3.4             | 4.7             | Nox   | 80 $\mu\text{g}/\text{m}^3$  |
| 14-Jul-2024                                  | 43.5                                       | 19.5              | 3.4             | 4.5             |   |                              |
| 18-Jul-2024                                  | 45.9                                       | 20.2              | 3.6             | 4.8             |   |                              |
| 22-Jul-2024                                  | 46.8                                       | 20.4              | 3.8             | 4.9             |   |                              |
| 25-Jul-2024                                  | 49.5                                       | 20.2              | 4.5             | 5.9             |   |                              |
| 29-Jul-2024                                  | 46.5                                       | 17.2              | 3.2             | 4.7             |   |                              |
| 2-Aug-2024                                   | 46.2                                       | 18.6              | 3.5             | 5.8             |   |                              |
| 5-Aug-2024                                   | 47.5                                       | 19.8              | 4.2             | 5.5             |   |                              |
| 8-Aug-2024                                   | 50.2                                       | 20.4              | 3.5             | 4.8             |   |                              |
| 11-Aug-2024                                  | 44.8                                       | 19.4              | 3.4             | 4.8             |   |                              |
| 14-Aug-2024                                  | 45.9                                       | 20.2              | 3.6             | 4.8             |   |                              |
| 18-Aug-2024                                  | 50.2                                       | 20.4              | 3.5             | 4.8             |   |                              |
| 22-Aug-2024                                  | 45.6                                       | 17.2              | 3.5             | 5.8             |   |                              |
| 25-Aug-2024                                  | 47.5                                       | 19.8              | 4.2             | 5.5             |   |                              |
| 29-Aug-2024                                  | 50.4                                       | 22.2              | 4.2             | 5.4             |   |                              |
| 2-Sep-2024                                   | 47.5                                       | 19.8              | 4.2             | 5.5             |   |                              |
| 5-Sep-2024                                   | 51.2                                       | 21.3              | 4.2             | 5.3             |   |                              |
| 8-Sep-2024                                   | 51.2                                       | 21.5              | 3.8             | 5.1             |   |                              |
| 11-Sep-2024                                  | 51.7                                       | 18.6              | 3.2             | 4.8             |   |                              |
| 14-Sep-2024                                  | 52.4                                       | 22.0              | 4.2             | 5.2             |   |                              |
| 18-Sep-2024                                  | 52.8                                       | 22.4              | 4.2             | 5.4             |   |                              |
| 22-Sep-2024                                  | 50.7                                       | 22.4              | 4.0             | 5.2             |   |                              |
| 25-Sep-2024                                  | 51.8                                       | 21.7              | 3.8             | 4.5             |   |                              |
| 29-Sep-2024                                  | 50.2                                       | 21.5              | 4.2             | 5.6             |   |                              |
|  | PM <sub>10</sub>                           | PM <sub>2.5</sub> | SO <sub>2</sub> | NO <sub>x</sub> |   |                              |
| Number of observations                       | 27   | 27                | 27              | 27              |   |                              |
| Arithmetic Mean                              | 47.8                                       | 19.7              | 3.8             | 5.1             |   |                              |
| Geometric Mean                               | 47.7                                       | 19.7              | 3.7             | 5.1             |   |                              |
| STD. GEO. Devn. (24 hrs)                     | 3.4  | 1.9               | 0.4             | 0.4             |   |                              |
| Max. Concentration                           | 52.8                                       | 22.4              | 4.5             | 5.9             |   |                              |
| Min. Concentration                           | 40.7                                       | 15.3              | 3.2             | 4.5             |   |                              |
| 98 Percentile values                         | 52.6                                       | 22.4              | 4.3             | 5.8             |   |                              |
| Detection Limit ( $\mu\text{g}/\text{m}^3$ ) |  |                   |                 |                 |   |                              |
| NOTE:  | ALL VALUES ARE IN $\mu\text{g}/\text{m}^3$ |                   |                 |                 |   |                              |

| SURFACE WATER QUALITY DATA  |                                    |   |                    |                    |                    |                    |                    |                            |
|---|------------------------------------|---|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------------|
| Project : Lafarage Umiam Mining Pvt. Ltd.                                   |                                    | State : Meghalaya                           |                    |                    |                    |                    |                    |                            |
| Code : LWQ-1  |                                    | Sampling Location :Up Stream of Umiam River |                    |                    |                    |                    |                    |                            |
|   |                                    |   |                    |                    |                    |                    |                    | <b>Table:12</b>            |
| SL No.  | Parameter                          | Results                                     |                    |                    |                    |                    |                    | Standard IS - 2296 Class C |
|   |                                    | Date of Collection                          | Date of Collection | Date of Collection | Date of Collection | Date of Collection | Date of Collection |                            |
|   |                                    | 27-Apr-24                                   | 29-May-24          | 18-Jun-24          | 25-Jul-24          | 29-Aug-24          | 21-Sep-24          |                            |
| 1   | Temperature (0°C) Air-Water        | -   | -                  | -                  | -                  | -                  | -                  |                            |
| 2   | Colour (Hazen Units)               | -   | -                  | -                  | -                  | -                  | -                  | 300.00                     |
| 3   | pH                                 | 7.8   | 7.9                | 8.1                | 7.9                | 7.9                | 7.8                | 6.5-8.5                    |
| 4   | Electrical Conductivity (µmhos/cm) | 238.0                                       | 225.0              | 220.0              | 240.0              | 197.9              | 187.2              |                            |
| 5   | Turbidity (NTU)                    | 3.7   | 4.2                | 4.2                | 2.9                | 4.4                | 3.8                |                            |
| 6   | Dissolve Oxygen(mg/l)              | 6.4   | 6.8                | 7.2                | 6.4                | 6.2                | 3.2                | 4.00                       |
| 7   | Biochemical Oxygen Demand(mg/l)    | 2.60  | 2.40               | 3.00               | 5.00               | 2.90               | 6.60               | 3.00                       |
| 8   | Chemical Oxygen Demand (mg/l)      | 13.20                                       | 12.00              | 11.00              | 16.00              | 10.50              | 12.80              |                            |
| 9   | Total Dissolve Solids (mg/l)       | 156.00                                      | 118.00             | 117.00             | 116.00             | 102.00             | 122.00             | 1500.00                    |
| 10  | Total Suspended Solids             | 16.00                                       | 20.00              | 16.00              | 18.00              | 18.00              | 10.00              | 100.00                     |
| 11  | Total hardness (mg/l)              | 88.60                                       | 62.10              | 61.53              | 54.90              | 102.00             | 82.00              |                            |
| 12  | Chlorides as Cl (mg/l)             | 25.40                                       | 21.90              | 21.50              | 19.20              | 12.70              | 18.60              | 600.00                     |
| 13  | Alkalinity (mg/l)                  | 72.50                                       | 116.00             | 76.00              | 57.25              | 53.50              | 54.60              |                            |
| 14  | Calcium as Ca (mg/l)               | 27.80                                       | 32.53              | 34.19              | 31.84              | 31.10              | 23.60              |                            |
| 15  | Sulphates SO4(mg/l)                | 36.60                                       | 36.60              | 28.50              | 28.50              | 38.00              | 21.00              | 400.00                     |
| 16  | Sulphides (mg/l)                   | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 17  | Nitrate (mg/l)                     | 0.88  | 0.82               | 0.69               | 0.28               | 2.04               | 3.40               | 50.00                      |
| 18  | Nitrite (mg/l)                     | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 19  | Nickel (mg/l)                      | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 20  | Ammonia Nitrogen (mg/l)            | 0.15  | 0.13               | 0.17               | 0.08               | 0.18               | 0.12               |                            |
| 21  | Arsenic as As (mg/l)               | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                | 0.20                       |
| 22  | Chromium (mg/l)                    | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                | 0.05                       |
| 23  | Iron as Fe (mg/l)                  | 0.22  | 0.21               | 0.20               | 0.22               | 0.22               | 0.19               | 0.50                       |
| 24  | Fluoride as F (mg/l)               | 0.04  | 0.04               | 0.06               | 0.04               | 0.04               | BDL                | 1.50                       |
| 25  | Lead as Pb (mg/l)                  | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                | 0.10                       |
| 26  | Copper as Cu (mg/l)                | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                | 1.50                       |
| 27  | Zinc as Zn (mg/l)                  | 1.140                                       | 0.750              | 0.24               | 0.56               | 0.13               | 0.280              | 15.00                      |
| 28  | Cadmium (mg/l)                     | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                | 0.01                       |
| 29  | Sodium (mg/l)                      | 10.40                                       | 15.00              | 11.00              | 20.00              | 6.30               | 4.60               |                            |
| 30  | Magnesium (mg/l)                   | 12.30                                       | 7.30               | 5.92               | 8.74               | 6.00               | 3.40               |                            |
| 31  | Manganese (mg/l)                   | BDL   | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 32  | Phosphate (mg/l)                   | 3.220                                       | 2.540              | 1.86               | 0.440              | 2.150              | 1.800              |                            |
| 33  | Potassium (mg/l)                   | 2.30  | 3.00               | 1.80               | 2.50               | 2.70               | 0.80               |                            |
| <b>Microbiological Parameters</b>   |                                    |   |                    |                    |                    |                    |                    |                            |
| 1   | Total Coliform (MPN/100 ml)        | 133.00                                      | 28.00              | 30.00              | 18.00              | 112.00             | 194.00             | 5000.00                    |
| Remarks:- Analysis is done by ABNS Scientific Services Private Limited.     |                                    |   |                    |                    |                    |                    |                    |                            |
| Recognized by Meghalaya State Pollution Control Board, refer to Annexure VI |                                    |   |                    |                    |                    |                    |                    |                            |
| BDL :- Below Detection Limit  |                                    |   |                    |                    |                    |                    |                    |                            |

| SURFACE WATER QUALITY DATA |                                   |  |  |                   |                              |  |  |  |
|----------------------------|-----------------------------------|--|--|-------------------|------------------------------|--|--|--|
| Project                    | : Lafarage Umiam Mining Pvt. Ltd. |  |  | State             | : Meghalaya                  |  |  |  |
| Code                       | : LWQ-2                           |  |  | Sampling Location | : Down Stream of Umiam River |  |  |  |

**Table:13**

| Sl. No.                           | Parameter                          | Results            |                    |                    |                    |                    |                    | Standard IS - 2296 Class C |
|-----------------------------------|------------------------------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|----------------------------|
|                                   |                                    | Date of Collection | Date of Collection | Date of Collection | Date of Collection | Date of Collection | Date of Collection |                            |
|                                   |                                    | 27-Apr-24          | 29-May-24          | 18-Jun-24          | 25-Jul-24          | 29-Aug-24          | 21-Sep-24          |                            |
| 1                                 | Temperature (0°C) Air-Water        | -                  | -                  | -                  | -                  | -                  | -                  |                            |
| 2                                 | Colour (Hazen Units)               | -                  | -                  | -                  | -                  | -                  | -                  | 300.00                     |
| 3                                 | pH                                 | 7.7                | 7.8                | 8.0                | 8.0                | 8.0                | 8.0                | 6.5-8.5                    |
| 4                                 | Electrical Conductivity (µmhos/cm) | 210.0              | 185.0              | 176.0              | 196.0              | 282.0              | 272.0              |                            |
| 5                                 | Turbidity (NTU)                    | 10.5               | 4.16               | 3.5                | 3.1                | 8.3                | 7.4                |                            |
| 6                                 | Dissolve Oxygen(mg/l)              | 6.80               | 6.20               | 6.40               | 6.20               | 6.60               | 5.80               | 4.00                       |
| 7                                 | Biochemical Oxygen Demand(mg/l)    | 3.10               | 3.00               | 2.20               | 4.80               | 2.10               | 2.20               | 3.00                       |
| 8                                 | Chemical Oxygen Demand (mg/l)      | 17.50              | 16.00              | 18.00              | 10.00              | 6.80               | 9.00               |                            |
| 9                                 | Total Dissolve Solids (mg/l)       | 173.00             | 89.00              | 124.00             | 76.00              | 156.00             | 186.00             | 1500.00                    |
| 10                                | Total Suspended Solids             | 15.00              | 18.00              | 18.00              | 16.00              | 16.00              | 18.00              | 100.00                     |
| 11                                | Total hardness (mg/l)              | 118.40             | 64.18              | 64.19              | 57.28              | 161.20             | 122.80             |                            |
| 12                                | Chlorides as Cl (mg/l)             | 17.30              | 21.00              | 23.00              | 18.50              | 9.80               | 9.40               | 600.00                     |
| 13                                | Alkalinity (mg/l)                  | 59.40              | 94.00              | 54.82              | 63.15              | 99.00              | 98.00              |                            |
| 14                                | Calcium as Ca (mg/l)               | 23.40              | 28.16              | 24.95              | 24.93              | 43.30              | 48.20              |                            |
| 15                                | Sulphate as SO4(mg/l)              | 50.30              | 27.50              | 21.70              | 21.50              | 43.00              | 23.00              | 400.00                     |
| 16                                | Sulphides (mg/l)                   | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 17                                | Nitrate (mg/l)                     | 3.31               | 0.57               | 0.78               | 0.41               | 2.23               | 4.60               | 50.00                      |
| 18                                | Nitrite (mg/l)                     | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 19                                | Nickel (mg/l)                      | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 20                                | Ammonia Nitrogen (mg/l)            | 0.25               | 0.09               | 0.21               | 0.13               | 0.13               | 0.18               |                            |
| 21                                | Arsenic as As (mg/l)               | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                | 0.20                       |
| 22                                | Chromium (mg/l)                    | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                | 0.05                       |
| 23                                | Iron as Fe (mg/l)                  | 0.21               | 0.20               | 0.21               | 0.21               | 0.21               | 0.18               | 0.50                       |
| 24                                | Fluoride as F (mg/l)               | 0.05               | 0.05               | 0.05               | 0.05               | 0.05               | 0.04               | 1.50                       |
| 25                                | Lead as Pb (mg/l)                  | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                | 0.10                       |
| 26                                | Copper as Cu (mg/l)                | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                | 1.50                       |
| 27                                | Zinc as Zn (mg/l)                  | 0.270              | 0.93               | 0.370              | 0.280              | 0.270              | 0.270              | 15.00                      |
| 28                                | Cadmium (mg/l)                     | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                | 0.01                       |
| 29                                | Sodium (mg/l)                      | 11.60              | 14.00              | 9.00               | 18.00              | 5.50               | 5.80               |                            |
| 30                                | Magnesium (mg/l)                   | 6.40               | 4.73               | 3.07               | 7.62               | 12.90              | 9.54               |                            |
| 31                                | Manganese (mg/l)                   | BDL                | BDL                | BDL                | BDL                | BDL                | BDL                |                            |
| 32                                | Phosphate (mg/l)                   | 4.160              | 1.82               | 0.370              | 0.510              | 0.160              | 0.240              |                            |
| 33                                | Potassium (mg/l)                   | 2.60               | 4.20               | 2.20               | 2.70               | 1.60               | 1.20               |                            |
| <b>Microbiological Parameters</b> |                                    |                    |                    |                    |                    |                    |                    |                            |
| 1                                 | Total Coliform (MPN/100 ml)        | 327.0              | 21.00              | 12.0               | 14.0               | 85.0               | 42.0               | 5000.0                     |

Remarks:- Analysis is done by ABNS Scientific Services Private Limited.  
 Recognized by Meghalaya State Pollution Control Board, refer to Annexure VI  
 BDL :- Below Detection Limit

| SURFACE WATER QUALITY DATA  |                                    |                    |   |                    |                    |                    |                    |                            |
|---|------------------------------------|--------------------|---|--------------------|--------------------|--------------------|--------------------|----------------------------|
| Project : Lafarage Umiam Mining Pvt. Ltd.                                   |                                    |                    | State : Meghalaya                                 |                    |                    |                    |                    |                            |
| Code : LWQ-3  |                                    |                    | Sampling Location :Up Stream of Phlangkaruh River |                    |                    |                    |                    |                            |
|   |                                    |                    |   |                    |                    |                    |                    | <b>Table:14</b>            |
| Sl. No.   | Parameter                          | Results            |   |                    |                    |                    |                    | Standard IS - 2296 Class C |
|   |                                    | Date of Collection | Date of Collection                                | Date of Collection | Date of Collection | Date of Collection | Date of Collection |                            |
|   |                                    | 27-Apr-24          | 29-May-24   | 18-Jun-24          | 25-Jul-24          | 29-Aug-24          | 21-Sep-24          |                            |
| 1   | Temperature (0°C) Air-Water        | -                  | -   | -                  | -                  | -                  | -                  |                            |
| 2   | Colour (Hazen Units)               | -                  | -   | -                  | -                  | -                  | -                  | 300.00                     |
| 3   | pH                                 | 7.9                | 7.8   | 7.9                | 8.0                | 8.0                | 7.8                | 6.5-8.5                    |
| 4   | Electrical Conductivity (µmhos/cm) | 184.00             | 196.00  | 185.00             | 184.00             | 217.00             | 217.00             |                            |
| 5   | Turbidity (NTU)                    | 6.50               | 3.80  | 4.20               | 2.80               | 3.20               | 3.60               |                            |
| 6   | Dissolve Oxygen(mg/l)              | 5.60               | 5.80  | 5.60               | 7.20               | 4.90               | 4.80               | 4.00                       |
| 7   | Biochemical Oxygen Demand(mg/l)    | 2.80               | 2.20  | 5.40               | 4.60               | 2.30               | 2.40               | 3.00                       |
| 8   | Chemical Oxygen Demand (mg/l)      | 9.80               | 14.00   | 20.00              | 13.00              | 8.70               | 10.60              |                            |
| 9   | Total Dissolve Solids (mg/l)       | 127.00             | 112.00  | 102.00             | 74.00              | 134.00             | 143.00             | 1500.00                    |
| 10  | Total Suspended Solids             | 14.00              | 16.00   | 16.00              | 18.00              | 18.00              | 24.00              | 100.00                     |
| 11  | Total hardness (mg/l)              | 99.50              | 70.25   | 42.82              | 45.18              | 28.60              | 58.40              |                            |
| 12  | Chlorides as Cl (mg/l)             | 30.60              | 19.50   | 19.30              | 23.70              | 39.00              | 23.00              | 600.00                     |
| 13  | Alkalinity (mg/l)                  | 67.20              | 78.12   | 65.10              | 102.44             | 54.40              | 69.60              |                            |
| 14  | Calcium as Ca (mg/l)               | 33.60              | 35.72   | 19.76              | 26.75              | 20.20              | 18.60              |                            |
| 15  | Sulphate as SO4(mg/l)              | 27.60              | 32.00   | 26.40              | 23.40              | 44.50              | 8.40               | 400.00                     |
| 16  | Sulphides (mg/l)                   | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 17  | Nitrate (mg/l)                     | 2.74               | 0.66  | 0.42               | 0.64               | 0.38               | 1.02               | 50.00                      |
| 18  | Nitrite (mg/l)                     | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 19  | Nickel (mg/l)                      | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 20  | Ammonia Nitrogen (mg/l)            | 0.44               | 0.11  | 0.25               | 0.12               | 0.22               | BDL                |                            |
| 21  | Arsenic as As (mg/l)               | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.20                       |
| 22  | Chromium (mg/l)                    | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.05                       |
| 23  | Iron as Fe (mg/l)                  | 0.20               | 0.22  | 0.21               | 0.21               | 0.21               | 0.09               | 0.50                       |
| 24  | Fluoride as F (mg/l)               | 0.06               | 0.05  | 0.05               | 0.06               | 0.06               | BDL                | 1.50                       |
| 25  | Lead as Pb (mg/l)                  | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.10                       |
| 26  | Copper as Cu (mg/l)                | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 1.50                       |
| 27  | Zinc as Zn (mg/l)                  | 1.25               | 0.81  | 0.89               | 0.19               | BDL                | BDL                | 15.00                      |
| 28  | Cadmium (mg/l)                     | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.01                       |
| 29  | Sodium (mg/l)                      | 8.50               | 12.00   | 17.00              | 24.00              | 7.20               | 6.00               |                            |
| 30  | Magnesium (mg/l)                   | 15.50              | 5.03  | 4.07               | 6.52               | 10.90              | 6.20               |                            |
| 31  | Manganese (mg/l)                   | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 32  | Phosphate (mg/l)                   | 1.270              | 2.19  | 0.520              | 0.740              | 1.860              | 0.800              |                            |
| 33  | Potassium (mg/l)                   | 3.10               | 2.00  | 2.80               | 2.40               | 0.18               | 1.90               |                            |
| <b>Microbiological Parameters</b>   |                                    |                    |   |                    |                    |                    |                    |                            |
| 1   | Total Coliform (MPN/100 ml)        | 75.00              | 46.00   | 32.00              | 11.00              | 31.00              | N.D                | 5000.00                    |
| Remarks:- Analysis is done by ABNS Scientific Services Private Limited.     |                                    |                    |   |                    |                    |                    |                    |                            |
| Recognized by Meghalaya State Pollution Control Board, refer to Annexure VI |                                    |                    |   |                    |                    |                    |                    |                            |
| BDL :- Below Detection Limit  |                                    |                    |   |                    |                    |                    |                    |                            |

| SURFACE WATER QUALITY DATA  |                                    |                    |   |                    |                    |                    |                    |                            |
|---|------------------------------------|--------------------|---|--------------------|--------------------|--------------------|--------------------|----------------------------|
| Project : Lafarage Umiam Mining Pvt. Ltd.                                   |                                    |                    | State : Meghalaya                                   |                    |                    |                    |                    |                            |
| Code : LWQ-4  |                                    |                    | Sampling Location :Down Stream of Phlangkaruh River |                    |                    |                    |                    |                            |
|   |                                    |                    |   |                    |                    |                    |                    | <b>Table:15</b>            |
| Sl. No.   | Parameter                          | Results            |   |                    |                    |                    |                    | Standard IS - 2296 Class C |
|   |                                    | Date of Collection | Date of Collection                                  | Date of Collection | Date of Collection | Date of Collection | Date of Collection |                            |
|   |                                    | 19-Oct-24          | 29-May-24   | 18-Jun-24          | 25-Jul-24          | 29-Aug-24          | 21-Sep-24          |                            |
| 1   | Temperature (0°C) Air-Water        | -                  | -   | -                  | -                  | -                  | -                  |                            |
| 2   | Colour (Hazen Units)               | -                  | -   | -                  | -                  | -                  | -                  | 300.00                     |
| 3   | pH                                 | 7.8                | 7.9   | 7.8                | 8.1                | 8.1                | 8.2                | 6.5-8.5                    |
| 4   | Electrical Conductivity (µmhos/cm) | 193.0              | 225.0   | 235.0              | 175.0              | 157.0              | 152.0              |                            |
| 5   | Turbidity (NTU)                    | 8.2                | 3.9   | 3.7                | 3.5                | 6.5                | 6.5                |                            |
| 6   | Dissolve Oxygen(mg/l)              | 5.80               | 6.80  | 5.80               | 6.80               | 7.00               | 6.20               | 4.00                       |
| 7   | Biochemical Oxygen Demand(mg/l)    | 4.00               | 3.00  | 4.20               | 5.20               | 3.60               | 4.80               | 3.00                       |
| 8   | Chemical Oxygen Demand (mg/l)      | 22.30              | 16.00   | 14.00              | 16.00              | 14.20              | 18.00              |                            |
| 9   | Total Dissolve Solids (mg/l)       | 136.00             | 92.00   | 134.00             | 62.00              | 86.40              | 89.00              | 1500.00                    |
| 10  | Total Suspended Solids             | 12.00              | 14.00   | 16.00              | 18.00              | 18.00              | 25.00              | 100.00                     |
| 11  | Total hardness (mg/l)              | 75.50              | 58.46   | 38.16              | 39.42              | 50.60              | 43.20              |                            |
| 12  | Chlorides as Cl (mg/l)             | 27.70              | 18.30   | 31.00              | 19.70              | 21.70              | 20.60              | 600.00                     |
| 13  | Alkalinity (mg/l)                  | 80.30              | 82.52   | 85.71              | 59.16              | 65.50              | 62.50              |                            |
| 14  | Calcium as Ca (mg/l)               | 41.70              | 42.76   | 22.05              | 25.19              | 23.80              | 20.80              |                            |
| 15  | Sulphate as SO4(mg/l)              | 27.00              | 29.00   | 25.30              | 41.00              | 38.80              | 29.60              | 400.00                     |
| 16  | Sulphides (mg/l)                   | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 17  | Nitrate (mg/l)                     | 1.93               | 0.28  | 0.59               | 0.73               | 1.77               | 3.84               | 50.00                      |
| 18  | Nitrite (mg/l)                     | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 19  | Nickel (mg/l)                      | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 20  | Ammonia Nitrogen (mg/l)            | 0.82               | 0.16  | 0.19               | 0.17               | 0.53               | BDL                |                            |
| 21  | Arsenic as As (mg/l)               | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.20                       |
| 22  | Chromium (mg/l)                    | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.05                       |
| 23  | Iron as Fe (mg/l)                  | 0.21               | 0.21  | 0.22               | 0.20               | 0.20               | 0.23               | 0.50                       |
| 24  | Fluoride as F (mg/l)               | 0.05               | 0.06  | 0.04               | 0.05               | 0.05               | BDL                | 1.50                       |
| 25  | Lead as Pb (mg/l)                  | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.10                       |
| 26  | Copper as Cu (mg/l)                | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 1.50                       |
| 27  | Zinc as Zn (mg/l)                  | BDL                | 0.91  | 0.74               | 0.64               | BDL                | BDL                | 15.00                      |
| 28  | Cadmium (mg/l)                     | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                | 0.01                       |
| 29  | Sodium (mg/l)                      | 15.60              | 11.00   | 14.00              | 16.00              | 10.80              | 9.40               |                            |
| 30  | Magnesium (mg/l)                   | 17.20              | 6.21  | 2.97               | 5.03               | 4.70               | 3.40               |                            |
| 31  | Manganese (mg/l)                   | BDL                | BDL   | BDL                | BDL                | BDL                | BDL                |                            |
| 32  | Phosphate (mg/l)                   | 5.42               | 3.10  | 0.93               | 0.680              | 2.860              | 0.820              |                            |
| 33  | Potassium (mg/l)                   | 3.70               | 2.40  | 3.20               | 5.00               | 2.20               | 1.00               |                            |
| <b>Microbiological Parameters</b>   |                                    |                    |   |                    |                    |                    |                    |                            |
| 1   | Total Coliform (MPN/100 ml)        | 35.00              | 25.00   | 57.0               | 22.0               | 49.0               | 68.0               | 5000.00                    |
| Remarks:- Analysis is done by ABNS Scientific Services Private Limited.     |                                    |                    |   |                    |                    |                    |                    |                            |
| Recognized by Meghalaya State Pollution Control Board, refer to Annexure VI |                                    |                    |   |                    |                    |                    |                    |                            |
| BDL :- Below Detection Limit  |                                    |                    |   |                    |                    |                    |                    |                            |




# WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd    State : Meghalaya  
 Code : LWF-1    Sampling Loc: Down stream of Umiam River near Temporary Bridge  
 Date of Measurement :05.04.2024    (during fair weather)

**Table:No. 16**

| Sl. No.                                     | Distance from Initial Point | Width interval (m) | Depth of nalla (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---|-----------------------------|--------------------|--------------------|--------------|------------------------|---------------------------------|
| 1   | 0.0                         | 0.0                | 0.0                | 0.0          | 0.0                    | 0.0                             |
| 2   | 8.40                        | 8.40               | 0.80               | 0.09         | 3.36                   | 0.15                            |
| 3   | 16.80                       | 8.40               | 1.40               | 0.11         | 9.24                   | 0.92                            |
| 4   | 25.20                       | 8.40               | 2.00               | 0.14         | 14.28                  | 1.79                            |
| 5   | 33.60                       | 8.40               | 1.70               | 0.13         | 15.54                  | 2.10                            |
| 6   | 42.00                       | 8.40               | 1.20               | 0.10         | 12.18                  | 1.40                            |
| 7   | 50.40                       | 8.40               | 0.70               | 0.04         | 7.98                   | 0.56                            |
| 8   | 54.60                       | 4.20               | 0.40               | 0.00         | 2.31                   | 0.05                            |
| <b>Total</b>                                |                             |                    |                    |              |                        | <b>6.96</b>                     |
| <b>Discharge m<sup>3</sup>/hr =25068.96</b> |                             |                    |                    |              |                        |                                 |

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**







# WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya

Code : LWF-1 Sampling Location Down stream of Umiam River


Top of the bridge

Date of Measurement :10.06.2024 (during fair weather)

**Table No: 16 b**

| Sl. No.                                     | Distance from Initial Point | Width interval (m) | Depth of nalla (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---|-----------------------------|--------------------|--------------------|--------------|------------------------|---------------------------------|
| 1   | 0.0                         | 0.00               | 0.0                | 0.0          | 0.0                    | 0.0                             |
| 2   | 8.40                        | 8.40               | 1.20               | 0.14         | 5.04                   | 0.35                            |
| 3   | 16.80                       | 8.40               | 1.40               | 0.18         | 10.92                  | 1.75                            |
| 4   | 25.20                       | 8.40               | 1.80               | 0.20         | 13.44                  | 2.55                            |
| 5   | 33.60                       | 8.40               | 2.20               | 0.32         | 16.80                  | 4.37                            |
| 6   | 42.00                       | 8.40               | 2.40               | 0.40         | 19.32                  | 6.96                            |
| 7   | 50.40                       | 8.40               | 1.60               | 0.20         | 16.80                  | 5.04                            |
| 8   | 58.80                       | 8.40               | 1.00               | 0.18         | 10.92                  | 2.07                            |
| 9   | 64.00                       | 8.40               | 0.60               | 0.10         | 3.36                   | 0.47                            |
| 10  | 70.20                       | 6.20               | 0.00               | 0.00         | 1.26                   | 0.06                            |
| Total                                       |                             |                    |                    |              |                        | 23.63                           |
| <b>Discharge m<sup>3</sup>/hr = 85050.0</b> |                             |                    |                    |              |                        |                                 |

## CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)




# WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd    State : Meghalaya  
 Code : LWF-1    Sampling Loc: Down stream of Umiam River  
 Date of Measurement :18.07.2024    Top of the bridge  
 (during fair weather)

**Table No: 16 c**

| Sl. No.                                     | Distance from Initial Point | Width interval (m) | Depth of nalla (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---|-----------------------------|--------------------|--------------------|--------------|------------------------|---------------------------------|
| 1   | 0.0                         | 0.00               | 0.0                | 0.0          | 0.0                    | 0.0                             |
| 2   | 8.4                         | 8.40               | 0.80               | 0.11         | 3.36                   | 0.18                            |
| 3   | 16.8                        | 8.40               | 1.60               | 0.23         | 10.08                  | 1.71                            |
| 4   | 25.2                        | 8.40               | 1.90               | 0.34         | 14.70                  | 4.19                            |
| 5   | 33.6                        | 8.40               | 2.60               | 0.42         | 18.90                  | 7.18                            |
| 6   | 42.0                        | 8.40               | 2.70               | 0.43         | 22.26                  | 9.46                            |
| 7   | 50.4                        | 8.40               | 2.20               | 0.36         | 20.58                  | 8.13                            |
| 8   | 58.8                        | 8.40               | 1.20               | 0.20         | 14.28                  | 4.00                            |
| 9   | 67.2                        | 8.40               | 0.00               | 0.00         | 5.04                   | 0.50                            |
| <b>Total</b>                                |                             |                    |                    |              |                        | <b>30.86</b>                    |
| <b>Discharge m<sup>3</sup>/hr =111094.2</b> |                             |                    |                    |              |                        |                                 |

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**



# WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Location: Down stream of Umiam River  
Top of the bridge

Date of Measurement :20.08.2024 (during fair weather)

**Table No: 16 d**

| Sl. No.                                     | Distance from Initial Point | Width interval (m) | Depth of nalla (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---|-----------------------------|--------------------|--------------------|--------------|------------------------|---------------------------------|
| 1   | 0.0                         | 0.00               | 0.0                | 0.0          | 0.0                    | 0.0                             |
| 2   | 8.4                         | 8.40               | 0.50               | 0.08         | 2.10                   | 0.08                            |
| 3   | 16.8                        | 8.40               | 1.50               | 0.10         | 8.40                   | 0.76                            |
| 4   | 25.2                        | 8.40               | 2.00               | 0.21         | 14.70                  | 2.28                            |
| 5   | 33.6                        | 8.40               | 2.50               | 0.28         | 18.90                  | 4.63                            |
| 6   | 42.0                        | 8.40               | 3.00               | 0.31         | 23.10                  | 6.81                            |
| 7   | 50.4                        | 8.40               | 3.30               | 0.25         | 26.46                  | 7.41                            |
| 8   | 58.8                        | 8.40               | 1.00               | 0.18         | 18.06                  | 3.88                            |
| 9   | 67.2                        | 8.40               | 0.80               | 0.12         | 7.56                   | 1.13                            |
| 10  | 75.6                        | 8.40               | 0.00               | 0.04         | 3.36                   | 0.27                            |
| <b>Total</b>                                |                             |                    |                    |              |                        | <b>27.26</b>                    |
| <b>Discharge m<sup>3</sup>/hr = 98128.8</b> |                             |                    |                    |              |                        |                                 |

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)**



# WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. Ltd State : Meghalaya


Code : LWF-1 Sampling Location Down stream of Umiam River  
Top of the bridge

Date of Measurement :24.09.2024 (during fair weather)

Table No: 16 e

| Sl. No.                                      | Distance from Initial Point | Width interval (m) | Depth of nalla (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|--|-----------------------------|--------------------|--------------------|--------------|------------------------|---------------------------------|
| 1  | 0.0                         | 0.00               | 0.0                | 0.0          | 0.0                    | 0.0                             |
| 2  | 8.4                         | 8.40               | 0.60               | 0.09         | 2.52                   | 0.11                            |
| 3  | 16.8                        | 8.40               | 1.00               | 0.13         | 6.72                   | 0.74                            |
| 4  | 25.2                        | 8.40               | 1.50               | 0.20         | 10.50                  | 1.73                            |
| 5  | 33.6                        | 8.40               | 2.00               | 0.28         | 14.70                  | 3.53                            |
| 6  | 42.0                        | 8.40               | 3.00               | 0.32         | 21.00                  | 6.30                            |
| 7  | 50.4                        | 8.40               | 2.00               | 0.24         | 21.00                  | 5.88                            |
| 8  | 58.8                        | 8.40               | 1.00               | 0.22         | 12.60                  | 2.90                            |
| 9  | 67.2                        | 8.40               | 0.50               | 0.08         | 6.30                   | 0.95                            |
| 10   | 73.4                        | 6.20               | 0.00               | 0.02         | 2.10                   | 0.11                            |
| Total  |                             |                    |                    |              |                        | 22.24                           |
| <b>Discharge m<sup>3</sup>/hr = 80067.96</b> |                             |                    |                    |              |                        |                                 |

## CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM UMIAM RIVER TOP OF THE BRIDGE (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L, Down stream of Phlangkaruh River


Date of Measurement : 05.04.2024

**Table No: 17**

| Sl. No. | Distance from Initial point (m) | Width interval (m) | Depth of stream (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---------|---------------------------------|--------------------|---------------------|--------------|------------------------|---------------------------------|
| 1       | 0                               | 0.0                | 0.00                | 0.00         | 0.0                    | 0.000                           |
| 2       | 2                               | 2.00               | 0.40                | 0.01         | 0.40                   | 0.002                           |
| 3       | 4                               | 2.00               | 0.70                | 0.10         | 1.10                   | 0.061                           |
| 4       | 6                               | 2.00               | 1.00                | 0.16         | 1.70                   | 0.221                           |
| 5       | 8                               | 2.00               | 1.20                | 0.18         | 2.20                   | 0.374                           |
| 6       | 10                              | 2.00               | 0.80                | 0.12         | 2.00                   | 0.300                           |
| 7       | 12                              | 2.00               | 0.60                | 0.08         | 1.40                   | 0.140                           |
| 8       | 14                              | 2.00               | 0.50                | 0.06         | 1.10                   | 0.077                           |
| 10      | 16                              | 2.00               | 0.40                | 0.02         | 0.90                   | 0.036                           |
| 11      | 18                              | 2.00               | 0.00                | 0.00         | 0.40                   | 0.004                           |
|         |                                 |                    |                     |              | <b>Total</b>           | <b>1.09750</b>                  |

**Discharge m<sup>3</sup>/hr = 3951.0**

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L Down stream of Phlangkaruh River


Date of Measurement : 14.05.2024

**Table No: 17 a**

| Sl. No. | Distance from Initial point (m) | Width interval (m) | Depth of stream (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---------|---------------------------------|--------------------|---------------------|--------------|------------------------|---------------------------------|
| 1       | 0                               | 0.0                | 0.00                | 0.00         | 0.0                    | 0.000                           |
| 2       | 2                               | 2.00               | 0.60                | 0.04         | 0.60                   | 0.012                           |
| 3       | 4                               | 2.00               | 0.80                | 0.06         | 1.40                   | 0.070                           |
| 4       | 6                               | 2.00               | 1.20                | 0.10         | 2.00                   | 0.160                           |
| 5       | 8                               | 2.00               | 1.40                | 0.18         | 2.60                   | 0.364                           |
| 6       | 10                              | 2.00               | 1.80                | 0.20         | 3.20                   | 0.608                           |
| 7       | 12                              | 2.00               | 1.00                | 0.12         | 2.80                   | 0.448                           |
| 8       | 14                              | 2.00               | 0.80                | 0.10         | 1.80                   | 0.198                           |
| 9       | 16                              | 2.00               | 0.60                | 0.07         | 1.40                   | 0.119                           |
| 10      | 18                              | 2.00               | 0.40                | 0.05         | 1.00                   | 0.060                           |
| 11      | 20                              | 2.00               | 0.00                | 0.00         | 0.40                   | 0.010                           |
|         |                                 |                    |                     |              | <b>Total</b>           | <b>1.66200</b>                  |

Discharge m<sup>3</sup>/hr =5983.2

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L Down stream of Phlangkaruh River


Date of Measurement : 10.06.2024

**Table No: 17 b**

| Sl. No. | Distance from Initial point (m) | Width interval (m) | Depth of stream (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---------|---------------------------------|--------------------|---------------------|--------------|------------------------|---------------------------------|
| 1       | 0                               | 0.0                | 0.00                | 0.00         | 0.0                    | 0.000                           |
| 2       | 2                               | 2.00               | 0.80                | 0.04         | 0.80                   | 0.016                           |
| 3       | 4                               | 2.00               | 1.00                | 0.10         | 1.80                   | 0.126                           |
| 4       | 6                               | 2.00               | 1.40                | 0.16         | 2.40                   | 0.312                           |
| 5       | 8                               | 2.00               | 1.80                | 0.20         | 3.20                   | 0.576                           |
| 6       | 10                              | 2.00               | 2.00                | 0.22         | 3.80                   | 0.798                           |
| 7       | 12                              | 2.00               | 2.20                | 0.26         | 4.20                   | 1.008                           |
| 8       | 14                              | 2.00               | 2.00                | 0.20         | 4.20                   | 0.966                           |
| 9       | 16                              | 2.00               | 1.80                | 0.18         | 3.80                   | 0.722                           |
| 10      | 18                              | 2.00               | 1.40                | 0.14         | 3.20                   | 0.512                           |
| 11      | 20                              | 2.00               | 1.00                | 0.12         | 2.40                   | 0.312                           |
| 12      | 22                              | 2.00               | 0.80                | 0.06         | 1.80                   | 0.162                           |
| 13      | 24                              | 2.00               | 0.40                | 0.05         | 1.20                   | 0.066                           |
| 14      | 26                              | 2.00               | 0.00                | 0.00         | 0.40                   | 0.010                           |
|         |                                 |                    |                     |              | <b>Total</b>           | <b>2.83600</b>                  |

**Discharge m<sup>3</sup>/hr = 10209.6**

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)





## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya


Code : LWF-2 Sampling L: Down stream of Phlangkaruh River

Date of Measurement : 18 .07.2024

**Table No: 17 c**

| Sl. No.                                   | Distance from Initial point (m) | Width interval (m) | Depth of stream (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---|---------------------------------|--------------------|---------------------|--------------|------------------------|---------------------------------|
| 1   | 0                               | 0.0                | 0.00                | 0.00         | 0.0                    | 0.000                           |
| 2   | 3                               | 3.00               | 0.60                | 0.04         | 0.90                   | 0.018                           |
| 3   | 6                               | 3.00               | 1.10                | 0.08         | 2.55                   | 0.153                           |
| 4   | 9                               | 3.00               | 1.60                | 0.12         | 4.05                   | 0.405                           |
| 5   | 12                              | 3.00               | 2.00                | 0.18         | 5.40                   | 0.810                           |
| 6   | 15                              | 3.00               | 1.00                | 0.14         | 4.50                   | 0.720                           |
| 7   | 18                              | 3.00               | 0.80                | 0.12         | 2.70                   | 0.351                           |
| 8   | 21                              | 3.00               | 0.50                | 0.10         | 1.95                   | 0.215                           |
| 9   | 24                              | 3.00               | 0.00                | 0.03         | 0.75                   | 0.049                           |
|   |                                 |                    |                     |              | <b>Total</b>           | <b>2.10600</b>                  |
| <b>Discharge m<sup>3</sup>/hr =7581.6</b> |                                 |                    |                     |              |                        |                                 |

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)





## WATER FLOW MEASUREMENT

Project : Lafarage Umiam Mining Pvt. State : Meghalaya

Code : LWF-2 Sampling L: Down stream of Phlangkaruh River


Date of Measurement : 20.08.2024

**Table No: 17 d**

| Sl. No. | Distance from Initial point (m) | Width interval (m) | Depth of stream (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---------|---------------------------------|--------------------|---------------------|--------------|------------------------|---------------------------------|
| 1       | 0                               | 0.0                | 0.00                | 0.00         | 0.0                    | 0.000                           |
| 2       | 2                               | 2.00               | 0.40                | 0.03         | 0.40                   | 0.006                           |
| 3       | 4                               | 2.00               | 0.80                | 0.08         | 1.20                   | 0.066                           |
| 4       | 6                               | 2.00               | 1.30                | 0.11         | 2.10                   | 0.200                           |
| 5       | 8                               | 2.00               | 1.60                | 0.18         | 2.90                   | 0.421                           |
| 6       | 10                              | 2.00               | 1.80                | 0.24         | 3.40                   | 0.714                           |
| 7       | 12                              | 2.00               | 2.00                | 0.20         | 3.80                   | 0.836                           |
| 8       | 14                              | 2.00               | 2.20                | 0.12         | 4.20                   | 0.672                           |
| 9       | 16                              | 2.00               | 2.10                | 0.08         | 4.30                   | 0.430                           |
| 10      | 18                              | 2.00               | 1.40                | 0.12         | 3.50                   | 0.350                           |
| 11      | 20                              | 2.00               | 1.00                | 0.05         | 2.40                   | 0.204                           |
| 12      | 22                              | 2.00               | 0.40                | 0.03         | 1.40                   | 0.056                           |
| 13      | 24                              | 2.00               | 0.00                | 0.00         | 0.40                   | 0.006                           |
|         |                                 |                    |                     |              | <b>Total</b>           | <b>2.24200</b>                  |

Discharge m<sup>3</sup>/hr = 8071.2

CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)



## WATER FLOW MEASUREMENT


Project : Lafarage Umiam Mining Pvt. State : Meghalaya  
 Code : LWF-2 Sampling Loc Down stream of Phlangkaruh River  
 Date of Measurement : 24.09.2024

**Table No: 17 e**

| Sl. No. | Distance from Initial point (m) | Width interval (m) | Depth of stream (m) | Velocity M/S | Area (m <sup>2</sup> ) | Discharge (m <sup>3</sup> /sec) |
|---------|---------------------------------|--------------------|---------------------|--------------|------------------------|---------------------------------|
| 1       | 0                               | 0.0                | 0.00                | 0.00         | 0.0                    | 0.000                           |
| 2       | 2                               | 2.00               | 0.40                | 0.03         | 0.40                   | 0.006                           |
| 3       | 4                               | 2.00               | 0.80                | 0.06         | 1.20                   | 0.054                           |
| 4       | 6                               | 2.00               | 1.20                | 0.12         | 2.00                   | 0.180                           |
| 5       | 8                               | 2.00               | 1.50                | 0.18         | 2.70                   | 0.405                           |
| 6       | 10                              | 2.00               | 1.80                | 0.22         | 3.30                   | 0.660                           |
| 7       | 12                              | 2.00               | 2.20                | 0.16         | 4.00                   | 0.760                           |
| 8       | 14                              | 2.00               | 1.40                | 0.12         | 3.60                   | 0.504                           |
| 9       | 16                              | 2.00               | 1.00                | 0.09         | 2.40                   | 0.252                           |
| 10      | 18                              | 2.00               | 0.60                | 0.06         | 1.60                   | 0.120                           |
| 11      | 20                              | 2.00               | 0.20                | 0.02         | 0.80                   | 0.032                           |
|         |                                 |                    |                     |              | <b>Total</b>           | <b>2.06500</b>                  |

**Discharge m<sup>3</sup>/hr = 7434**

**CROSS SECTION OF WATER FLOW MEASUREMENT AT DOWNSTREAM OF PHLANGKARUH RIVER (DURING FAIR WEATHER)**



| PROJECT : LAFARGE UMIAM MINING PVT.LTD            |                         | STATE : MEGHALAYA   |      |      |         |
|---|-------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION : SHELLA BAZAR (NON MARKET DAY) |                         | CODE : LN - 1       |      |      |         |
| MONTH: APRIL - JUNE, 2024                         |                         |                     |      |      |         |
| LOCATION CATEGORY : COMMERCIAL AREA               |                         | <b>Table No. 18</b> |      |      |         |
| Time of Monitoring                                | Permissible Limit dB(A) | in dB(A)            |      |      | Remarks |
|   |                         | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)                    | 65                      | 55.9 - 56.2         | 44.2 | 59.6 |         |
| Night Time (10.00 PM to 6.00 AM)                  | 55                      | 47.2 - 47.8         |      |      |         |

| PROJECT: LAFARGE UMIAM MINING PVT.LTD |                            | STATE : MEGHALAYA   |      |      |         |
|---------------------------------------|----------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION: PYRKAN VILLAGE     |                            | CODE : LN - 2       |      |      |         |
| MONTH: APRIL - JUNE, 2024             |                            |                     |      |      |         |
| LOCATION CATEGORY: RESIDENTIAL AREA   |                            | <b>Table No. 19</b> |      |      |         |
| Time of Monitoring                    | Permissible Limit<br>dB(A) | in dB(A)            |      |      | Remarks |
|                                       |                            | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)        | 55                         | 53.1 - 54.1         | 41.2 | 57.4 |         |
| Night Time (10.00 PM to 6.00 AM)      | 45                         | 44.4 - 44.8         |      |      |         |

| PROJECT : LAFARGE UMIAM MINING PVT.LTD   |                            | STATE : MEGHALAYA |      |      |         |
|--|----------------------------|-------------------|------|------|---------|
| SAMPLING LOCATION : PHALANGKARUH VILLAGE |                            | CODE : LN - 3     |      |      |         |
| MONTH :APRIL - JUNE, 2024                |                            |                   |      |      |         |
| LOCATION CATEGORY : RESIDENTIAL AREA     |                            | Table No. 20      |      |      |         |
| Time of Monitoring                       | Permissible Limit<br>dB(A) | in dB(A)          |      |      | Remarks |
|  |                            | Leq               | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)           | 55                         | 53.0 - 53.9       | 41.6 | 57.9 |         |
| Night Time (10.00 PM to 6.00 AM)         | 45                         | 44.4 - 44.5       |      |      |         |

| PROJECT : LAFARGE UMIAM MINING PVT.LTD. |                            | STATE: MEGHALAYA    |      |      |         |
|---|----------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION : OFFICE AREA         |                            | CODE : LN - 4       |      |      |         |
| MONTH :APRIL - JUNE, 2024               |                            |                     |      |      |         |
| LOCATION CATEGORY : INDUSTRIAL AREA     |                            | <b>Table No. 21</b> |      |      |         |
| Time of Monitoring                      | Permissible Limit<br>dB(A) | in dB(A)            |      |      | Remarks |
|   |                            | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)          | 75                         | 57.7 - 59.0         | 45.6 | 63.8 |         |
| Night Time (10.00 PM to 6.00 AM)        | 70                         | 48.6 - 49.3         |      |      |         |

| PROJECT : LAFARGE UMIAM MINING PVT.LTD. |                            | STATE: MEGHALAYA |      |      |         |
|---|----------------------------|------------------|------|------|---------|
| SAMPLING LOCATION : SHELLA PUNJEE       |                            | CODE : LN - 5    |      |      |         |
| MONTH :APRIL- JUNE, 2024                |                            |                  |      |      |         |
| LOCATION CATEGORY :RESIDENTIAL AREA     |                            | Table No. 22     |      |      |         |
| Time of Monitoring                      | Permissible Limit<br>dB(A) | in dB(A)         |      |      | Remarks |
|   |                            | Leq              | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)          | 55                         | 53.1 - 53.8      | 41.2 | 57.1 |         |
| Night Time (10.00 PM to 6.00 AM)        | 45                         | 44.1 - 44.7      |      |      |         |

| PROJECT : LAFARGE UMIAM MINING PVT.LTD. |                            | STATE: MEGHALAYA |      |      |         |
|---|----------------------------|------------------|------|------|---------|
| SAMPLING LOCATION :MAWRYNGKHONG         |                            | CODE : LN - 6    |      |      |         |
| MONTH : APRIL - JUNE, 2024              |                            |                  |      |      |         |
| LOCATION CATEGORY :RESIDENTIAL AREA     |                            | Table No. 23     |      |      |         |
| Time of Monitoring                      | Permissible Limit<br>dB(A) | in dB(A)         |      |      | Remarks |
|   |                            | Leq              | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)          | 55                         | 53.1 - 54.0      | 41.2 | 57.8 |         |
| Night Time (10.00 PM to 6.00 AM)        | 45                         | 44.3 - 44.7      |      |      |         |



| PROJECT : LAFARGE UMIAM MINING PVT.LTD            |                         | STATE : MEGHALAYA   |      |      |         |
|---|-------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION : SHELLA BAZAR (NON MARKET DAY) |                         | CODE : LN - 1       |      |      |         |
| MONTH: JULY - SEPTEMBER, 2024                     |                         |                     |      |      |         |
| LOCATION CATEGORY : COMMERCIAL AREA               |                         | <b>Table No. 24</b> |      |      |         |
| Time of Monitoring                                | Permissible Limit dB(A) | in dB(A)            |      |      | Remarks |
|   |                         | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)                    | 65                      | 55.8 - 56.3         | 43.2 | 60.1 |         |
| Night Time (10.00 PM to 6.00 AM)                  | 55                      | 46.3 - 47.0         |      |      |         |

| PROJECT: LAFARGE UMIAM MINING PVT.LTD |                            | STATE : MEGHALAYA |      |      |         |
|---------------------------------------|----------------------------|-------------------|------|------|---------|
| SAMPLING LOCATION: PYRKAN VILLAGE     |                            | CODE : LN - 2     |      |      |         |
| MONTH: JULY - SEPTEMBER, 2024         |                            |                   |      |      |         |
| LOCATION CATEGORY: RESIDENTIAL AREA   |                            | Table No. 25      |      |      |         |
| Time of Monitoring                    | Permissible Limit<br>dB(A) | in dB(A)          |      |      | Remarks |
|                                       |                            | Leq               | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)        | 55                         | 53.3 - 54.2       | 41.4 | 57.9 |         |
| Night Time (10.00 PM to 6.00 AM)      | 45                         | 44.0 - 44.8       |      |      |         |




| PROJECT : LAFARGE UMIAM MINING PVT.LTD   |                            | STATE : MEGHALAYA   |      |      |         |
|--|----------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION : PHALANGKARUH VILLAGE |                            | CODE : LN - 3       |      |      |         |
| MONTH :JULY - SEPTEMBER, 2024            |                            |                     |      |      |         |
| LOCATION CATEGORY : RESIDENTIAL AREA     |                            | <b>Table No. 26</b> |      |      |         |
| Time of Monitoring                       | Permissible Limit<br>dB(A) | in dB(A)            |      |      | Remarks |
|  |                            | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)           | 55                         | 53.4 - 54.1         | 41.6 | 57.6 |         |
| Night Time (10.00 PM to 6.00 AM)         | 45                         | 44.6 - 44.8         |      |      |         |

| PROJECT : LAFARGE UMIAM MINING PVT.LTD. |                            | STATE: MEGHALAYA    |      |      |         |
|---|----------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION : OFFICE AREA         |                            | CODE : LN - 4       |      |      |         |
| MONTH :JULY-SEPTEMBER, 2024             |                            |                     |      |      |         |
| LOCATION CATEGORY : INDUSTRIAL AREA     |                            | <b>Table No. 27</b> |      |      |         |
| Time of Monitoring                      | Permissible Limit<br>dB(A) | in dB(A)            |      |      | Remarks |
|   |                            | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)          | 75                         | 56.7 - 58.8         | 43.6 | 63.5 |         |
| Night Time (10.00 PM to 6.00 AM)        | 70                         | 47.9 - 48.7         |      |      |         |

| PROJECT : LAFARGE UMIAM MINING PVT.LTD. |                            | STATE: MEGHALAYA    |      |      |         |
|---|----------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION : SHELLA PUNJEE       |                            | CODE : LN - 5       |      |      |         |
| MONTH :JULY - SEPTEMBER, 2024           |                            |                     |      |      |         |
| LOCATION CATEGORY :RESIDENTIAL AREA     |                            | <b>Table No. 28</b> |      |      |         |
| Time of Monitoring                      | Permissible Limit<br>dB(A) | in dB(A)            |      |      | Remarks |
|   |                            | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)          | 55                         | 53.5 - 53.9         | 41.5 | 57.4 |         |
| Night Time (10.00 PM to 6.00 AM)        | 45                         | 44.2- 44.4          |      |      |         |




| PROJECT : LAFARGE UMIAM MINING PVT.LTD. |                            | STATE: MEGHALAYA    |      |      |         |
|---|----------------------------|---------------------|------|------|---------|
| SAMPLING LOCATION :MAWRYNGKHONG         |                            | CODE : LN - 6       |      |      |         |
| MONTH : JULY - SEPTEMBER, 2024          |                            |                     |      |      |         |
| LOCATION CATEGORY :RESIDENTIAL AREA     |                            | <b>Table No. 29</b> |      |      |         |
| Time of Monitoring                      | Permissible Limit<br>dB(A) | in dB(A)            |      |      | Remarks |
|   |                            | Leq                 | Lmin | Lmax |         |
| Day Time (6.00 AM to 10.00 PM)          | 55                         | 53.1 - 54.0         | 41.5 | 57.2 |         |
| Night Time (10.00 PM to 6.00 AM)        | 45                         | 44.5 - 44.6         |      |      |         |

**Diurnal Variation of Temperature (April - Jun 2024)**



**Exhibit-1**




**Diurnal Variation of Temperature (Jul - Sep 2024)**



**Exhibit-2**






### Diurnal Variation of Humidity (Apr - Jun 2024)







**Exhibit-3**

**Diurnal Variation of Humidity (Jul – Sep 2024)**







**Exhibit-4**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Industrial and Mixed used Areas (Apr - Jun 2024)**







**Exhibit No: 5**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Industrial and Mixed used Areas (Jul to Sep 2024)**







*Exhibit No: 6*

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Residential, Rural Areas (Apr to Jun 2024)**



**Exhibit No: 7**

**LAFARGE UMIAM MINING PVT. LTD. (Meghalaya)**  
**Graphical Presentation of Ambient Air Quality**  
**for Residential, Rural Areas (Jul to Sep 2024)**



**Exhibit No: 8**



# CAVE PROTECTION

*Plate 1*





**DAILY WEATHER MONITORING DATA FOR THE PERIOD APRIL TO SEPTEMBER 2024**

| Lafarge Umiam Mining Pvt.Limited                         |                  |      |      |            |                 |      |      |           |     |      |               |      |      |                      |
|--|------------------|------|------|------------|-----------------|------|------|-----------|-----|------|---------------|------|------|----------------------|
| Daily Weather Monitoring Data For the Month of Apr 2024  |                  |      |      |            |                 |      |      |           |     |      |               |      |      |                      |
| (Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.) |                  |      |      |            |                 |      |      |           |     |      |               |      |      |                      |
| Date   | Wind Speed km/hr |      |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm       |
|  | Min              | Max  | Avg. |            | Min             | Max  | Avg. | Min       | Max | Avg. | Min           | Max  | Avg. |                      |
| 01.04.24   | 0.0              | 0.9  | 0.11 | NNW        | 19.0            | 37.5 | 24.9 | 0.0       | 1.1 | 0.08 | 38.2          | 93.6 | 73.6 | 72.0                 |
| 02.04.24   | 0.0              | 6.0  | 1.75 | NW         | 16.1            | 35.2 | 24.2 | 0.0       | 1.3 | 0.21 | 36.1          | 93.6 | 70.2 | 25.0                 |
| 03.04.24   | 0.0              | 5.5  | 1.98 | NW         | 23.1            | 39.2 | 29.2 | 0.0       | 1.4 | 0.25 | 29.1          | 72.5 | 49.7 | 12.0                 |
| 04.04.24   | 0.0              | 13.9 | 3.55 | N          | 22.0            | 40.1 | 29.7 | 0.0       | 1.5 | 0.34 | 19.0          | 45.1 | 28.9 | 35.0                 |
| 05.04.24   | 0.0              | 8.5  | 3.60 | NNW        | 22.0            | 39.6 | 28.5 | 0.0       | 1.4 | 0.32 | 21.0          | 48.5 | 26.7 | 0.0                  |
| 06.04.24   | 0.0              | 0.9  | 0.06 | N          | 23.0            | 41.2 | 28.6 | 0.0       | 1.1 | 0.17 | 60.0          | 95.1 | 87.0 | 57.5                 |
| 07.04.24   | 0.0              | 1.2  | 0.75 | N          | 22.1            | 36.3 | 27.8 | 0.0       | 1.0 | 0.12 | 78.3          | 95.2 | 91.4 | 40.5                 |
| 08.04.24   | 0.0              | 0.3  | 0.01 | NW         | 23.0            | 40.2 | 31.3 | 0.0       | 1.2 | 0.17 | 46.5          | 93.5 | 73.1 | 4.0                  |
| 09.04.24   | 0.0              | 0.9  | 0.09 | NNE        | 24.0            | 37.5 | 33.9 | 0.0       | 1.2 | 0.33 | 22.2          | 93.3 | 50.6 | 5.0                  |
| 10.04.24   | 0.0              | 2.0  | 0.24 | N          | 26.1            | 38.2 | 32.3 | 0.0       | 0.6 | 0.18 | 23.0          | 65.2 | 35.4 | 9.0                  |
| 11.04.24   | 0.0              | 0.3  | 0.03 | W          | 25.0            | 38.0 | 32.6 | 0.0       | 1.1 | 0.13 | 18.3          | 66.1 | 38.5 | 9.5                  |
| 12.04.24   | 0.0              | 1.3  | 0.20 | N          | 26.4            | 40.5 | 33.6 | 0.0       | 1.4 | 0.33 | 13.0          | 53.5 | 32.8 | 18.0                 |
| 13.04.24   | 0.0              | 0.6  | 0.07 | NNW        | 24.2            | 40.2 | 32.8 | 0.0       | 1.3 | 0.29 | 16.2          | 58.1 | 36.1 | 2.0                  |
| 14.04.24   | 0.0              | 0.4  | 0.05 | N          | 25.0            | 39.3 | 35.8 | 0.0       | 1.1 | 0.29 | 19.2          | 59.2 | 38.6 | 75.5                 |
| 15.04.24   | 0.0              | 0.2  | 0.02 | N          | 26.0            | 40.0 | 33.6 | 0.0       | 1.2 | 0.26 | 19.6          | 62.0 | 42.5 | 26.5                 |
| 16.04.24   | 0.0              | 1.1  | 0.72 | NE         | 27.2            | 40.4 | 34.0 | 0.0       | 1.0 | 0.13 | 20.3          | 62.1 | 48.2 | 28.0                 |
| 17.04.24   | 0.0              | 1.5  | 0.68 | N          | 24.0            | 40.3 | 32.5 | 0.0       | 1.3 | 0.24 | 22.4          | 82.2 | 44.0 | 8.0                  |
| 18.04.24   | 0.0              | 1.9  | 0.16 | N          | 22.0            | 40.2 | 33.6 | 0.0       | 1.5 | 0.36 | 29.0          | 94.2 | 70.4 | 2.5                  |
| 19.04.24   | 0.0              | 0.8  | 0.06 | SW         | 24.0            | 39.5 | 29.7 | 0.0       | 1.2 | 0.21 | 28.2          | 94.5 | 58.3 | 5.5                  |
| 20.04.24   | 0.0              | 1.5  | 0.11 | N          | 24.1            | 38.5 | 28.3 | 0.0       | 0.5 | 0.05 | 26.3          | 94.1 | 75.1 | 3.5                  |
| 21.04.24   | 0.0              | 1.1  | 0.10 | NE         | 24.0            | 39.6 | 31.5 | 0.0       | 1.4 | 0.26 | 39.6          | 95.0 | 78.3 | 189.5                |
| 22.04.24   | 0.0              | 0.5  | 0.02 | N          | 23.2            | 38.4 | 32.0 | 0.0       | 1.2 | 0.18 | 41.5          | 91.3 | 76.7 | 47.0                 |
| 23.04.24   | 0.0              | 1.1  | 0.07 | NW         | 26.0            | 39.2 | 34.1 | 0.0       | 1.2 | 0.19 | 25.2          | 89.3 | 60.4 | 4.5                  |
| 24.04.24   | 0.0              | 0.6  | 0.02 | N          | 26.0            | 38.3 | 33.8 | 0.0       | 1.3 | 0.22 | 24.3          | 83.3 | 55.3 | 2.5                  |
| 25.04.24   | 0.0              | 0.5  | 0.06 | NE         | 26.0            | 39.3 | 33.9 | 0.0       | 1.4 | 0.28 | 22.2          | 65.2 | 43.9 | 0.0                  |
| 26.04.24   | 0.0              | 0.5  | 0.07 | N          | 25.0            | 38.1 | 32.9 | 0.0       | 1.3 | 0.26 | 28.1          | 95.1 | 45.3 | 0.0                  |
| 27.04.24   | 0.0              | 0.6  | 0.06 | NW         | 24.2            | 39.0 | 33.5 | 0.0       | 1.3 | 0.30 | 25.2          | 95.0 | 56.6 | 42.5                 |
| 28.04.24   | 0.0              | 1.1  | 0.07 | N          | 25.4            | 33.4 | 30.0 | 0.0       | 0.6 | 0.06 | 41.2          | 94.4 | 79.4 | 12.5                 |
| 29.04.24   | 0.0              | 1.2  | 0.11 | N          | 26.0            | 36.0 | 32.5 | 0.0       | 1.0 | 0.13 | 31.6          | 94.3 | 70.0 | 20.0                 |
| 30.04.24   | 0.0              | 1.4  | 0.06 | NE         | 25.2            | 40.2 | 33.1 | 0.0       | 1.2 | 0.17 | 25.2          | 90.0 | 64.1 | 53.5                 |
|  |                  |      |      | N          |                 |      |      |           |     |      |               |      |      |                      |
|  | 0.0              | 13.9 | 0.5  |            | 16.1            | 41.2 | 31.5 | 0.0       | 1.5 | 0.2  | 13.0          | 95.2 | 56.7 | 811.0                |
|  | Min              | Max  | Avg  |            | Min             | Max  | Avg  | Min       | Max | Avg  | Min           | Max  | Avg  | Total                |
|  | Wind Speed Km/hr |      |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Total Rainfall in mm |

| Lafarge Umiam Mining Pvt.Limited                         |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                      |
|--|------------------|-----|------|------------|-----------------|------|------|-----------|-----|------|---------------|------|------|----------------------|
| Daily Weather Monitoring Data For the Month of May 2024  |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                      |
| (Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.) |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                      |
| Date   | Wind Speed km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm       |
|  | Min              | Max | Avg. |            | Min             | Max  | Avg. | Min       | Max | Avg. | Min           | Max  | Avg. |                      |
| 01.05.24   | 0.0              | 0.4 | 0.02 | NNE        | 23.0            | 39.1 | 32.1 | 0.0       | 1.2 | 0.16 | 29.1          | 94.3 | 73.4 | 45.5                 |
| 02.05.24   | 0.0              | 1.1 | 0.15 | N          | 25.0            | 34.0 | 31.7 | 0.0       | 1.2 | 0.17 | 31.3          | 93.4 | 67.1 | 12.0                 |
| 03.05.24   | 0.0              | 0.8 | 0.09 | NW         | 22.0            | 39.1 | 33.6 | 0.0       | 1.4 | 0.33 | 21.1          | 93.5 | 54.0 | 0.0                  |
| 04.05.24   | 0.0              | 4.6 | 0.24 | N          | 22.5            | 41.2 | 33.7 | 0.0       | 1.3 | 0.29 | 21.1          | 93.4 | 54.4 | 40.0                 |
| 05.05.24   | 0.0              | 3.9 | 0.32 | NE         | 19.0            | 32.6 | 24.3 | 0.0       | 0.3 | 0.05 | 56.2          | 94.0 | 87.4 | 54.0                 |
| 06.05.24   | 0.0              | 1.6 | 0.11 | N          | 20.0            | 25.3 | 21.8 | 0.0       | 0.5 | 0.08 | 85.3          | 94.0 | 92.8 | 29.0                 |
| 07.05.24   | 0.0              | 0.8 | 0.05 | NNW        | 21.0            | 43.1 | 31.3 | 0.0       | 1.4 | 0.28 | 26.2          | 93.3 | 56.9 | 7.0                  |
| 08.05.24   | 0.0              | 0.5 | 0.05 | N          | 21.0            | 43.1 | 28.7 | 0.0       | 1.0 | 0.08 | 27.2          | 93.6 | 62.7 | 0.5                  |
| 09.05.24   | 0.0              | 0.7 | 0.06 | NE         | 24.0            | 44.2 | 32.5 | 0.0       | 1.6 | 0.35 | 23.2          | 72.5 | 50.1 | 2.0                  |
| 10.05.24   | 0.0              | 0.5 | 0.03 | SW         | 23.1            | 44.5 | 31.6 | 0.0       | 1.2 | 0.33 | 26.8          | 93.6 | 64.4 | 27.0                 |
| 11.05.24   | 0.0              | 0.3 | 0.01 | S          | 23.0            | 43.5 | 29.4 | 0.0       | 1.4 | 0.23 | 31.2          | 94.2 | 72.4 | 30.0                 |
| 12.05.24   | 0.0              | 1.2 | 0.07 | NE         | 24.2            | 45.6 | 34.3 | 0.0       | 1.4 | 0.35 | 22.4          | 80.2 | 52.2 | 18.5                 |
| 13.05.24   | 0.0              | 1.4 | 0.12 | N          | 24.2            | 46.3 | 35.1 | 0.0       | 1.3 | 0.28 | 22.5          | 87.3 | 50.0 | 0.0                  |
| 14.05.24   | 0.0              | 1.4 | 0.08 | NW         | 28.0            | 46.1 | 36.5 | 0.0       | 1.4 | 0.32 | 23.1          | 70.4 | 47.2 | 0.0                  |
| 15.05.24   | 0.0              | 0.5 | 0.10 | N          | 29.0            | 40.3 | 35.8 | 0.0       | 1.3 | 0.27 | 24.0          | 65.6 | 46.3 | 3.5                  |
| 16.05.24   | 0.0              | 0.6 | 0.08 | NW         | 28.1            | 40.6 | 35.7 | 0.0       | 1.3 | 0.25 | 24.0          | 94.2 | 50.2 | 16.0                 |
| 17.05.24   | 0.0              | 1.4 | 0.12 | N          | 26.1            | 39.7 | 32.6 | 0.0       | 1.3 | 0.22 | 25.1          | 90.0 | 56.9 | 5.5                  |
| 18.05.24   | 0.0              | 0.8 | 0.13 | NE         | 23.1            | 35.8 | 28.9 | 0.0       | 0.5 | 0.09 | 40.1          | 94.1 | 76.4 | 53.0                 |
| 19.05.24   | 0.0              | 0.2 | 0.01 | N          | 24.0            | 32.5 | 29.4 | 0.0       | 1.0 | 0.12 | 41.1          | 94.2 | 73.7 | 6.0                  |
| 20.05.24   | 0.0              | 0.5 | 0.02 | N          | 26.0            | 44.0 | 31.2 | 0.0       | 1.3 | 0.12 | 33.5          | 94.2 | 71.9 | 0.0                  |
| 21.05.24   | 0.0              | 1.1 | 0.07 | NW         | 26.0            | 43.4 | 33.7 | 0.0       | 1.3 | 0.29 | 25.1          | 87.0 | 57.1 | 0.0                  |
| 22.05.24   | 0.0              | 0.7 | 0.03 | N          | 26.2            | 42.5 | 36.4 | 0.0       | 1.3 | 0.28 | 24.2          | 92.1 | 52.4 | 0.0                  |
| 23.05.24   | 0.0              | 0.2 | 0.02 | NNE        | 29.2            | 43.8 | 37.4 | 0.0       | 1.4 | 0.36 | 24.4          | 66.3 | 44.6 | 0.0                  |
| 24.05.24   | 0.0              | 1.9 | 0.19 | N          | 28.1            | 45.3 | 37.0 | 0.0       | 1.4 | 0.35 | 24.1          | 72.4 | 46.7 | 0.0                  |
| 25.05.24   | 0.0              | 0.3 | 0.02 | NW         | 27.3            | 42.8 | 36.8 | 0.0       | 1.4 | 0.36 | 24.2          | 94.1 | 55.5 | 0.0                  |
| 26.05.24   | 0.0              | 1.9 | 0.14 | N          | 26.0            | 45.2 | 35.6 | 0.0       | 1.4 | 0.29 | 24.5          | 94.4 | 67.3 | 78.5                 |
| 27.05.24   | 0.0              | 1.6 | 0.33 | NNW        | 25.0            | 40.5 | 29.3 | 0.0       | 0.4 | 0.03 | 31.3          | 94.1 | 81.2 | 42.5                 |
| 28.05.24   | 0.0              | 1.1 | 0.26 | N          | 24.0            | 28.5 | 26.6 | 0.0       | 0.1 | 0.00 | 87.0          | 94.2 | 93.0 | 187.5                |
| 29.05.24   | 0.0              | 1.4 | 0.16 | NW         | 23.8            | 28.2 | 25.2 | 0.0       | 0.0 | 0.00 | 86.3          | 94.0 | 92.5 | 81.5                 |
| 30.05.24   | 0.0              | 3.3 | 0.33 | N          | 22.0            | 26.3 | 23.7 | 0.0       | 0.2 | 0.01 | 93.0          | 94.3 | 93.3 | 14.5                 |
| 31.05.24   | 0.0              | 2.1 | 0.19 | NE         | 23.0            | 32.2 | 26.7 | 0.0       | 0.4 | 0.04 | 72.2          | 94.3 | 88.2 | 0.0                  |
|  |                  |     |      | N          |                 |      |      |           |     |      |               |      |      |                      |
|  | 0.0              | 4.6 | 0.1  |            | 19.0            | 46.3 | 31.6 | 0.0       | 1.6 | 0.2  | 21.1          | 94.4 | 65.6 | 754.0                |
|  | Min              | Max | Avg  |            | Min             | Max  | Avg  | Min       | Max | Avg  | Min           | Max  | Avg  | Total                |
|  | Wind Speed Km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Total Rainfall in mm |



| Lafarge Umiam Mining Pvt.Limited                         |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
|--|------------------|-----|------|------------|-----------------|------|------|-----------|-----|------|---------------|------|------|----------------|
| Daily Weather Monitoring Data For the Month of Jun 2024  |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| (Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.) |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| Date   | Wind Speed km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |
|  | Min              | Max | Avg. |            | Min             | Max  | Avg. | Min       | Max | Avg. | Min           | Max  | Avg. |                |
| 01.06.24   | 0.0              | 1.5 | 0.13 | NW         | 25.3            | 41.2 | 32.9 | 0.0       | 1.4 | 0.30 | 33.1          | 94.0 | 68.7 | 16.0           |
| 02.06.24   | 0.0              | 5.6 | 0.51 | N          | 23.2            | 42.1 | 31.4 | 0.0       | 1.4 | 0.27 | 33.1          | 94.0 | 69.5 | 22.0           |
| 03.06.24   | 0.0              | 0.3 | 0.03 | NW         | 22.2            | 41.4 | 26.9 | 0.0       | 0.4 | 0.03 | 38.5          | 94.4 | 65.7 | 11.0           |
| 04.06.24   | 0.0              | 0.3 | 0.02 | NNE        | 23.0            | 33.1 | 26.2 | 0.0       | 1.0 | 0.09 | 60.2          | 94.1 | 88.4 | 1.0            |
| 05.06.24   | 0.0              | 0.3 | 0.01 | N          | 34.0            | 39.2 | 27.8 | 0.0       | 1.2 | 0.17 | 42.1          | 94.1 | 82.5 | 0.5            |
| 06.06.24   | 0.0              | 1.0 | 0.09 | NNW        | 24.2            | 39.2 | 28.8 | 0.0       | 1.2 | 0.15 | 42.1          | 94.0 | 78.2 | 1.0            |
| 07.06.24   | 0.0              | 1.2 | 0.05 | N          | 25.0            | 39.4 | 30.9 | 0.0       | 1.3 | 0.23 | 40.1          | 93.3 | 71.5 | 9.5            |
| 08.06.24   | 0.0              | 1.2 | 0.08 | NW         | 26.1            | 39.2 | 30.6 | 0.0       | 1.2 | 0.15 | 41.3          | 94.1 | 73.3 | 2.0            |
| 09.06.24   | 0.0              | 0.8 | 0.04 | N          | 24.1            | 39.4 | 30.4 | 0.0       | 1.3 | 0.24 | 40.1          | 94.0 | 72.2 | 9.5            |
| 10.06.24   | 0.0              | 1.1 | 0.07 | NW         | 25.2            | 32.6 | 27.2 | 0.0       | 0.3 | 0.05 | 67.4          | 94.4 | 89.2 | 0.5            |
| 11.06.24   | 0.0              | 1.5 | 0.09 | N          | 26.0            | 40.5 | 30.6 | 0.0       | 1.0 | 0.10 | 44.0          | 94.4 | 78.2 | 2.5            |
| 12.06.24   | 0.0              | 0.7 | 0.03 | NNW        | 25.0            | 41.4 | 30.9 | 0.0       | 1.3 | 0.18 | 40.2          | 94.2 | 76.7 | 27.5           |
| 13.06.24   | 0.0              | 1.2 | 0.09 | N          | 24.0            | 26.5 | 24.8 | 0.0       | 0.0 | 0.00 | 93.1          | 94.1 | 93.4 | 130.0          |
| 14.06.24   | 0.0              | 1.1 | 0.08 | N          | 24.0            | 31.2 | 25.6 | 0.0       | 0.2 | 0.01 | 77.4          | 94.0 | 91.0 | 23.5           |
| 15.06.24   | 0.0              | 2.3 | 0.29 | NNE        | 23.1            | 25.3 | 24.4 | 0.0       | 0.0 | 0.00 | 93.0          | 94.0 | 93.2 | 240.0          |
| 16.06.24   | 0.0              | 0.8 | 0.08 | NW         | 23.1            | 25.1 | 24.3 | 0.0       | 0.0 | 0.00 | 93.0          | 93.2 | 93.1 | 211.0          |
| 17.06.24   | 0.0              | 1.6 | 0.09 | N          | 23.1            | 25.4 | 24.4 | 0.0       | 0.0 | 0.00 | 93.0          | 93.3 | 93.1 | 93.0           |
| 18.06.24   | 0.0              | 0.7 | 0.07 | NW         | 23.0            | 25.3 | 24.0 | 0.0       | 0.0 | 0.00 | 93.0          | 93.3 | 93.1 | 168.5          |
| 19.06.24   | 0.0              | 0.6 | 0.03 | NE         | 23.0            | 37.2 | 25.0 | 0.0       | 0.3 | 0.02 | 53.0          | 93.3 | 90.2 | 27.5           |
| 20.06.24   | 0.0              | 0.5 | 0.04 | N          | 23.0            | 38.4 | 26.9 | 0.0       | 0.5 | 0.05 | 45.2          | 94.3 | 86.8 | 18.5           |
| 21.06.24   | 0.0              | 1.1 | 0.07 | NW         | 25.0            | 40.5 | 30.8 | 0.0       | 0.5 | 0.08 | 43.1          | 94.2 | 75.3 | 18.0           |
| 22.06.24   | 0.0              | 0.8 | 0.07 | N          | 23.0            | 38.3 | 27.2 | 0.0       | 0.5 | 0.03 | 49.1          | 94.2 | 88.7 | 8.5            |
| 23.06.24   | 0.0              | 1.2 | 0.08 | NNW        | 27.0            | 39.5 | 31.5 | 0.0       | 1.0 | 0.12 | 36.6          | 94.2 | 73.6 | 29.5           |
| 24.06.24   | 0.0              | 0.4 | 0.02 | NW         | 28.1            | 36.0 | 30.8 | 0.0       | 0.6 | 0.07 | 65.1          | 94.6 | 85.2 | 32.0           |
| 25.06.24   | 0.0              | 1.0 | 0.08 | NW         | 28.0            | 42.0 | 33.4 | 0.0       | 0.4 | 0.08 | 50.1          | 94.6 | 81.3 | 16.0           |
| 26.06.24   | 0.0              | 1.4 | 0.06 | N          | 32.0            | 42.0 | 36.0 | 0.0       | 1.3 | 0.25 | 32.1          | 94.2 | 64.5 | 8.5            |
| 27.06.24   | 0.0              | 2.0 | 0.16 | NW         | 30.1            | 41.2 | 34.1 | 0.0       | 1.0 | 0.11 | 41.3          | 94.6 | 83.0 | 43.5           |
| 28.06.24   | 0.0              | 1.2 | 0.12 | N          | 30.0            | 41.2 | 32.0 | 0.0       | 1.6 | 0.10 | 43.0          | 94.2 | 87.3 | 3.5            |
| 29.06.24   | 0.0              | 0.5 | 0.04 | NW         | 29.2            | 31.2 | 30.3 | 0.0       | 0.0 | 0.00 | 94.0          | 94.2 | 94.0 | 39.5           |
| 30.06.24   | 0.0              | 0.8 | 0.06 | NNW        | 30.0            | 33.3 | 31.5 | 0.0       | 0.0 | 0.00 | 94.0          | 94.3 | 94.1 | 104.5          |
|  |                  |     |      | NW         |                 |      |      |           |     |      |               |      |      |                |
|  | 0.0              | 5.6 | 0.1  |            | 22.2            | 42.1 | 29.1 | 0.0       | 1.6 | 0.1  | 32.1          | 94.6 | 83.2 | 1318.5         |
|  | Min              | Max | Avg  |            | Min             | Max  | Avg  | Min       | Max | Avg  | Min           | Max  | Avg  | Total          |
|  | Wind Speed Km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |

| Lafarge Umiam Mining Pvt.Limited                         |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
|--|------------------|-----|------|------------|-----------------|------|------|-----------|-----|------|---------------|------|------|----------------|
| Daily Weather Monitoring Data For the Month of Jul 2024  |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| (Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.) |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| Date   | Wind Speed km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |
|  | Min              | Max | Avg. |            | Min             | Max  | Avg. | Min       | Max | Avg. | Min           | Max  | Avg. |                |
| 01.07.24   | 0.0              | 1.5 | 0.13 | NNW        | 25.3            | 36.2 | 30.0 | 0.0       | 0.6 | 0.05 | 52.0          | 94.2 | 89.3 | 262.0          |
| 02.07.24   | 0.0              | 0.9 | 0.08 | NW         | 25.3            | 38.4 | 32.0 | 0.0       | 1.0 | 0.12 | 51.1          | 94.1 | 82.5 | 96.0           |
| 03.07.24   | 0.0              | 1.1 | 0.09 | N          | 28.4            | 38.5 | 31.9 | 0.0       | 0.2 | 0.03 | 88.2          | 94.4 | 93.6 | 24.0           |
| 04.07.24   | 0.0              | 0.8 | 0.06 | N          | 27.6            | 37.1 | 31.8 | 0.0       | 1.1 | 0.06 | 41.0          | 98.3 | 85.4 | 32.0           |
| 05.07.24   | 0.0              | 1.8 | 0.12 | NE         | 26.0            | 32.6 | 30.8 | 0.0       | 0.0 | 0.00 | 94.0          | 94.3 | 94.1 | 85.0           |
| 06.07.24   | 0.0              | 0.9 | 0.11 | N          | 28.0            | 36.7 | 31.2 | 0.0       | 1.0 | 0.11 | 46.5          | 97.4 | 86.6 | 72.0           |
| 07.07.24   | 0.0              | 0.8 | 0.07 | N          | 30.6            | 37.5 | 32.4 | 0.0       | 1.1 | 0.17 | 38.3          | 94.2 | 74.0 | 0.0            |
| 08.07.24   | 0.0              | 1.6 | 0.13 | NW         | 27.0            | 35.6 | 30.4 | 0.0       | 0.6 | 0.05 | 51.0          | 94.3 | 84.4 | 0.0            |
| 09.07.24   | 0.0              | 1.2 | 0.14 | N          | 29.2            | 37.4 | 32.0 | 0.0       | 0.4 | 0.05 | 65.0          | 94.5 | 90.2 | 15.0           |
| 10.07.24   | 0.0              | 0.8 | 0.09 | NE         | 25.0            | 36.2 | 32.4 | 0.0       | 0.6 | 0.04 | 45.1          | 95.1 | 85.7 | 97.0           |
| 11.07.24   | 0.0              | 1.4 | 0.12 | N          | 25.0            | 30.4 | 27.3 | 0.0       | 0.2 | 0.02 | 82.0          | 94.5 | 92.9 | 245.0          |
| 12.07.24   | 0.0              | 0.9 | 0.10 | NE         | 24.2            | 30.0 | 26.5 | 0.0       | 0.2 | 0.01 | 87.0          | 94.5 | 92.9 | 95.5           |
| 13.07.24   | 0.0              | 1.2 | 0.14 | N          | 25.1            | 36.4 | 29.0 | 0.0       | 0.4 | 0.04 | 41.4          | 94.3 | 82.9 | 74.0           |
| 14.07.24   | 0.0              | 1.8 | 0.17 | NW         | 25.0            | 38.4 | 29.8 | 0.0       | 0.3 | 0.04 | 41.5          | 94.4 | 81.6 | 22.0           |
| 15.07.24   | 0.0              | 0.8 | 0.09 | N          | 26.1            | 35.0 | 30.2 | 0.0       | 1.3 | 0.25 | 33.1          | 94.4 | 71.9 | 0.0            |
| 16.07.24   | 0.0              | 1.1 | 0.11 | N          | 27.0            | 32.2 | 29.5 | 0.0       | 0.6 | 0.08 | 38.3          | 94.4 | 75.8 | 0.0            |
| 17.07.24   | 0.0              | 1.1 | 0.09 | NW         | 26.3            | 33.4 | 30.2 | 0.0       | 1.4 | 0.23 | 36.0          | 94.3 | 73.3 | 0.0            |
| 18.07.24   | 0.0              | 1.5 | 0.13 | NE         | 26.1            | 35.6 | 29.8 | 0.0       | 1.2 | 0.19 | 33.0          | 94.2 | 65.1 | 0.0            |
| 19.07.24   | 0.0              | 0.9 | 0.12 | N          | 25.1            | 38.2 | 31.4 | 0.0       | 1.2 | 0.21 | 34.1          | 94.1 | 68.9 | 75.0           |
| 20.07.24   | 0.0              | 1.2 | 0.10 | NW         | 25.1            | 39.4 | 32.6 | 0.0       | 1.2 | 0.15 | 35.2          | 94.3 | 71.6 | 82.0           |
| 21.07.24   | 0.0              | 0.8 | 0.09 | N          | 26.0            | 35.5 | 30.4 | 0.0       | 1.2 | 0.17 | 32.5          | 94.4 | 74.9 | 36.0           |
| 22.07.24   | 0.0              | 0.9 | 0.08 | N          | 26.1            | 34.2 | 28.1 | 0.0       | 0.5 | 0.05 | 68.5          | 94.5 | 90.2 | 87.0           |
| 23.07.24   | 0.0              | 1.4 | 0.13 | NE         | 26.0            | 36.2 | 28.5 | 0.0       | 0.4 | 0.05 | 57.3          | 94.3 | 87.7 | 96.5           |
| 24.07.24   | 0.0              | 1.1 | 0.11 | N          | 26.0            | 41.8 | 32.2 | 0.0       | 1.1 | 0.20 | 37.5          | 94.5 | 75.4 | 18.0           |
| 25.07.24   | 0.0              | 1.2 | 0.12 | N          | 26.1            | 42.5 | 33.1 | 0.0       | 1.2 | 0.24 | 30.5          | 94.2 | 71.1 | 10.0           |
| 26.07.24   | 0.0              | 0.9 | 0.11 | NE         | 27.8            | 40.5 | 35.8 | 0.0       | 1.3 | 0.31 | 29.1          | 92.1 | 58.6 | 0.0            |
| 27.07.24   | 0.0              | 0.3 | 0.02 | NNW        | 30.1            | 41.2 | 36.5 | 0.0       | 1.2 | 0.27 | 30.5          | 94.3 | 58.4 | 0.0            |
| 28.07.24   | 0.0              | 0.8 | 0.08 | N          | 27.8            | 40.4 | 34.8 | 0.0       | 1.3 | 0.23 | 32.5          | 94.2 | 67.6 | 32.5           |
| 29.07.24   | 0.0              | 1.1 | 0.13 | SW         | 26.1            | 40.2 | 34.6 | 0.0       | 1.4 | 0.09 | 30.5          | 97.4 | 80.7 | 107.5          |
| 30.07.24   | 0.0              | 1.4 | 0.11 | N          | 26.4            | 39.8 | 28.2 | 0.0       | 0.5 | 0.05 | 47.0          | 94.4 | 88.3 | 52.5           |
| 31.07.24   | 0.0              | 0.9 | 0.10 | N          | 25.2            | 40.0 | 29.5 | 0.0       | 0.3 | 0.04 | 46.3          | 94.4 | 83.7 | 26.0           |
|  |                  |     |      | N          |                 |      |      |           |     |      |               |      |      |                |
|  | 0.0              | 1.8 | 0.1  |            | 24.2            | 42.5 | 31.1 | 0.0       | 1.4 | 0.1  | 29.1          | 98.3 | 80.0 | 1742.5         |
|  | Min              | Max | Avg  |            | Min             | Max  | Avg  | Min       | Max | Avg  | Min           | Max  | Avg  | Total          |
|  | Wind Speed Km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |

| Lafarge Umiam Mining Pvt.Limited                         |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
|--|------------------|-----|------|------------|-----------------|------|------|-----------|-----|------|---------------|------|------|----------------|
| Daily Weather Monitoring Data For the Month of Aug 2024  |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| (Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.) |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| Date   | Wind Speed km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |
|  | Min              | Max | Avg. |            | Min             | Max  | Avg. | Min       | Max | Avg. | Min           | Max  | Avg. |                |
| 01.08.24   | 0.0              | 0.4 | 0.05 | NNW        | 25.0            | 31.1 | 26.2 | 0.0       | 0.1 | 0.02 | 65.2          | 94.3 | 90.6 | 42.0           |
| 02.08.24   | 0.0              | 0.9 | 0.08 | NE         | 24.2            | 26.4 | 25.3 | 0.0       | 0.0 | 0.00 | 92.0          | 94.1 | 93.5 | 76.0           |
| 03.08.24   | 0.0              | 1.2 | 0.09 | NW         | 24.2            | 30.4 | 25.8 | 0.0       | 0.2 | 0.02 | 86.1          | 94.5 | 93.3 | 185.0          |
| 04.08.24   | 0.0              | 1.5 | 0.13 | NNE        | 25.0            | 42.1 | 28.9 | 0.0       | 0.6 | 0.07 | 38.2          | 94.2 | 84.2 | 57.0           |
| 05.08.24   | 0.0              | 0.8 | 0.07 | SW         | 25.0            | 32.0 | 26.4 | 0.0       | 0.4 | 0.04 | 74.1          | 94.5 | 92.6 | 32.0           |
| 06.08.24   | 0.0              | 1.2 | 0.10 | SSW        | 25.0            | 39.2 | 28.2 | 0.0       | 0.4 | 0.08 | 47.5          | 94.4 | 85.8 | 52.5           |
| 07.08.24   | 0.0              | 0.8 | 0.11 | NNE        | 25.0            | 40.2 | 27.8 | 0.0       | 0.4 | 0.05 | 42.4          | 94.5 | 88.2 | 35.5           |
| 08.08.24   | 0.0              | 0.7 | 0.09 | NE         | 25.0            | 29.1 | 26.3 | 0.0       | 0.4 | 0.03 | 89.0          | 94.4 | 93.3 | 58.0           |
| 09.08.24   | 0.0              | 1.1 | 0.10 | NW         | 25.0            | 28.2 | 25.9 | 0.0       | 0.1 | 0.01 | 92.0          | 94.4 | 94.0 | 72.0           |
| 10.08.24   | 0.0              | 1.2 | 0.10 | SSW        | 25.0            | 30.0 | 26.3 | 0.0       | 0.5 | 0.03 | 94.0          | 94.5 | 94.1 | 51.0           |
| 11.08.24   | 0.0              | 0.6 | 0.07 | SW         | 25.0            | 28.4 | 25.7 | 0.0       | 0.0 | 0.00 | 92.5          | 94.4 | 94.0 | 142.0          |
| 12.08.24   | 0.0              | 1.4 | 0.10 | NNE        | 25.1            | 30.2 | 26.5 | 0.0       | 0.2 | 0.01 | 85.2          | 94.5 | 93.3 | 25.0           |
| 13.08.24   | 0.0              | 0.6 | 0.06 | NW         | 25.2            | 41.6 | 30.5 | 0.0       | 0.6 | 0.10 | 41.2          | 94.4 | 79.6 | 2.0            |
| 14.08.24   | 0.0              | 1.1 | 0.08 | NE         | 26.1            | 40.2 | 31.2 | 0.0       | 0.5 | 0.06 | 33.1          | 94.4 | 73.6 | 0.0            |
| 15.08.24   | 0.0              | 6.8 | 0.29 | NNW        | 25.4            | 37.3 | 29.8 | 0.0       | 0.6 | 0.10 | 50.4          | 94.4 | 80.5 | 0.0            |
| 16.08.24   | 0.0              | 0.8 | 0.05 | N          | 23.3            | 38.3 | 29.9 | 0.0       | 0.6 | 0.11 | 49.0          | 94.4 | 78.1 | 16.0           |
| 17.08.24   | 0.0              | 1.2 | 0.11 | NNW        | 25.2            | 34.1 | 28.3 | 0.0       | 0.4 | 0.05 | 63.2          | 94.3 | 86.0 | 5.0            |
| 18.08.24   | 0.0              | 1.4 | 0.12 | N          | 26.0            | 35.2 | 30.6 | 0.0       | 0.6 | 0.11 | 30.3          | 94.1 | 69.7 | 43.0           |
| 19.08.24   | 0.0              | 0.8 | 0.03 | NE         | 24.1            | 30.2 | 27.2 | 0.0       | 0.4 | 0.05 | 59.2          | 94.3 | 88.7 | 27.0           |
| 20.08.24   | 0.0              | 0.8 | 0.09 | NNW        | 24.0            | 25.6 | 24.8 | 0.0       | 0.0 | 0.00 | 93.0          | 94.0 | 93.4 | 142.0          |
| 21.08.24   | 0.0              | 1.2 | 0.10 | NE         | 24.2            | 26.3 | 25.4 | 0.0       | 0.0 | 0.00 | 93.3          | 94.2 | 93.7 | 235.0          |
| 22.08.24   | 0.0              | 1.5 | 0.09 | SW         | 24.2            | 33.5 | 26.8 | 0.0       | 0.2 | 0.02 | 64.0          | 94.3 | 89.0 | 55.5           |
| 23.08.24   | 0.0              | 2.2 | 0.18 | SSE        | 25.0            | 34.2 | 30.8 | 0.0       | 1.0 | 0.12 | 32.2          | 94.0 | 71.4 | 12.0           |
| 24.08.24   | 0.0              | 1.4 | 0.09 | NW         | 24.2            | 39.0 | 28.8 | 0.0       | 0.5 | 0.06 | 45.2          | 94.3 | 83.4 | 23.5           |
| 25.08.24   | 0.0              | 1.1 | 0.14 | N          | 24.2            | 38.2 | 31.4 | 0.0       | 0.4 | 0.08 | 31.0          | 94.4 | 73.7 | 0.0            |
| 26.08.24   | 0.0              | 1.4 | 0.07 | NNE        | 26.3            | 39.7 | 32.4 | 0.0       | 0.6 | 0.11 | 33.4          | 94.2 | 69.7 | 0.0            |
| 27.08.24   | 0.0              | 1.6 | 0.12 | NW         | 28.1            | 40.2 | 33.8 | 0.0       | 0.4 | 0.08 | 32.3          | 94.2 | 68.5 | 0.0            |
| 28.08.24   | 0.0              | 1.2 | 0.11 | N          | 28.0            | 37.5 | 32.1 | 0.0       | 0.5 | 0.09 | 34.2          | 94.3 | 71.8 | 0.0            |
| 29.08.24   | 0.0              | 1.1 | 0.10 | SW         | 30.1            | 37.3 | 32.4 | 0.0       | 0.3 | 0.04 | 35.3          | 94.3 | 71.9 | 0.0            |
| 30.08.24   | 0.0              | 1.2 | 0.09 | SSW        | 29.1            | 38.3 | 32.7 | 0.0       | 0.4 | 0.08 | 32.5          | 94.2 | 66.8 | 0.0            |
| 31.08.24   | 0.0              | 1.4 | 0.08 | N          | 30.2            | 36.8 | 33.4 | 0.0       | 0.2 | 0.06 | 38.4          | 92.6 | 74.2 | 25.0           |
|  |                  |     |      | NW         |                 |      |      |           |     |      |               |      |      |                |
|  | 0.0              | 6.8 | 0.1  |            | 23.3            | 42.1 | 28.8 | 0.0       | 1.0 | 0.1  | 30.3          | 94.5 | 83.2 | 1414.0         |
|  | Min              | Max | Avg  |            | Min             | Max  | Avg  | Min       | Max | Avg  | Min           | Max  | Avg  | Total          |
|  | Wind Speed Km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |

| Lafarge Umiam Mining Pvt.Limited                         |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
|--|------------------|-----|------|------------|-----------------|------|------|-----------|-----|------|---------------|------|------|----------------|
| Daily Weather Monitoring Data For the Month of Sep 2024  |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| (Based on Hourly Readings from 00:00 Hrs. to 23:00 Hrs.) |                  |     |      |            |                 |      |      |           |     |      |               |      |      |                |
| Date   | Wind Speed km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |
|  | Min              | Max | Avg. |            | Min             | Max  | Avg. | Min       | Max | Avg. | Min           | Max  | Avg. |                |
| 01.09.24   | 0.0              | 0.2 | 0.01 | NW         | 25.1            | 35.5 | 29.0 | 0.0       | 0.1 | 0.01 | 65.2          | 94.4 | 92.2 | 4.0            |
| 02.09.24   | 0.0              | 0.5 | 0.02 | N          | 27.0            | 38.5 | 33.2 | 0.0       | 0.5 | 0.07 | 33.0          | 94.5 | 92.2 | 0.0            |
| 03.09.24   | 0.0              | 0.3 | 0.02 | NE         | 26.1            | 36.3 | 32.6 | 0.0       | 0.6 | 0.07 | 39.5          | 94.5 | 81.0 | 0.0            |
| 04.09.24   | 0.0              | 1.1 | 0.09 | SE         | 27.4            | 39.4 | 34.5 | 0.0       | 0.5 | 0.06 | 40.6          | 94.0 | 76.3 | 0.0            |
| 05.09.24   | 0.0              | 1.2 | 0.08 | NE         | 27.5            | 40.2 | 34.2 | 0.0       | 0.4 | 0.04 | 35.0          | 94.5 | 81.4 | 0.0            |
| 06.09.24   | 0.0              | 0.8 | 0.04 | N          | 29.1            | 41.2 | 34.1 | 0.0       | 0.3 | 0.05 | 33.1          | 91.2 | 66.6 | 0.0            |
| 07.09.24   | 0.0              | 0.7 | 0.03 | NNW        | 28.3            | 42.3 | 33.8 | 0.0       | 1.0 | 0.09 | 31.0          | 94.2 | 71.0 | 0.0            |
| 08.09.24   | 0.0              | 1.1 | 0.07 | NE         | 27.2            | 39.4 | 33.5 | 0.0       | 0.6 | 0.09 | 32.2          | 94.4 | 67.9 | 0.0            |
| 09.09.24   | 0.0              | 0.6 | 0.04 | NNE        | 26.2            | 38.5 | 32.6 | 0.0       | 0.4 | 0.07 | 35.5          | 90.2 | 66.0 | 0.0            |
| 10.09.24   | 0.0              | 0.8 | 0.07 | NE         | 26.5            | 39.7 | 33.8 | 0.0       | 0.5 | 0.06 | 37.0          | 94.5 | 73.6 | 0.0            |
| 11.09.24   | 0.0              | 1.2 | 0.09 | SW         | 26.8            | 40.2 | 34.5 | 0.0       | 0.5 | 0.08 | 35.3          | 94.4 | 67.0 | 0.0            |
| 12.09.24   | 0.0              | 0.8 | 0.06 | SSE        | 27.2            | 41.5 | 34.2 | 0.0       | 0.6 | 0.08 | 26.1          | 93.3 | 59.0 | 0.0            |
| 13.09.24   | 0.0              | 0.3 | 0.01 | NE         | 26.8            | 42.5 | 34.6 | 0.0       | 0.6 | 0.14 | 30.0          | 80.0 | 56.9 | 0.0            |
| 14.09.24   | 0.0              | 1.1 | 0.07 | NW         | 26.5            | 43.2 | 34.8 | 0.0       | 0.3 | 0.06 | 40.5          | 93.0 | 67.2 | 0.0            |
| 15.09.24   | 0.0              | 0.5 | 0.02 | N          | 26.4            | 44.5 | 35.1 | 0.0       | 0.3 | 0.03 | 46.6          | 97.5 | 73.9 | 0.0            |
| 16.09.24   | 0.0              | 0.8 | 0.05 | NNE        | 26.4            | 44.8 | 34.9 | 0.0       | 0.5 | 0.09 | 32.6          | 97.0 | 73.0 | 0.0            |
| 17.09.24   | 0.0              | 1.4 | 0.09 | NE         | 26.2            | 44.6 | 33.8 | 0.0       | 0.5 | 0.09 | 49.0          | 97.3 | 75.0 | 0.0            |
| 18.09.24   | 0.0              | 1.1 | 0.07 | NNW        | 26.5            | 39.6 | 32.4 | 0.0       | 0.5 | 0.10 | 31.4          | 94.4 | 67.9 | 0.0            |
| 19.09.24   | 0.0              | 0.8 | 0.06 | NNE        | 26.2            | 40.5 | 33.8 | 0.0       | 0.5 | 0.07 | 29.0          | 79.4 | 54.3 | 0.0            |
| 20.09.24   | 0.0              | 1.1 | 0.09 | NE         | 26.4            | 42.5 | 34.6 | 0.0       | 1.0 | 0.14 | 31.1          | 82.1 | 54.7 | 0.0            |
| 21.09.24   | 0.0              | 0.9 | 0.05 | N          | 26.4            | 41.2 | 34.2 | 0.0       | 0.6 | 0.06 | 31.2          | 94.0 | 72.7 | 43.0           |
| 22.09.24   | 0.0              | 0.8 | 0.03 | NW         | 24.0            | 39.6 | 33.2 | 0.0       | 0.5 | 0.08 | 31.2          | 94.2 | 67.6 | 0.0            |
| 23.09.24   | 0.0              | 0.2 | 0.01 | NE         | 25.8            | 40.2 | 33.8 | 0.0       | 0.3 | 0.05 | 31.1          | 83.6 | 55.4 | 57.5           |
| 24.09.24   | 0.0              | 1.1 | 0.05 | SSW        | 24.1            | 40.0 | 30.8 | 0.0       | 0.4 | 0.07 | 44.0          | 94.2 | 74.7 | 83.0           |
| 25.09.24   | 0.0              | 1.2 | 0.09 | SW         | 24.0            | 27.6 | 25.2 | 0.0       | 0.1 | 0.00 | 93.3          | 94.3 | 93.7 | 38.0           |
| 26.09.24   | 0.0              | 1.1 | 0.08 | NE         | 24.0            | 26.1 | 24.6 | 0.0       | 0.0 | 0.00 | 93.2          | 94.1 | 93.4 | 23.0           |
| 27.09.24   | 0.0              | 0.6 | 0.03 | NNE        | 23.3            | 30.3 | 27.3 | 0.0       | 0.6 | 0.12 | 34.1          | 93.3 | 74.0 | 11.0           |
| 28.09.24   | 0.0              | 0.8 | 0.04 | NE         | 23.0            | 30.4 | 27.6 | 0.0       | 0.5 | 0.04 | 49.5          | 94.6 | 88.3 | 18.0           |
| 29.09.24   | 0.0              | 1.0 | 0.07 | N          | 24.0            | 26.5 | 25.0 | 0.0       | 0.0 | 0.00 | 93.2          | 94.2 | 93.8 | 5.5            |
| 30.09.24   | 0.0              | 0.9 | 0.06 | NE         | 24.0            | 32.4 | 26.8 | 0.0       | 0.3 | 0.05 | 55.6          | 94.4 | 84.1 | 8.0            |
|  |                  |     |      | NE         |                 |      |      |           |     |      |               |      |      |                |
|  | 0.0              | 1.4 | 0.1  |            | 23.0            | 44.8 | 32.1 | 0.0       | 1.0 | 0.1  | 26.1          | 97.5 | 73.8 | 291.0          |
|  | Min              | Max | Avg  |            | Min             | Max  | Avg  | Min       | Max | Avg  | Min           | Max  | Avg  | Total          |
|  | Wind Speed Km/hr |     |      | Wind Dir.* | Ambient Temp.°C |      |      | Solar CCM |     |      | R. Humidity % |      |      | Rainfall in mm |

| LAFARGE UMIAM MINING PVT. LTD.                                       |       |                    |       |                |                  |
|--|-------|--------------------|-------|----------------|------------------|
| NOISE LEVEL DATA   |       |                    |       |                |                  |
| DATE : 02 - 04 - 2024  |       |                    |       |                |                  |
| STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY) |       |                    |       |                |                  |
| STATION CODE : LN-1  |       |                    |       |                |                  |
|  |       |                    |       | Time (in hour) |                  |
| Sl. No.  |       | Date               | From  | To             | Hourly Leq dB(A) |
| 1  | Day   | 2-Apr-24           | 6:00  | 7:00           | 51.2             |
| 2  |       |                    | 7:00  | 8:00           | 52.4             |
| 3  |       |                    | 8:00  | 9:00           | 53.5             |
| 4  |       |                    | 9:00  | 10:00          | 54.8             |
| 5  |       |                    | 10:00 | 11:00          | 55.6             |
| 6  |       |                    | 11:00 | 12:00          | 56.9             |
| 7  |       |                    | 12:00 | 13:00          | 57.8             |
| 8  |       |                    | 13:00 | 14:00          | 58.4             |
| 9  |       |                    | 14:00 | 15:00          | 59.6             |
| 10   |       |                    | 15:00 | 16:00          | 58.7             |
| 11   |       |                    | 16:00 | 17:00          | 57.4             |
| 12   |       |                    | 17:00 | 18:00          | 56.2             |
| 13   |       |                    | 18:00 | 19:00          | 55.4             |
| 14   |       |                    | 19:00 | 20:00          | 54.6             |
| 15   |       |                    | 20:00 | 21:00          | 52.8             |
| 16   |       |                    | 21:00 | 22:00          | 51.3             |
|  |       | Leq day in dB(A)   |       |                | 56.1             |
| 17   | Night | 02 & 03-Apr-24     | 22:00 | 23:00          | 49.2             |
| 18   |       |                    | 23:00 | 0:00           | 48.7             |
| 19   |       |                    | 0:00  | 1:00           | 47.2             |
| 20   |       |                    | 1:00  | 2:00           | 46.8             |
| 21   |       |                    | 2:00  | 3:00           | 45.2             |
| 22   |       |                    | 3:00  | 4:00           | 46.2             |
| 23   |       |                    | 4:00  | 5:00           | 47.1             |
| 24   |       |                    | 5:00  | 6:00           | 48.4             |
|  |       | Leq Night in dB(A) |       |                | 47.5             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE: 08- 04 - 2024

STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)

STATION CODE : LN-2

| Sl. No. |       | Date         | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|--------------|--------------------|-------|------------------|
|         |       |              | From               | To    |                  |
| 1       | Day   | 8-Apr-24     | 6:00               | 7:00  | 49.8             |
| 2       |       |              | 7:00               | 8:00  | 50.2             |
| 3       |       |              | 8:00               | 9:00  | 51.4             |
| 4       |       |              | 9:00               | 10:00 | 52.6             |
| 5       |       |              | 10:00              | 11:00 | 53.8             |
| 6       |       |              | 11:00              | 12:00 | 54.7             |
| 7       |       |              | 12:00              | 13:00 | 55.6             |
| 8       |       |              | 13:00              | 14:00 | 56.8             |
| 9       |       |              | 14:00              | 15:00 | 57.4             |
| 10      |       |              | 15:00              | 16:00 | 56.2             |
| 11      |       |              | 16:00              | 17:00 | 55.8             |
| 12      |       |              | 17:00              | 18:00 | 54.3             |
| 13      |       |              | 18:00              | 19:00 | 53.2             |
| 14      |       |              | 19:00              | 20:00 | 52.7             |
| 15      |       |              | 20:00              | 21:00 | 51.4             |
| 16      |       |              | 21:00              | 22:00 | 49.2             |
|         |       |              | Leq day in dB(A)   |       | 54.1             |
| 17      | Night | 8 & 9-Apr-24 | 22:00              | 23:00 | 46.8             |
| 18      |       |              | 23:00              | 0:00  | 45.2             |
| 19      |       |              | 0:00               | 1:00  | 44.2             |
| 20      |       |              | 1:00               | 2:00  | 42.8             |
| 21      |       |              | 2:00               | 3:00  | 43.8             |
| 22      |       |              | 3:00               | 4:00  | 44.2             |
| 23      |       |              | 4:00               | 5:00  | 44.8             |
| 24      |       |              | 5:00               | 6:00  | 45.1             |
|         |       |              | Leq Night in dB(A) |       | 44.8             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 12-04-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

|         |       | Time (in hour)     |       |       |                  |
|---------|-------|--------------------|-------|-------|------------------|
| Sl. No. |       | Date               | From  | To    | Hourly Leq dB(A) |
| 1       | Day   | 12-Apr-24          | 6:00  | 7:00  | 48.7             |
| 2       |       |                    | 7:00  | 8:00  | 49.5             |
| 3       |       |                    | 8:00  | 9:00  | 50.4             |
| 4       |       |                    | 9:00  | 10:00 | 51.2             |
| 5       |       |                    | 10:00 | 11:00 | 52.8             |
| 6       |       |                    | 11:00 | 12:00 | 53.6             |
| 7       |       |                    | 12:00 | 13:00 | 54.7             |
| 8       |       |                    | 13:00 | 14:00 | 55.8             |
| 9       |       |                    | 14:00 | 15:00 | 56.7             |
| 10      |       |                    | 15:00 | 16:00 | 57.2             |
| 11      |       |                    | 16:00 | 17:00 | 56.5             |
| 12      |       |                    | 17:00 | 18:00 | 54.3             |
| 13      |       |                    | 18:00 | 19:00 | 53.7             |
| 14      |       |                    | 19:00 | 20:00 | 52.4             |
| 15      |       |                    | 20:00 | 21:00 | 50.5             |
| 16      |       |                    | 21:00 | 22:00 | 48.6             |
|         |       | Leq day in dB(A)   |       |       | 53.8             |
| 17      | Night | 12 & 13-Apr-24     | 22:00 | 23:00 | 46.2             |
| 18      |       |                    | 23:00 | 0:00  | 45.4             |
| 19      |       |                    | 0:00  | 1:00  | 44.3             |
| 20      |       |                    | 1:00  | 2:00  | 42.7             |
| 21      |       |                    | 2:00  | 3:00  | 41.8             |
| 22      |       |                    | 3:00  | 4:00  | 43.5             |
| 23      |       |                    | 4:00  | 5:00  | 44.8             |
| 24      |       |                    | 5:00  | 6:00  | 45.7             |
|         |       | Leq Night in dB(A) |       |       | 44.5             |



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 15 - 04 - 2024

STATION: OFFICE AREA

STATION CODE : LN-4

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 15-Apr-24      | 6:00               | 7:00  | 52.5             |
| 2       |       |                | 7:00               | 8:00  | 54.6             |
| 3       |       |                | 8:00               | 9:00  | 56.8             |
| 4       |       |                | 9:00               | 10:00 | 57.4             |
| 5       |       |                | 10:00              | 11:00 | 59.8             |
| 6       |       |                | 11:00              | 12:00 | 60.5             |
| 7       |       |                | 12:00              | 13:00 | 62.7             |
| 8       |       |                | 13:00              | 14:00 | 63.8             |
| 9       |       |                | 14:00              | 15:00 | 61.5             |
| 10      |       |                | 15:00              | 16:00 | 59.8             |
| 11      |       |                | 16:00              | 17:00 | 57.9             |
| 12      |       |                | 17:00              | 18:00 | 58.4             |
| 13      |       |                | 18:00              | 19:00 | 56.8             |
| 14      |       |                | 19:00              | 20:00 | 55.7             |
| 15      |       |                | 20:00              | 21:00 | 54.3             |
| 16      |       |                | 21:00              | 22:00 | 52.9             |
|         |       |                | Leq day in dB(A)   |       | 59.0             |
| 17      | Night | 15 & 16-Apr-24 | 22:00              | 23:00 | 51.8             |
| 18      |       |                | 23:00              | 0:00  | 50.4             |
| 19      |       |                | 0:00               | 1:00  | 48.7             |
| 20      |       |                | 1:00               | 2:00  | 47.5             |
| 21      |       |                | 2:00               | 3:00  | 46.1             |
| 22      |       |                | 3:00               | 4:00  | 47.8             |
| 23      |       |                | 4:00               | 5:00  | 48.9             |
| 24      |       |                | 5:00               | 6:00  | 50.2             |
|         |       |                | Leq Night in dB(A) |       | 49.3             |

| LAFARGE UMIAM MINING PVT. LTD. |       |                |                    |       |                  |
|--------------------------------|-------|----------------|--------------------|-------|------------------|
| NOISE LEVEL DATA               |       |                |                    |       |                  |
| DATE : -22 -04 - 2024          |       |                |                    |       |                  |
| STATION : SHELLA PUNJEE        |       |                |                    |       |                  |
| STATION CODE : LN-5            |       |                |                    |       |                  |
|                                |       |                | Time (in hour)     |       |                  |
| Sl. No.                        |       | Date           | From               | To    | Hourly Leq dB(A) |
| 1                              | Day   | 22-Apr-24      | 6:00               | 7:00  | 48.5             |
| 2                              |       |                | 7:00               | 8:00  | 49.7             |
| 3                              |       |                | 8:00               | 9:00  | 50.2             |
| 4                              |       |                | 9:00               | 10:00 | 51.6             |
| 5                              |       |                | 10:00              | 11:00 | 52.5             |
| 6                              |       |                | 11:00              | 12:00 | 53.4             |
| 7                              |       |                | 12:00              | 13:00 | 54.8             |
| 8                              |       |                | 13:00              | 14:00 | 55.6             |
| 9                              |       |                | 14:00              | 15:00 | 56.4             |
| 10                             |       |                | 15:00              | 16:00 | 55.8             |
| 11                             |       |                | 16:00              | 17:00 | 54.6             |
| 12                             |       |                | 17:00              | 18:00 | 53.5             |
| 13                             |       |                | 18:00              | 19:00 | 52.4             |
| 14                             |       |                | 19:00              | 20:00 | 51.7             |
| 15                             |       |                | 20:00              | 21:00 | 49.8             |
| 16                             |       |                | 21:00              | 22:00 | 48.2             |
|                                |       |                | Leq day in dB(A)   |       | 53.1             |
| 17                             | Night | 22 & 23-Apr-24 | 22:00              | 23:00 | 46.2             |
| 18                             |       |                | 23:00              | 0:00  | 45.6             |
| 19                             |       |                | 0:00               | 1:00  | 43.1             |
| 20                             |       |                | 1:00               | 2:00  | 42.5             |
| 21                             |       |                | 2:00               | 3:00  | 41.2             |
| 22                             |       |                | 3:00               | 4:00  | 43.6             |
| 23                             |       |                | 4:00               | 5:00  | 44.8             |
| 24                             |       |                | 5:00               | 6:00  | 45.7             |
|                                |       |                | Leq Night in dB(A) |       | 44.4             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 29-04-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>29-Apr-24        | 6:00           | 7:00  | 48.5             |
| 2                  |                         | 7:00           | 8:00  | 49.7             |
| 3                  |                         | 8:00           | 9:00  | 50.2             |
| 4                  |                         | 9:00           | 10:00 | 52.6             |
| 5                  |                         | 10:00          | 11:00 | 53.4             |
| 6                  |                         | 11:00          | 12:00 | 54.8             |
| 7                  |                         | 12:00          | 13:00 | 55.7             |
| 8                  |                         | 13:00          | 14:00 | 56.1             |
| 9                  |                         | 14:00          | 15:00 | 57.4             |
| 10                 |                         | 15:00          | 16:00 | 56.2             |
| 11                 |                         | 16:00          | 17:00 | 55.3             |
| 12                 |                         | 17:00          | 18:00 | 54.2             |
| 13                 |                         | 18:00          | 19:00 | 52.8             |
| 14                 |                         | 19:00          | 20:00 | 51.4             |
| 15                 |                         | 20:00          | 21:00 | 50.7             |
| 16                 |                         | 21:00          | 22:00 | 48.2             |
| Leq day in dB(A)   |                         |                |       | 53.8             |
| 17                 | Night<br>29 & 30-Apr-24 | 22:00          | 23:00 | 45.6             |
| 18                 |                         | 23:00          | 0:00  | 44.1             |
| 19                 |                         | 0:00           | 1:00  | 42.4             |
| 20                 |                         | 1:00           | 2:00  | 41.2             |
| 21                 |                         | 2:00           | 3:00  | 43.6             |
| 22                 |                         | 3:00           | 4:00  | 44.8             |
| 23                 |                         | 4:00           | 5:00  | 45.2             |
| 24                 |                         | 5:00           | 6:00  | 45.7             |
| Leq Night in dB(A) |                         |                |       | 44.3             |



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 02 - 05 - 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 2-May-24       | 6:00               | 7:00  | 50.2             |
| 2       |       |                | 7:00               | 8:00  | 51.4             |
| 3       |       |                | 8:00               | 9:00  | 53.5             |
| 4       |       |                | 9:00               | 10:00 | 54.6             |
| 5       |       |                | 10:00              | 11:00 | 55.8             |
| 6       |       |                | 11:00              | 12:00 | 56.8             |
| 7       |       |                | 12:00              | 13:00 | 57.4             |
| 8       |       |                | 13:00              | 14:00 | 58.6             |
| 9       |       |                | 14:00              | 15:00 | 57.5             |
| 10      |       |                | 15:00              | 16:00 | 56.8             |
| 11      |       |                | 16:00              | 17:00 | 57.2             |
| 12      |       |                | 17:00              | 18:00 | 57.6             |
| 13      |       |                | 18:00              | 19:00 | 56.4             |
| 14      |       |                | 19:00              | 20:00 | 55.2             |
| 15      |       |                | 20:00              | 21:00 | 53.6             |
| 16      |       |                | 21:00              | 22:00 | 52.2             |
|         |       |                | Leq day in dB(A)   |       | 55.9             |
| 17      | Night | 02 & 03-May-24 | 22:00              | 23:00 | 50.4             |
| 18      |       |                | 23:00              | 0:00  | 49.5             |
| 19      |       |                | 0:00               | 1:00  | 47.4             |
| 20      |       |                | 1:00               | 2:00  | 46.8             |
| 21      |       |                | 2:00               | 3:00  | 44.8             |
| 22      |       |                | 3:00               | 4:00  | 45.7             |
| 23      |       |                | 4:00               | 5:00  | 46.8             |
| 24      |       |                | 5:00               | 6:00  | 47.9             |
|         |       |                | Leq Night in dB(A) |       | 47.8             |

| LAFARGE UMIAM MINING PVT. LTD.                          |       |              |                    |                |                  |
|---|-------|--------------|--------------------|----------------|------------------|
| NOISE LEVEL DATA  |       |              |                    |                |                  |
| DATE: 06- 05 - 2024                                     |       |              |                    |                |                  |
| STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL) |       |              |                    |                |                  |
| STATION CODE : LN-2                                     |       |              |                    |                |                  |
|   |       |              |                    | Time (in hour) |                  |
| Sl. No.   |       | Date         | From               | To             | Hourly Leq dB(A) |
| 1   | Day   | 6-May-24     | 6:00               | 7:00           | 48.5             |
| 2   |       |              | 7:00               | 8:00           | 49.7             |
| 3   |       |              | 8:00               | 9:00           | 50.2             |
| 4   |       |              | 9:00               | 10:00          | 51.4             |
| 5   |       |              | 10:00              | 11:00          | 52.6             |
| 6   |       |              | 11:00              | 12:00          | 53.8             |
| 7   |       |              | 12:00              | 13:00          | 54.7             |
| 8   |       |              | 13:00              | 14:00          | 55.6             |
| 9   |       |              | 14:00              | 15:00          | 56.4             |
| 10  |       |              | 15:00              | 16:00          | 55.4             |
| 11  |       |              | 16:00              | 17:00          | 54.3             |
| 12  |       |              | 17:00              | 18:00          | 53.2             |
| 13  |       |              | 18:00              | 19:00          | 52.7             |
| 14  |       |              | 19:00              | 20:00          | 51.8             |
| 15  |       |              | 20:00              | 21:00          | 50.4             |
| 16  |       |              | 21:00              | 22:00          | 48.5             |
|   |       |              | Leq day in dB(A)   |                | 53.1             |
| 17  | Night | 6 & 7-May-24 | 22:00              | 23:00          | 46.5             |
| 18  |       |              | 23:00              | 0:00           | 45.2             |
| 19  |       |              | 0:00               | 1:00           | 44.1             |
| 20  |       |              | 1:00               | 2:00           | 42.6             |
| 21  |       |              | 2:00               | 3:00           | 41.2             |
| 22  |       |              | 3:00               | 4:00           | 43.8             |
| 23  |       |              | 4:00               | 5:00           | 44.5             |
| 24  |       |              | 5:00               | 6:00           | 45.7             |
|   |       |              | Leq Night in dB(A) |                | 44.5             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 15-05-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>15-May-24        | 6:00           | 7:00  | 48.6             |
| 2                  |                         | 7:00           | 8:00  | 49.5             |
| 3                  |                         | 8:00           | 9:00  | 50.2             |
| 4                  |                         | 9:00           | 10:00 | 51.4             |
| 5                  |                         | 10:00          | 11:00 | 52.6             |
| 6                  |                         | 11:00          | 12:00 | 53.8             |
| 7                  |                         | 12:00          | 13:00 | 54.6             |
| 8                  |                         | 13:00          | 14:00 | 55.4             |
| 9                  |                         | 14:00          | 15:00 | 56.2             |
| 10                 |                         | 15:00          | 16:00 | 55.3             |
| 11                 |                         | 16:00          | 17:00 | 54.2             |
| 12                 |                         | 17:00          | 18:00 | 53.1             |
| 13                 |                         | 18:00          | 19:00 | 52.6             |
| 14                 |                         | 19:00          | 20:00 | 51.2             |
| 15                 |                         | 20:00          | 21:00 | 49.7             |
| 16                 |                         | 21:00          | 22:00 | 48.4             |
| Leq day in dB(A)   |                         |                |       | 53.0             |
| 17                 | Night<br>15 & 16-May-24 | 22:00          | 23:00 | 46.2             |
| 18                 |                         | 23:00          | 0:00  | 45.4             |
| 19                 |                         | 0:00           | 1:00  | 43.1             |
| 20                 |                         | 1:00           | 2:00  | 41.6             |
| 21                 |                         | 2:00           | 3:00  | 42.5             |
| 22                 |                         | 3:00           | 4:00  | 43.8             |
| 23                 |                         | 4:00           | 5:00  | 44.7             |
| 24                 |                         | 5:00           | 6:00  | 45.8             |
| Leq Night in dB(A) |                         |                |       | 44.4             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 20 - 05- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 20-May-24      | 6:00               | 7:00  | 53.6             |
| 2       |       |                | 7:00               | 8:00  | 54.7             |
| 3       |       |                | 8:00               | 9:00  | 55.6             |
| 4       |       |                | 9:00               | 10:00 | 56.8             |
| 5       |       |                | 10:00              | 11:00 | 57.4             |
| 6       |       |                | 11:00              | 12:00 | 59.6             |
| 7       |       |                | 12:00              | 13:00 | 61.2             |
| 8       |       |                | 13:00              | 14:00 | 63.5             |
| 9       |       |                | 14:00              | 15:00 | 62.1             |
| 10      |       |                | 15:00              | 16:00 | 60.5             |
| 11      |       |                | 16:00              | 17:00 | 59.7             |
| 12      |       |                | 17:00              | 18:00 | 58.6             |
| 13      |       |                | 18:00              | 19:00 | 57.2             |
| 14      |       |                | 19:00              | 20:00 | 55.6             |
| 15      |       |                | 20:00              | 21:00 | 53.2             |
| 16      |       |                | 21:00              | 22:00 | 52.5             |
|         |       |                | Leq day in dB(A)   |       | 58.8             |
| 17      | Night | 20 & 21-May-24 | 22:00              | 23:00 | 51.7             |
| 18      |       |                | 23:00              | 0:00  | 49.5             |
| 19      |       |                | 0:00               | 1:00  | 48.2             |
| 20      |       |                | 1:00               | 2:00  | 47.3             |
| 21      |       |                | 2:00               | 3:00  | 46.1             |
| 22      |       |                | 3:00               | 4:00  | 47.5             |
| 23      |       |                | 4:00               | 5:00  | 48.2             |
| 24      |       |                | 5:00               | 6:00  | 50.1             |
|         |       |                | Leq Night in dB(A) |       | 48.9             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -24 -05 - 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 24-May-24      | 6:00               | 7:00  | 49.6             |
| 2       |       |                | 7:00               | 8:00  | 50.2             |
| 3       |       |                | 8:00               | 9:00  | 51.4             |
| 4       |       |                | 9:00               | 10:00 | 52.3             |
| 5       |       |                | 10:00              | 11:00 | 53.6             |
| 6       |       |                | 11:00              | 12:00 | 54.8             |
| 7       |       |                | 12:00              | 13:00 | 55.7             |
| 8       |       |                | 13:00              | 14:00 | 56.4             |
| 9       |       |                | 14:00              | 15:00 | 55.3             |
| 10      |       |                | 15:00              | 16:00 | 54.2             |
| 11      |       |                | 16:00              | 17:00 | 53.1             |
| 12      |       |                | 17:00              | 18:00 | 52.7             |
| 13      |       |                | 18:00              | 19:00 | 51.4             |
| 14      |       |                | 19:00              | 20:00 | 50.2             |
| 15      |       |                | 20:00              | 21:00 | 49.5             |
| 16      |       |                | 21:00              | 22:00 | 48.1             |
|         |       |                | Leq day in dB(A)   |       | 53.1             |
| 17      | Night | 24 & 25-May-24 | 22:00              | 23:00 | 46.5             |
| 18      |       |                | 23:00              | 0:00  | 45.2             |
| 19      |       |                | 0:00               | 1:00  | 43.1             |
| 20      |       |                | 1:00               | 2:00  | 41.2             |
| 21      |       |                | 2:00               | 3:00  | 43.7             |
| 22      |       |                | 3:00               | 4:00  | 44.8             |
| 23      |       |                | 4:00               | 5:00  | 45.1             |
| 24      |       |                | 5:00               | 6:00  | 45.8             |
|         |       |                | Leq Night in dB(A) |       | 44.7             |

LAFARGE UMIAM MINING PVT. LTD.

NOISE LEVEL DATA

DATE : - 29-05-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>29-May-24        | 6:00           | 7:00  | 49.2             |
| 2                  |                         | 7:00           | 8:00  | 50.5             |
| 3                  |                         | 8:00           | 9:00  | 51.2             |
| 4                  |                         | 9:00           | 10:00 | 52.3             |
| 5                  |                         | 10:00          | 11:00 | 53.5             |
| 6                  |                         | 11:00          | 12:00 | 54.8             |
| 7                  |                         | 12:00          | 13:00 | 55.6             |
| 8                  |                         | 13:00          | 14:00 | 56.8             |
| 9                  |                         | 14:00          | 15:00 | 55.2             |
| 10                 |                         | 15:00          | 16:00 | 54.3             |
| 11                 |                         | 16:00          | 17:00 | 53.1             |
| 12                 |                         | 17:00          | 18:00 | 52.7             |
| 13                 |                         | 18:00          | 19:00 | 51.8             |
| 14                 |                         | 19:00          | 20:00 | 50.5             |
| 15                 |                         | 20:00          | 21:00 | 49.8             |
| 16                 |                         | 21:00          | 22:00 | 48.5             |
| Leq day in dB(A)   |                         |                |       | 53.1             |
| 17                 | Night<br>29 & 30-May-24 | 22:00          | 23:00 | 46.5             |
| 18                 |                         | 23:00          | 0:00  | 45.2             |
| 19                 |                         | 0:00           | 1:00  | 43.6             |
| 20                 |                         | 1:00           | 2:00  | 41.8             |
| 21                 |                         | 2:00           | 3:00  | 43.5             |
| 22                 |                         | 3:00           | 4:00  | 44.2             |
| 23                 |                         | 4:00           | 5:00  | 45.1             |
| 24                 |                         | 5:00           | 6:00  | 45.8             |
| Leq Night in dB(A) |                         |                |       | 44.7             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 03 -06- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 3-Jun-24       | 6:00               | 7:00  | 51.2             |
| 2       |       |                | 7:00               | 8:00  | 52.4             |
| 3       |       |                | 8:00               | 9:00  | 53.6             |
| 4       |       |                | 9:00               | 10:00 | 54.8             |
| 5       |       |                | 10:00              | 11:00 | 55.7             |
| 6       |       |                | 11:00              | 12:00 | 56.8             |
| 7       |       |                | 12:00              | 13:00 | 57.9             |
| 8       |       |                | 13:00              | 14:00 | 58.2             |
| 9       |       |                | 14:00              | 15:00 | 57.5             |
| 10      |       |                | 15:00              | 16:00 | 57.9             |
| 11      |       |                | 16:00              | 17:00 | 58.8             |
| 12      |       |                | 17:00              | 18:00 | 57.6             |
| 13      |       |                | 18:00              | 19:00 | 56.4             |
| 14      |       |                | 19:00              | 20:00 | 55.4             |
| 15      |       |                | 20:00              | 21:00 | 54.6             |
| 16      |       |                | 21:00              | 22:00 | 52.1             |
|         |       |                | Leq day in dB(A)   |       | 56.2             |
| 17      | Night | 03 & 04-Jun-24 | 22:00              | 23:00 | 50.7             |
| 18      |       |                | 23:00              | 0:00  | 48.5             |
| 19      |       |                | 0:00               | 1:00  | 46.4             |
| 20      |       |                | 1:00               | 2:00  | 45.1             |
| 21      |       |                | 2:00               | 3:00  | 44.2             |
| 22      |       |                | 3:00               | 4:00  | 45.6             |
| 23      |       |                | 4:00               | 5:00  | 46.2             |
| 24      |       |                | 5:00               | 6:00  | 47.1             |
|         |       |                | Leq Night in dB(A) |       | 47.2             |

| LAFARGE UMIAM MINING PVT. LTD.                          |       |                |                    |       |                  |
|---|-------|----------------|--------------------|-------|------------------|
| NOISE LEVEL DATA  |       |                |                    |       |                  |
| DATE: 10- 06 - 2024                                     |       |                |                    |       |                  |
| STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL) |       |                |                    |       |                  |
| STATION CODE : LN-2                                     |       |                |                    |       |                  |
|   |       |                | Time (in hour)     |       |                  |
| Sl. No.   |       | Date           | From               | To    | Hourly Leq dB(A) |
| 1   | Day   | 10-Jun-24      | 6:00               | 7:00  | 48.5             |
| 2   |       |                | 7:00               | 8:00  | 49.7             |
| 3   |       |                | 8:00               | 9:00  | 50.2             |
| 4   |       |                | 9:00               | 10:00 | 51.4             |
| 5   |       |                | 10:00              | 11:00 | 52.6             |
| 6   |       |                | 11:00              | 12:00 | 53.5             |
| 7   |       |                | 12:00              | 13:00 | 54.8             |
| 8   |       |                | 13:00              | 14:00 | 55.6             |
| 9   |       |                | 14:00              | 15:00 | 56.8             |
| 10  |       |                | 15:00              | 16:00 | 55.4             |
| 11  |       |                | 16:00              | 17:00 | 54.3             |
| 12  |       |                | 17:00              | 18:00 | 53.6             |
| 13  |       |                | 18:00              | 19:00 | 52.1             |
| 14  |       |                | 19:00              | 20:00 | 51.6             |
| 15  |       |                | 20:00              | 21:00 | 49.5             |
| 16  |       |                | 21:00              | 22:00 | 48.2             |
|   |       |                | Leq day in dB(A)   |       | 53.1             |
| 17  | Night | 10 & 11-Jun-24 | 22:00              | 23:00 | 46.2             |
| 18  |       |                | 23:00              | 0:00  | 45.1             |
| 19  |       |                | 0:00               | 1:00  | 44.2             |
| 20  |       |                | 1:00               | 2:00  | 42.5             |
| 21  |       |                | 2:00               | 3:00  | 41.2             |
| 22  |       |                | 3:00               | 4:00  | 43.8             |
| 23  |       |                | 4:00               | 5:00  | 44.7             |
| 24  |       |                | 5:00               | 6:00  | 45.8             |
|   |       |                | Leq Night in dB(A) |       | 44.4             |



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 14-06-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 14-Jun-24      | 6:00               | 7:00  | 48.6             |
| 2       |       |                | 7:00               | 8:00  | 49.5             |
| 3       |       |                | 8:00               | 9:00  | 50.4             |
| 4       |       |                | 9:00               | 10:00 | 51.2             |
| 5       |       |                | 10:00              | 11:00 | 53.6             |
| 6       |       |                | 11:00              | 12:00 | 54.8             |
| 7       |       |                | 12:00              | 13:00 | 55.7             |
| 8       |       |                | 13:00              | 14:00 | 56.8             |
| 9       |       |                | 14:00              | 15:00 | 57.9             |
| 10      |       |                | 15:00              | 16:00 | 56.4             |
| 11      |       |                | 16:00              | 17:00 | 55.3             |
| 12      |       |                | 17:00              | 18:00 | 54.2             |
| 13      |       |                | 18:00              | 19:00 | 52.5             |
| 14      |       |                | 19:00              | 20:00 | 51.2             |
| 15      |       |                | 20:00              | 21:00 | 50.4             |
| 16      |       |                | 21:00              | 22:00 | 48.9             |
|         |       |                | Leq day in dB(A)   |       | 53.9             |
| 17      | Night | 14 & 15-Jun-24 | 22:00              | 23:00 | 46.5             |
| 18      |       |                | 23:00              | 0:00  | 44.2             |
| 19      |       |                | 0:00               | 1:00  | 42.4             |
| 20      |       |                | 1:00               | 2:00  | 42.6             |
| 21      |       |                | 2:00               | 3:00  | 43.5             |
| 22      |       |                | 3:00               | 4:00  | 44.2             |
| 23      |       |                | 4:00               | 5:00  | 44.8             |
| 24      |       |                | 5:00               | 6:00  | 45.9             |
|         |       |                | Leq Night in dB(A) |       | 44.5             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 17- 06- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 17-Jun-24      | 6:00               | 7:00  | 52.5             |
| 2       |       |                | 7:00               | 8:00  | 53.4             |
| 3       |       |                | 8:00               | 9:00  | 55.6             |
| 4       |       |                | 9:00               | 10:00 | 56.8             |
| 5       |       |                | 10:00              | 11:00 | 57.9             |
| 6       |       |                | 11:00              | 12:00 | 59.4             |
| 7       |       |                | 12:00              | 13:00 | 60.8             |
| 8       |       |                | 13:00              | 14:00 | 62.8             |
| 9       |       |                | 14:00              | 15:00 | 58.7             |
| 10      |       |                | 15:00              | 16:00 | 59.2             |
| 11      |       |                | 16:00              | 17:00 | 57.6             |
| 12      |       |                | 17:00              | 18:00 | 56.8             |
| 13      |       |                | 18:00              | 19:00 | 55.4             |
| 14      |       |                | 19:00              | 20:00 | 54.7             |
| 15      |       |                | 20:00              | 21:00 | 53.2             |
| 16      |       |                | 21:00              | 22:00 | 52.1             |
|         |       |                | Leq day in dB(A)   |       | 57.7             |
| 17      | Night | 17 & 18-Jun-24 | 22:00              | 23:00 | 51.4             |
| 18      |       |                | 23:00              | 0:00  | 49.8             |
| 19      |       |                | 0:00               | 1:00  | 47.5             |
| 20      |       |                | 1:00               | 2:00  | 45.6             |
| 21      |       |                | 2:00               | 3:00  | 46.8             |
| 22      |       |                | 3:00               | 4:00  | 47.9             |
| 23      |       |                | 4:00               | 5:00  | 48.4             |
| 24      |       |                | 5:00               | 6:00  | 49.1             |
|         |       |                | Leq Night in dB(A) |       | 48.6             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -21 -6- 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 21-Jun-24      | 6:00               | 7:00  | 49.5             |
| 2       |       |                | 7:00               | 8:00  | 50.2             |
| 3       |       |                | 8:00               | 9:00  | 51.3             |
| 4       |       |                | 9:00               | 10:00 | 52.4             |
| 5       |       |                | 10:00              | 11:00 | 53.6             |
| 6       |       |                | 11:00              | 12:00 | 54.8             |
| 7       |       |                | 12:00              | 13:00 | 55.7             |
| 8       |       |                | 13:00              | 14:00 | 56.4             |
| 9       |       |                | 14:00              | 15:00 | 57.1             |
| 10      |       |                | 15:00              | 16:00 | 56.5             |
| 11      |       |                | 16:00              | 17:00 | 55.4             |
| 12      |       |                | 17:00              | 18:00 | 54.2             |
| 13      |       |                | 18:00              | 19:00 | 52.1             |
| 14      |       |                | 19:00              | 20:00 | 50.7             |
| 15      |       |                | 20:00              | 21:00 | 49.5             |
| 16      |       |                | 21:00              | 22:00 | 48.6             |
|         |       |                | Leq day in dB(A)   |       | 53.8             |
| 17      | Night | 21 & 22-Jun-24 | 22:00              | 23:00 | 45.7             |
| 18      |       |                | 23:00              | 0:00  | 44.5             |
| 19      |       |                | 0:00               | 1:00  | 42.1             |
| 20      |       |                | 1:00               | 2:00  | 41.8             |
| 21      |       |                | 2:00               | 3:00  | 42.7             |
| 22      |       |                | 3:00               | 4:00  | 43.5             |
| 23      |       |                | 4:00               | 5:00  | 44.5             |
| 24      |       |                | 5:00               | 6:00  | 45.9             |
|         |       |                | Leq Night in dB(A) |       | 44.1             |

LAFARGE UMIAM MINING PVT. LTD.

NOISE LEVEL DATA

DATE : - 27-06-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>27-Jun-24        | 6:00           | 7:00  | 49.1             |
| 2                  |                         | 7:00           | 8:00  | 50.4             |
| 3                  |                         | 8:00           | 9:00  | 51.2             |
| 4                  |                         | 9:00           | 10:00 | 52.4             |
| 5                  |                         | 10:00          | 11:00 | 53.8             |
| 6                  |                         | 11:00          | 12:00 | 54.6             |
| 7                  |                         | 12:00          | 13:00 | 55.7             |
| 8                  |                         | 13:00          | 14:00 | 56.7             |
| 9                  |                         | 14:00          | 15:00 | 57.8             |
| 10                 |                         | 15:00          | 16:00 | 56.5             |
| 11                 |                         | 16:00          | 17:00 | 55.4             |
| 12                 |                         | 17:00          | 18:00 | 54.2             |
| 13                 |                         | 18:00          | 19:00 | 52.5             |
| 14                 |                         | 19:00          | 20:00 | 50.8             |
| 15                 |                         | 20:00          | 21:00 | 49.6             |
| 16                 |                         | 21:00          | 22:00 | 48.2             |
| Leq day in dB(A)   |                         |                |       | 54.0             |
| 17                 | Night<br>27 & 28-Jun-24 | 22:00          | 23:00 | 46.7             |
| 18                 |                         | 23:00          | 0:00  | 45.4             |
| 19                 |                         | 0:00           | 1:00  | 43.2             |
| 20                 |                         | 1:00           | 2:00  | 42.6             |
| 21                 |                         | 2:00           | 3:00  | 43.5             |
| 22                 |                         | 3:00           | 4:00  | 43.8             |
| 23                 |                         | 4:00           | 5:00  | 44.6             |
| 24                 |                         | 5:00           | 6:00  | 45.7             |
| Leq Night in dB(A) |                         |                |       | 44.6             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 02 -07- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 2-Jul-24       | 6:00               | 7:00  | 49.8             |
| 2       |       |                | 7:00               | 8:00  | 50.2             |
| 3       |       |                | 8:00               | 9:00  | 51.4             |
| 4       |       |                | 9:00               | 10:00 | 53.2             |
| 5       |       |                | 10:00              | 11:00 | 54.6             |
| 6       |       |                | 11:00              | 12:00 | 55.8             |
| 7       |       |                | 12:00              | 13:00 | 56.4             |
| 8       |       |                | 13:00              | 14:00 | 57.9             |
| 9       |       |                | 14:00              | 15:00 | 58.6             |
| 10      |       |                | 15:00              | 16:00 | 59.7             |
| 11      |       |                | 16:00              | 17:00 | 58.4             |
| 12      |       |                | 17:00              | 18:00 | 57.6             |
| 13      |       |                | 18:00              | 19:00 | 55.4             |
| 14      |       |                | 19:00              | 20:00 | 53.7             |
| 15      |       |                | 20:00              | 21:00 | 52.9             |
| 16      |       |                | 21:00              | 22:00 | 51.6             |
|         |       |                | Leq day in dB(A)   |       | 55.8             |
| 17      | Night | 02 & 03-Jul-24 | 22:00              | 23:00 | 48.5             |
| 18      |       |                | 23:00              | 0:00  | 47.6             |
| 19      |       |                | 0:00               | 1:00  | 45.4             |
| 20      |       |                | 1:00               | 2:00  | 44.8             |
| 21      |       |                | 2:00               | 3:00  | 44.1             |
| 22      |       |                | 3:00               | 4:00  | 45.6             |
| 23      |       |                | 4:00               | 5:00  | 46.4             |
| 24      |       |                | 5:00               | 6:00  | 47.2             |
|         |       |                | Leq Night in dB(A) |       | 46.4             |

| LAFARGE UMIAM MINING PVT. LTD.                          |       |              |                    |       |                  |
|---|-------|--------------|--------------------|-------|------------------|
| NOISE LEVEL DATA  |       |              |                    |       |                  |
| DATE: 08- 07 - 2024                                     |       |              |                    |       |                  |
| STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL) |       |              |                    |       |                  |
| STATION CODE : LN-2                                     |       |              |                    |       |                  |
|   |       |              | Time (in hour)     |       |                  |
| Sl. No.   |       | Date         | From               | To    | Hourly Leq dB(A) |
| 1   | Day   | 8-Jul-24     | 6:00               | 7:00  | 48.5             |
| 2   |       |              | 7:00               | 8:00  | 49.7             |
| 3   |       |              | 8:00               | 9:00  | 50.2             |
| 4   |       |              | 9:00               | 10:00 | 51.6             |
| 5   |       |              | 10:00              | 11:00 | 52.7             |
| 6   |       |              | 11:00              | 12:00 | 53.8             |
| 7   |       |              | 12:00              | 13:00 | 54.6             |
| 8   |       |              | 13:00              | 14:00 | 55.7             |
| 9   |       |              | 14:00              | 15:00 | 56.8             |
| 10  |       |              | 15:00              | 16:00 | 55.4             |
| 11  |       |              | 16:00              | 17:00 | 54.6             |
| 12  |       |              | 17:00              | 18:00 | 54.8             |
| 13  |       |              | 18:00              | 19:00 | 52.7             |
| 14  |       |              | 19:00              | 20:00 | 51.5             |
| 15  |       |              | 20:00              | 21:00 | 50.7             |
| 16  |       |              | 21:00              | 22:00 | 49.2             |
|   |       |              | Leq day in dB(A)   |       | 53.3             |
| 17  | Night | 8 & 9-Jul-24 | 22:00              | 23:00 | 46.8             |
| 18  |       |              | 23:00              | 0:00  | 45.2             |
| 19  |       |              | 0:00               | 1:00  | 44.3             |
| 20  |       |              | 1:00               | 2:00  | 43.1             |
| 21  |       |              | 2:00               | 3:00  | 43.8             |
| 22  |       |              | 3:00               | 4:00  | 44.1             |
| 23  |       |              | 4:00               | 5:00  | 44.5             |
| 24  |       |              | 5:00               | 6:00  | 45.6             |
|   |       |              | Leq Night in dB(A) |       | 44.8             |

LAFARGE UMIAM MINING PVT. LTD.

NOISE LEVEL DATA

DATE : 12-07-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>12-Jul-24        | 6:00           | 7:00  | 49.2             |
| 2                  |                         | 7:00           | 8:00  | 50.7             |
| 3                  |                         | 8:00           | 9:00  | 51.2             |
| 4                  |                         | 9:00           | 10:00 | 53.6             |
| 5                  |                         | 10:00          | 11:00 | 54.8             |
| 6                  |                         | 11:00          | 12:00 | 55.7             |
| 7                  |                         | 12:00          | 13:00 | 56.4             |
| 8                  |                         | 13:00          | 14:00 | 57.6             |
| 9                  |                         | 14:00          | 15:00 | 56.8             |
| 10                 |                         | 15:00          | 16:00 | 55.4             |
| 11                 |                         | 16:00          | 17:00 | 54.8             |
| 12                 |                         | 17:00          | 18:00 | 53.2             |
| 13                 |                         | 18:00          | 19:00 | 52.7             |
| 14                 |                         | 19:00          | 20:00 | 51.2             |
| 15                 |                         | 20:00          | 21:00 | 50.8             |
| 16                 |                         | 21:00          | 22:00 | 48.6             |
| Leq day in dB(A)   |                         |                |       | 54.1             |
| 17                 | Night<br>12 & 13-Jul-24 | 22:00          | 23:00 | 46.5             |
| 18                 |                         | 23:00          | 0:00  | 45.2             |
| 19                 |                         | 0:00           | 1:00  | 44.3             |
| 20                 |                         | 1:00           | 2:00  | 42.7             |
| 21                 |                         | 2:00           | 3:00  | 43.2             |
| 22                 |                         | 3:00           | 4:00  | 44.1             |
| 23                 |                         | 4:00           | 5:00  | 45.2             |
| 24                 |                         | 5:00           | 6:00  | 46.1             |
| Leq Night in dB(A) |                         |                |       | 44.8             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 16- 07- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 16-Jul-24      | 6:00               | 7:00  | 52.5             |
| 2       |       |                | 7:00               | 8:00  | 53.6             |
| 3       |       |                | 8:00               | 9:00  | 54.8             |
| 4       |       |                | 9:00               | 10:00 | 56.7             |
| 5       |       |                | 10:00              | 11:00 | 58.9             |
| 6       |       |                | 11:00              | 12:00 | 59.7             |
| 7       |       |                | 12:00              | 13:00 | 61.2             |
| 8       |       |                | 13:00              | 14:00 | 63.5             |
| 9       |       |                | 14:00              | 15:00 | 62.7             |
| 10      |       |                | 15:00              | 16:00 | 61.5             |
| 11      |       |                | 16:00              | 17:00 | 59.8             |
| 12      |       |                | 17:00              | 18:00 | 57.6             |
| 13      |       |                | 18:00              | 19:00 | 55.4             |
| 14      |       |                | 19:00              | 20:00 | 54.6             |
| 15      |       |                | 20:00              | 21:00 | 53.1             |
| 16      |       |                | 21:00              | 22:00 | 51.9             |
|         |       |                | Leq day in dB(A)   |       | 58.8             |
| 17      | Night | 16 & 17-Jul-24 | 22:00              | 23:00 | 50.7             |
| 18      |       |                | 23:00              | 0:00  | 49.4             |
| 19      |       |                | 0:00               | 1:00  | 47.2             |
| 20      |       |                | 1:00               | 2:00  | 45.8             |
| 21      |       |                | 2:00               | 3:00  | 43.6             |
| 22      |       |                | 3:00               | 4:00  | 45.4             |
| 23      |       |                | 4:00               | 5:00  | 47.4             |
| 24      |       |                | 5:00               | 6:00  | 49.6             |
|         |       |                | Leq Night in dB(A) |       | 47.9             |



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -23 -07- 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 23-Jul-24      | 6:00               | 7:00  | 49.5             |
| 2       |       |                | 7:00               | 8:00  | 50.2             |
| 3       |       |                | 8:00               | 9:00  | 51.3             |
| 4       |       |                | 9:00               | 10:00 | 52.6             |
| 5       |       |                | 10:00              | 11:00 | 53.4             |
| 6       |       |                | 11:00              | 12:00 | 54.8             |
| 7       |       |                | 12:00              | 13:00 | 55.6             |
| 8       |       |                | 13:00              | 14:00 | 56.8             |
| 9       |       |                | 14:00              | 15:00 | 57.1             |
| 10      |       |                | 15:00              | 16:00 | 55.8             |
| 11      |       |                | 16:00              | 17:00 | 53.4             |
| 12      |       |                | 17:00              | 18:00 | 52.7             |
| 13      |       |                | 18:00              | 19:00 | 51.9             |
| 14      |       |                | 19:00              | 20:00 | 50.4             |
| 15      |       |                | 20:00              | 21:00 | 49.7             |
| 16      |       |                | 21:00              | 22:00 | 48.6             |
|         |       |                | Leq day in dB(A)   |       | 53.5             |
| 17      | Night | 23 & 24-Jul-24 | 22:00              | 23:00 | 46.2             |
| 18      |       |                | 23:00              | 0:00  | 44.3             |
| 19      |       |                | 0:00               | 1:00  | 42.1             |
| 20      |       |                | 1:00               | 2:00  | 41.6             |
| 21      |       |                | 2:00               | 3:00  | 42.8             |
| 22      |       |                | 3:00               | 4:00  | 43.7             |
| 23      |       |                | 4:00               | 5:00  | 44.6             |
| 24      |       |                | 5:00               | 6:00  | 45.8             |
|         |       |                | Leq Night in dB(A) |       | 44.2             |

LAFARGE UMIAM MINING PVT. LTD.

NOISE LEVEL DATA

DATE : - 29-07-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

|         |       |                |                    | Time (in hour) |                  |  |
|---------|-------|----------------|--------------------|----------------|------------------|--|
| Sl. No. |       | Date           | From               | To             | Hourly Leq dB(A) |  |
| 1       | Day   | 29-Jul-24      | 6:00               | 7:00           | 48.7             |  |
| 2       |       |                | 7:00               | 8:00           | 49.6             |  |
| 3       |       |                | 8:00               | 9:00           | 50.2             |  |
| 4       |       |                | 9:00               | 10:00          | 51.4             |  |
| 5       |       |                | 10:00              | 11:00          | 52.6             |  |
| 6       |       |                | 11:00              | 12:00          | 53.8             |  |
| 7       |       |                | 12:00              | 13:00          | 54.8             |  |
| 8       |       |                | 13:00              | 14:00          | 55.7             |  |
| 9       |       |                | 14:00              | 15:00          | 56.2             |  |
| 10      |       |                | 15:00              | 16:00          | 55.3             |  |
| 11      |       |                | 16:00              | 17:00          | 54.2             |  |
| 12      |       |                | 17:00              | 18:00          | 53.5             |  |
| 13      |       |                | 18:00              | 19:00          | 52.8             |  |
| 14      |       |                | 19:00              | 20:00          | 51.6             |  |
| 15      |       |                | 20:00              | 21:00          | 50.4             |  |
| 16      |       |                | 21:00              | 22:00          | 49.2             |  |
|         |       |                | Leq day in dB(A)   |                | 53.1             |  |
| 17      | Night | 29 & 30-Jul-24 | 22:00              | 23:00          | 46.9             |  |
| 18      |       |                | 23:00              | 0:00           | 44.6             |  |
| 19      |       |                | 0:00               | 1:00           | 43.1             |  |
| 20      |       |                | 1:00               | 2:00           | 42.2             |  |
| 21      |       |                | 2:00               | 3:00           | 43.5             |  |
| 22      |       |                | 3:00               | 4:00           | 44.1             |  |
| 23      |       |                | 4:00               | 5:00           | 44.8             |  |
| 24      |       |                | 5:00               | 6:00           | 45.7             |  |
|         |       |                | Leq Night in dB(A) |                | 44.6             |  |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 01 -08- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

| Sl. No.            |       | Date           | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------|----------------|----------------|-------|------------------|
|                    |       |                | From           | To    |                  |
| 1                  | Day   | 1-Aug-24       | 6:00           | 7:00  | 50.8             |
| 2                  |       |                | 7:00           | 8:00  | 51.2             |
| 3                  |       |                | 8:00           | 9:00  | 52.3             |
| 4                  |       |                | 9:00           | 10:00 | 53.4             |
| 5                  |       |                | 10:00          | 11:00 | 54.6             |
| 6                  |       |                | 11:00          | 12:00 | 55.8             |
| 7                  |       |                | 12:00          | 13:00 | 57.4             |
| 8                  |       |                | 13:00          | 14:00 | 59.4             |
| 9                  |       |                | 14:00          | 15:00 | 60.1             |
| 10                 |       |                | 15:00          | 16:00 | 58.7             |
| 11                 |       |                | 16:00          | 17:00 | 57.6             |
| 12                 |       |                | 17:00          | 18:00 | 56.4             |
| 13                 |       |                | 18:00          | 19:00 | 55.8             |
| 14                 |       |                | 19:00          | 20:00 | 54.1             |
| 15                 |       |                | 20:00          | 21:00 | 53.2             |
| 16                 |       |                | 21:00          | 22:00 | 51.5             |
| Leq day in dB(A)   |       |                |                |       | 56.1             |
| 17                 | Night | 01 & 02-Aug-24 | 22:00          | 23:00 | 48.6             |
| 18                 |       |                | 23:00          | 0:00  | 46.2             |
| 19                 |       |                | 0:00           | 1:00  | 45.1             |
| 20                 |       |                | 1:00           | 2:00  | 44.6             |
| 21                 |       |                | 2:00           | 3:00  | 43.2             |
| 22                 |       |                | 3:00           | 4:00  | 45.8             |
| 23                 |       |                | 4:00           | 5:00  | 46.8             |
| 24                 |       |                | 5:00           | 6:00  | 47.9             |
| Leq Night in dB(A) |       |                |                |       | 46.3             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE: 05- 08 - 2024

STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL)

STATION CODE : LN-2

| Sl. No.            |       | Date         | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------|--------------|----------------|-------|------------------|
|                    |       |              | From           | To    |                  |
| 1                  | Day   | 5-Aug-24     | 6:00           | 7:00  | 50.2             |
| 2                  |       |              | 7:00           | 8:00  | 51.3             |
| 3                  |       |              | 8:00           | 9:00  | 52.4             |
| 4                  |       |              | 9:00           | 10:00 | 53.6             |
| 5                  |       |              | 10:00          | 11:00 | 54.8             |
| 6                  |       |              | 11:00          | 12:00 | 55.6             |
| 7                  |       |              | 12:00          | 13:00 | 56.4             |
| 8                  |       |              | 13:00          | 14:00 | 57.1             |
| 9                  |       |              | 14:00          | 15:00 | 56.2             |
| 10                 |       |              | 15:00          | 16:00 | 55.4             |
| 11                 |       |              | 16:00          | 17:00 | 54.6             |
| 12                 |       |              | 17:00          | 18:00 | 53.2             |
| 13                 |       |              | 18:00          | 19:00 | 52.4             |
| 14                 |       |              | 19:00          | 20:00 | 51.9             |
| 15                 |       |              | 20:00          | 21:00 | 49.8             |
| 16                 |       |              | 21:00          | 22:00 | 48.5             |
| Leq day in dB(A)   |       |              |                |       | 54.0             |
| 17                 | Night | 5 & 6-Aug-24 | 22:00          | 23:00 | 46.2             |
| 18                 |       |              | 23:00          | 0:00  | 45.1             |
| 19                 |       |              | 0:00           | 1:00  | 43.2             |
| 20                 |       |              | 1:00           | 2:00  | 42.1             |
| 21                 |       |              | 2:00           | 3:00  | 41.4             |
| 22                 |       |              | 3:00           | 4:00  | 42.6             |
| 23                 |       |              | 4:00           | 5:00  | 43.5             |
| 24                 |       |              | 5:00           | 6:00  | 45.2             |
| Leq Night in dB(A) |       |              |                |       | 44.0             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 12-08-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>12-Aug-24        | 6:00           | 7:00  | 50.5             |
| 2                  |                         | 7:00           | 8:00  | 51.4             |
| 3                  |                         | 8:00           | 9:00  | 52.6             |
| 4                  |                         | 9:00           | 10:00 | 53.4             |
| 5                  |                         | 10:00          | 11:00 | 54.8             |
| 6                  |                         | 11:00          | 12:00 | 55.7             |
| 7                  |                         | 12:00          | 13:00 | 56.2             |
| 8                  |                         | 13:00          | 14:00 | 55.9             |
| 9                  |                         | 14:00          | 15:00 | 54.6             |
| 10                 |                         | 15:00          | 16:00 | 54.2             |
| 11                 |                         | 16:00          | 17:00 | 53.7             |
| 12                 |                         | 17:00          | 18:00 | 52.6             |
| 13                 |                         | 18:00          | 19:00 | 51.9             |
| 14                 |                         | 19:00          | 20:00 | 50.4             |
| 15                 |                         | 20:00          | 21:00 | 49.8             |
| 16                 |                         | 21:00          | 22:00 | 48.6             |
| Leq day in dB(A)   |                         |                |       | 53.4             |
| 17                 | Night<br>12 & 13-Aug-24 | 22:00          | 23:00 | 46.1             |
| 18                 |                         | 23:00          | 0:00  | 45.2             |
| 19                 |                         | 0:00           | 1:00  | 44.1             |
| 20                 |                         | 1:00           | 2:00  | 42.6             |
| 21                 |                         | 2:00           | 3:00  | 43.5             |
| 22                 |                         | 3:00           | 4:00  | 44.1             |
| 23                 |                         | 4:00           | 5:00  | 45.2             |
| 24                 |                         | 5:00           | 6:00  | 45.8             |
| Leq Night in dB(A) |                         |                |       | 44.7             |

| LAFARGE UMIAM MINING PVT. LTD. |       |                |                |       |                  |
|--------------------------------|-------|----------------|----------------|-------|------------------|
| NOISE LEVEL DATA               |       |                |                |       |                  |
| DATE : - 19- 08- 2024          |       |                |                |       |                  |
| STATION: OFFICE AREA           |       |                |                |       |                  |
| STATION CODE : LN-4            |       |                |                |       |                  |
|                                |       |                | Time (in hour) |       |                  |
| Sl. No.                        |       | Date           | From           | To    | Hourly Leq dB(A) |
| 1                              | Day   | 19-Aug-24      | 6:00           | 7:00  | 51.2             |
| 2                              |       |                | 7:00           | 8:00  | 53.5             |
| 3                              |       |                | 8:00           | 9:00  | 54.8             |
| 4                              |       |                | 9:00           | 10:00 | 56.9             |
| 5                              |       |                | 10:00          | 11:00 | 57.4             |
| 6                              |       |                | 11:00          | 12:00 | 58.6             |
| 7                              |       |                | 12:00          | 13:00 | 59.4             |
| 8                              |       |                | 13:00          | 14:00 | 57.8             |
| 9                              |       |                | 14:00          | 15:00 | 58.4             |
| 10                             |       |                | 15:00          | 16:00 | 59.1             |
| 11                             |       |                | 16:00          | 17:00 | 57.6             |
| 12                             |       |                | 17:00          | 18:00 | 56.4             |
| 13                             |       |                | 18:00          | 19:00 | 55.8             |
| 14                             |       |                | 19:00          | 20:00 | 54.3             |
| 15                             |       |                | 20:00          | 21:00 | 54.2             |
| 16                             |       |                | 21:00          | 22:00 | 52.4             |
| Leq day in dB(A)               |       |                |                |       | 56.7             |
| 17                             | Night | 19 & 20-Aug-24 | 22:00          | 23:00 | 50.6             |
| 18                             |       |                | 23:00          | 0:00  | 48.5             |
| 19                             |       |                | 0:00           | 1:00  | 47.2             |
| 20                             |       |                | 1:00           | 2:00  | 45.6             |
| 21                             |       |                | 2:00           | 3:00  | 46.8             |
| 22                             |       |                | 3:00           | 4:00  | 47.2             |
| 23                             |       |                | 4:00           | 5:00  | 45.4             |
| 24                             |       |                | 5:00           | 6:00  | 49.2             |
| Leq Night in dB(A)             |       |                |                |       | 47.9             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : -23 -08- 2024

STATION : SHELLA PUNJEE

STATION CODE : LN-5

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 23-Aug-24      | 6:00               | 7:00  | 49.5             |
| 2       |       |                | 7:00               | 8:00  | 50.2             |
| 3       |       |                | 8:00               | 9:00  | 51.4             |
| 4       |       |                | 9:00               | 10:00 | 52.3             |
| 5       |       |                | 10:00              | 11:00 | 53.6             |
| 6       |       |                | 11:00              | 12:00 | 54.8             |
| 7       |       |                | 12:00              | 13:00 | 55.7             |
| 8       |       |                | 13:00              | 14:00 | 56.4             |
| 9       |       |                | 14:00              | 15:00 | 57.1             |
| 10      |       |                | 15:00              | 16:00 | 55.8             |
| 11      |       |                | 16:00              | 17:00 | 54.3             |
| 12      |       |                | 17:00              | 18:00 | 52.7             |
| 13      |       |                | 18:00              | 19:00 | 51.6             |
| 14      |       |                | 19:00              | 20:00 | 50.4             |
| 15      |       |                | 20:00              | 21:00 | 49.8             |
| 16      |       |                | 21:00              | 22:00 | 48.2             |
|         |       |                | Leq day in dB(A)   |       | 53.5             |
| 17      | Night | 23 & 24-Aug-24 | 22:00              | 23:00 | 46.1             |
| 18      |       |                | 23:00              | 0:00  | 45.8             |
| 19      |       |                | 0:00               | 1:00  | 43.5             |
| 20      |       |                | 1:00               | 2:00  | 42.1             |
| 21      |       |                | 2:00               | 3:00  | 42.5             |
| 22      |       |                | 3:00               | 4:00  | 43.4             |
| 23      |       |                | 4:00               | 5:00  | 44.2             |
| 24      |       |                | 5:00               | 6:00  | 45.6             |
|         |       |                | Leq Night in dB(A) |       | 44.4             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 26-08-2024

STATION : MAWRYNGKHONG

STATION CODE : LN-6

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 26-Aug-24      | 6:00               | 7:00  | 49.5             |
| 2       |       |                | 7:00               | 8:00  | 50.2             |
| 3       |       |                | 8:00               | 9:00  | 51.4             |
| 4       |       |                | 9:00               | 10:00 | 52.3             |
| 5       |       |                | 10:00              | 11:00 | 53.6             |
| 6       |       |                | 11:00              | 12:00 | 54.2             |
| 7       |       |                | 12:00              | 13:00 | 55.8             |
| 8       |       |                | 13:00              | 14:00 | 56.4             |
| 9       |       |                | 14:00              | 15:00 | 55.3             |
| 10      |       |                | 15:00              | 16:00 | 54.6             |
| 11      |       |                | 16:00              | 17:00 | 53.8             |
| 12      |       |                | 17:00              | 18:00 | 52.4             |
| 13      |       |                | 18:00              | 19:00 | 51.7             |
| 14      |       |                | 19:00              | 20:00 | 50.4             |
| 15      |       |                | 20:00              | 21:00 | 49.8             |
| 16      |       |                | 21:00              | 22:00 | 48.6             |
|         |       |                | Leq day in dB(A)   |       | 53.1             |
| 17      | Night | 26 & 27-Aug-24 | 22:00              | 23:00 | 46.5             |
| 18      |       |                | 23:00              | 0:00  | 45.2             |
| 19      |       |                | 0:00               | 1:00  | 44.1             |
| 20      |       |                | 1:00               | 2:00  | 42.6             |
| 21      |       |                | 2:00               | 3:00  | 41.8             |
| 22      |       |                | 3:00               | 4:00  | 43.5             |
| 23      |       |                | 4:00               | 5:00  | 44.2             |
| 24      |       |                | 5:00               | 6:00  | 45.9             |
|         |       |                | Leq Night in dB(A) |       | 44.5             |



## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : 02 -09- 2024

STATION : SHELLA BAZAR (INFRONT OF PWD GUEST HOUSE) (NON MARKET DAY)

STATION CODE : LN-1

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 2-Sep-24       | 6:00               | 7:00  | 51.4             |
| 2       |       |                | 7:00               | 8:00  | 52.3             |
| 3       |       |                | 8:00               | 9:00  | 53.4             |
| 4       |       |                | 9:00               | 10:00 | 54.6             |
| 5       |       |                | 10:00              | 11:00 | 55.8             |
| 6       |       |                | 11:00              | 12:00 | 56.9             |
| 7       |       |                | 12:00              | 13:00 | 57.4             |
| 8       |       |                | 13:00              | 14:00 | 58.5             |
| 9       |       |                | 14:00              | 15:00 | 59.2             |
| 10      |       |                | 15:00              | 16:00 | 59.5             |
| 11      |       |                | 16:00              | 17:00 | 58.6             |
| 12      |       |                | 17:00              | 18:00 | 56.8             |
| 13      |       |                | 18:00              | 19:00 | 55.4             |
| 14      |       |                | 19:00              | 20:00 | 54.2             |
| 15      |       |                | 20:00              | 21:00 | 52.8             |
| 16      |       |                | 21:00              | 22:00 | 51.7             |
|         |       |                | Leq day in dB(A)   |       | 56.3             |
| 17      | Night | 02 & 03-Sep-24 | 22:00              | 23:00 | 49.8             |
| 18      |       |                | 23:00              | 0:00  | 47.6             |
| 19      |       |                | 0:00               | 1:00  | 46.4             |
| 20      |       |                | 1:00               | 2:00  | 45.2             |
| 21      |       |                | 2:00               | 3:00  | 44.3             |
| 22      |       |                | 3:00               | 4:00  | 45.2             |
| 23      |       |                | 4:00               | 5:00  | 46.7             |
| 24      |       |                | 5:00               | 6:00  | 47.9             |
|         |       |                | Leq Night in dB(A) |       | 47.0             |

| LAFARGE UMIAM MINING PVT. LTD.                          |       |              |       |                |                  |
|---|-------|--------------|-------|----------------|------------------|
| NOISE LEVEL DATA  |       |              |       |                |                  |
| DATE: 06- 09 - 2024                                     |       |              |       |                |                  |
| STATION : PYRKAN VILLAGE (INFRONT OF RAMKRISHNA SCHOOL) |       |              |       |                |                  |
| STATION CODE : LN-2                                     |       |              |       |                |                  |
|   |       |              |       | Time (in hour) |                  |
| Sl. No.   |       | Date         | From  | To             | Hourly Leq dB(A) |
| 1   | Day   | 6-Sep-24     | 6:00  | 7:00           | 49.2             |
| 2   |       |              | 7:00  | 8:00           | 50.1             |
| 3   |       |              | 8:00  | 9:00           | 51.2             |
| 4   |       |              | 9:00  | 10:00          | 52.6             |
| 5   |       |              | 10:00 | 11:00          | 53.4             |
| 6   |       |              | 11:00 | 12:00          | 54.8             |
| 7   |       |              | 12:00 | 13:00          | 55.7             |
| 8   |       |              | 13:00 | 14:00          | 56.8             |
| 9   |       |              | 14:00 | 15:00          | 57.9             |
| 10  |       |              | 15:00 | 16:00          | 56.2             |
| 11  |       |              | 16:00 | 17:00          | 55.4             |
| 12  |       |              | 17:00 | 18:00          | 54.9             |
| 13  |       |              | 18:00 | 19:00          | 53.2             |
| 14  |       |              | 19:00 | 20:00          | 52.5             |
| 15  |       |              | 20:00 | 21:00          | 51.8             |
| 16  |       |              | 21:00 | 22:00          | 49.4             |
| Leq day in dB(A)  |       |              |       |                | 54.2             |
| 17  | Night | 6 & 7-Sep-24 | 22:00 | 23:00          | 46.5             |
| 18  |       |              | 23:00 | 0:00           | 44.6             |
| 19  |       |              | 0:00  | 1:00           | 43.2             |
| 20  |       |              | 1:00  | 2:00           | 42.8             |
| 21  |       |              | 2:00  | 3:00           | 43.4             |
| 22  |       |              | 3:00  | 4:00           | 44.5             |
| 23  |       |              | 4:00  | 5:00           | 44.9             |
| 24  |       |              | 5:00  | 6:00           | 45.7             |
| Leq Night in dB(A)                                      |       |              |       |                | 44.6             |

LAFARGE UMIAM MINING PVT. LTD.

NOISE LEVEL DATA

DATE : 10-09-2024

STATION : PHALANG KA RUH VILLAGE

STATION CODE : LN-3

| Sl. No.            | Date                    | Time (in hour) |       | Hourly Leq dB(A) |
|--------------------|-------------------------|----------------|-------|------------------|
|                    |                         | From           | To    |                  |
| 1                  | Day<br>10-Sep-24        | 6:00           | 7:00  | 48.7             |
| 2                  |                         | 7:00           | 8:00  | 49.5             |
| 3                  |                         | 8:00           | 9:00  | 50.2             |
| 4                  |                         | 9:00           | 10:00 | 51.3             |
| 5                  |                         | 10:00          | 11:00 | 52.4             |
| 6                  |                         | 11:00          | 12:00 | 53.6             |
| 7                  |                         | 12:00          | 13:00 | 54.8             |
| 8                  |                         | 13:00          | 14:00 | 55.7             |
| 9                  |                         | 14:00          | 15:00 | 56.8             |
| 10                 |                         | 15:00          | 16:00 | 57.6             |
| 11                 |                         | 16:00          | 17:00 | 56.4             |
| 12                 |                         | 17:00          | 18:00 | 55.3             |
| 13                 |                         | 18:00          | 19:00 | 54.2             |
| 14                 |                         | 19:00          | 20:00 | 53.8             |
| 15                 |                         | 20:00          | 21:00 | 51.6             |
| 16                 |                         | 21:00          | 22:00 | 49.2             |
| Leq day in dB(A)   |                         |                |       | 54.0             |
| 17                 | Night<br>10 & 11-Sep-24 | 22:00          | 23:00 | 46.5             |
| 18                 |                         | 23:00          | 0:00  | 45.2             |
| 19                 |                         | 0:00           | 1:00  | 44.3             |
| 20                 |                         | 1:00           | 2:00  | 42.8             |
| 21                 |                         | 2:00           | 3:00  | 41.6             |
| 22                 |                         | 3:00           | 4:00  | 43.8             |
| 23                 |                         | 4:00           | 5:00  | 44.7             |
| 24                 |                         | 5:00           | 6:00  | 45.8             |
| Leq Night in dB(A) |                         |                |       | 44.6             |

## LAFARGE UMIAM MINING PVT. LTD.

## NOISE LEVEL DATA

DATE : - 16- 09- 2024

STATION: OFFICE AREA

STATION CODE : LN-4

| Sl. No. |       | Date           | Time (in hour)     |       | Hourly Leq dB(A) |
|---------|-------|----------------|--------------------|-------|------------------|
|         |       |                | From               | To    |                  |
| 1       | Day   | 16-Sep-24      | 6:00               | 7:00  | 50.2             |
| 2       |       |                | 7:00               | 8:00  | 52.5             |
| 3       |       |                | 8:00               | 9:00  | 54.6             |
| 4       |       |                | 9:00               | 10:00 | 56.8             |
| 5       |       |                | 10:00              | 11:00 | 58.4             |
| 6       |       |                | 11:00              | 12:00 | 59.7             |
| 7       |       |                | 12:00              | 13:00 | 61.2             |
| 8       |       |                | 13:00              | 14:00 | 62.5             |
| 9       |       |                | 14:00              | 15:00 | 59.7             |
| 10      |       |                | 15:00              | 16:00 | 58.4             |
| 11      |       |                | 16:00              | 17:00 | 56.9             |
| 12      |       |                | 17:00              | 18:00 | 57.4             |
| 13      |       |                | 18:00              | 19:00 | 56.8             |
| 14      |       |                | 19:00              | 20:00 | 54.9             |
| 15      |       |                | 20:00              | 21:00 | 53.8             |
| 16      |       |                | 21:00              | 22:00 | 52.7             |
|         |       |                | Leq day in dB(A)   |       | 57.8             |
| 17      | Night | 16 & 17-Sep-24 | 22:00              | 23:00 | 51.9             |
| 18      |       |                | 23:00              | 0:00  | 49.2             |
| 19      |       |                | 0:00               | 1:00  | 47.6             |
| 20      |       |                | 1:00               | 2:00  | 46.8             |
| 21      |       |                | 2:00               | 3:00  | 45.4             |
| 22      |       |                | 3:00               | 4:00  | 46.9             |
| 23      |       |                | 4:00               | 5:00  | 48.2             |
| 24      |       |                | 5:00               | 6:00  | 49.7             |
|         |       |                | Leq Night in dB(A) |       | 48.7             |

| LAFARGE UMIAM MINING PVT. LTD. |       |                |                    |       |                  |
|--------------------------------|-------|----------------|--------------------|-------|------------------|
| NOISE LEVEL DATA               |       |                |                    |       |                  |
| DATE : -20 -09- 2024           |       |                |                    |       |                  |
| STATION : SHELLA PUNJEE        |       |                |                    |       |                  |
| STATION CODE : LN-5            |       |                |                    |       |                  |
|                                |       |                | Time (in hour)     |       |                  |
| Sl. No.                        |       | Date           | From               | To    | Hourly Leq dB(A) |
| 1                              | Day   | 20-Sep-24      | 6:00               | 7:00  | 49.2             |
| 2                              |       |                | 7:00               | 8:00  | 50.1             |
| 3                              |       |                | 8:00               | 9:00  | 51.2             |
| 4                              |       |                | 9:00               | 10:00 | 52.6             |
| 5                              |       |                | 10:00              | 11:00 | 53.5             |
| 6                              |       |                | 11:00              | 12:00 | 54.8             |
| 7                              |       |                | 12:00              | 13:00 | 55.7             |
| 8                              |       |                | 13:00              | 14:00 | 56.2             |
| 9                              |       |                | 14:00              | 15:00 | 57.4             |
| 10                             |       |                | 15:00              | 16:00 | 56.5             |
| 11                             |       |                | 16:00              | 17:00 | 55.8             |
| 12                             |       |                | 17:00              | 18:00 | 54.2             |
| 13                             |       |                | 18:00              | 19:00 | 53.1             |
| 14                             |       |                | 19:00              | 20:00 | 51.7             |
| 15                             |       |                | 20:00              | 21:00 | 49.2             |
| 16                             |       |                | 21:00              | 22:00 | 48.5             |
|                                |       |                | Leq day in dB(A)   |       | 53.9             |
| 17                             | Night | 20 & 21-Sep-24 | 22:00              | 23:00 | 46.2             |
| 18                             |       |                | 23:00              | 0:00  | 44.8             |
| 19                             |       |                | 0:00               | 1:00  | 43.1             |
| 20                             |       |                | 1:00               | 2:00  | 41.5             |
| 21                             |       |                | 2:00               | 3:00  | 42.6             |
| 22                             |       |                | 3:00               | 4:00  | 43.8             |
| 23                             |       |                | 4:00               | 5:00  | 44.6             |
| 24                             |       |                | 5:00               | 6:00  | 45.9             |
|                                |       |                | Leq Night in dB(A) |       | 44.3             |

| LAFARGE UMIAM MINING PVT. LTD. |       |                |                    |                |                  |
|--------------------------------|-------|----------------|--------------------|----------------|------------------|
| NOISE LEVEL DATA               |       |                |                    |                |                  |
| DATE : - 25-09-2024            |       |                |                    |                |                  |
| STATION : MAWRYNGKHONG         |       |                |                    |                |                  |
| STATION CODE : LN-6            |       |                |                    |                |                  |
|                                |       |                |                    | Time (in hour) |                  |
| Sl. No.                        |       | Date           | From               | To             | Hourly Leq dB(A) |
| 1                              | Day   | 25-Sep-24      | 6:00               | 7:00           | 49.2             |
| 2                              |       |                | 7:00               | 8:00           | 50.1             |
| 3                              |       |                | 8:00               | 9:00           | 51.2             |
| 4                              |       |                | 9:00               | 10:00          | 52.6             |
| 5                              |       |                | 10:00              | 11:00          | 53.8             |
| 6                              |       |                | 11:00              | 12:00          | 54.7             |
| 7                              |       |                | 12:00              | 13:00          | 55.6             |
| 8                              |       |                | 13:00              | 14:00          | 56.8             |
| 9                              |       |                | 14:00              | 15:00          | 57.2             |
| 10                             |       |                | 15:00              | 16:00          | 56.9             |
| 11                             |       |                | 16:00              | 17:00          | 55.4             |
| 12                             |       |                | 17:00              | 18:00          | 54.3             |
| 13                             |       |                | 18:00              | 19:00          | 52.8             |
| 14                             |       |                | 19:00              | 20:00          | 51.2             |
| 15                             |       |                | 20:00              | 21:00          | 49.5             |
| 16                             |       |                | 21:00              | 22:00          | 48.2             |
|                                |       |                | Leq day in dB(A)   |                | 54.0             |
| 17                             | Night | 25 & 26-Sep-24 | 22:00              | 23:00          | 46.8             |
| 18                             |       |                | 23:00              | 0:00           | 45.2             |
| 19                             |       |                | 0:00               | 1:00           | 43.8             |
| 20                             |       |                | 1:00               | 2:00           | 42.6             |
| 21                             |       |                | 2:00               | 3:00           | 41.5             |
| 22                             |       |                | 3:00               | 4:00           | 43.5             |
| 23                             |       |                | 4:00               | 5:00           | 44.2             |
| 24                             |       |                | 5:00               | 6:00           | 45.7             |
|                                |       |                | Leq Night in dB(A) |                | 44.5             |

**Annexure I**

**COMPLIANCE STATUS OF TASKS IDENTIFIED UNDER ACTIONS PLAN ON  
ISSUES RAISED DURING PUBLIC HEARING WITH BUDGETARY PROVISIONS**

| <b>SN</b> | <b>LUMPL's Response to Issues Raised during Public Hearing dated 22 January 2016</b>   | <b>Tasks Identified as per Action Plan</b>   | <b>Remarks</b>  | <b>Budgetary Provision, INR in Lakhs</b>                         | <b>Status of Compliance as on 30 September 2024</b>   |
|-----------|--|--|---|--|---|
| A1        | LUMPL will continue to engage with the local communities/ Durbars for the benefits and development of the area as was done in the past.  | Will continue to carry out CSR activities based upon needs assessment carried out as per the local requirement of the Durbar/ local communities in line with the annual budgetary provisions. CSR activities for the FY 2016-17 includes with the focus areas as following:<br>a) Health Services;<br>b) Educational Support;<br>c) Infrastructure Improvement;<br>d) Income generation programs – development of skill sets, training and awareness programs etc.<br>e) Sponsoring social and cultural events | CSR Budget for 2024. The budget provisions shall be continued in similar lines for the following years                                      | ~171.41  | A budgetary provision on CSR activities for the year 2024 is INR 171.41 Lakhs.  |
| A2        | LUMPL will continue to engage with the local communities/Durbars for the benefits and development of the area as was done in the past.<br><br>For the proposed expansion, the payment to SPV will continue made by LUMPL at INR 90/ per tonne. | CSR activities will continue to be in place as described above.<br>A Special Purpose Vehicle (SPV) has already been set up by the Government of Meghalaya as per the directions of Hon'ble Supreme Court of India for undertaking "welfare projects including development of Health, Education, Economy, Irrigation and Agriculture in the project area of 50 kms solely for local community and welfare of tribals".  | Payment to SPV will continue to be made as per the direction of Hon'ble Supreme Court of India for the limestone mining @ INR 90 per tonne) | Up to 1800.00 (for 2.0 MTPA)<br><br>Up to 4500.00 (for 5.0 MTPA) | The amount accrued and paid to SPV based on the production during the period April to September 2024 was INR 1658.45 Lakhs. |

|         |  |   |   |         |  |
|---------|--|---|---|---------|--|
| A3 & A4 | LUMPL will continue to follow best practices as being carried out in the past.   | Best practices of mining will continue to be followed.<br><br>CSR activities will continue to be in place as described above.   |   |         | Being followed up.   |
| A5      | <p>The blasting for 5 MTPA will be undertaken as per the parameters already defined by the Blasting Study conducted by Central Institute of Mining and Fuel Research (CIMFR), Government of India in 2015. The details of impacts and mitigation measures have been included in the EIA study. LUMPL will continue to ensure proper design of blast hole drilling pattern and blast geometry, use of NONEL with TLD detonators and blasting operations to be carried out only during the day time between 1300 and 1500 hours. LUMPL will ensure that the explosive use is not exceeding 63 kg per hole as suggested by CIMFR.</p> <p>Ground vibrations will continue to be monitored with every blast. LUMPL monitors the limit and ensures that its internal norm of 5 mm/sec will continue to be adhered to at all the structures as against the DGMS prescribed limit of maximum ground vibrations of 10 mm/sec.</p> | <ol style="list-style-type: none"> <li>1. Ensure proper design of blast hole drilling pattern and blast geometry, use of NONEL with TLD detonators and blasting operations to be carried out only during the day time between 1300 and 1500 hours.</li> <li>2. Explosive use will not exceed 63 kg per hole as suggested by CIMFR.</li> <li>3. Ground vibrations monitoring with every blast to ensure vibrations limits prescribed by DGMS are always adhered to.</li> <li>4. Comply with the mitigation measures for blasting and other mining related activities as suggested in the Environmental Management Plan for the proposed 5.0 MTPA expansion Project.</li> </ol> | Recurring cost for blasting and related studies (annual average) as included in the EMP | ~15.00* | <p>Mitigation measures are being implemented</p> <p>Last study was completed in the year 2015.</p> <p>Last Study conducted in the year 2018 by CIMFR. Expenditure towards the blasting study is INR 8.64 Lakhs</p> |



|  |   |  |               |   |
|--|---|--|---------------|---|
| <p>LUMPL has also conducted ground vibrations monitoring in the surrounding villages i.e. Mawryngkhong, Nongrum, and Nongnong (all these villages are located across Umiam River and located beyond 1 km from the mine site). During the monitoring ground vibrations at all these villages have been found to be “not triggered” i.e. it remained below 1 mm/sec.</p> <p>The water flow from current location of active mining area is not flowing into the Umiam River. The mine being devoid of overburden, there is no overburden waste hence there is no chance of escape of silt from mine overburden.</p> <p>Mitigation measures have been suggested whereby proper drainage to be planned prior to start of development of new benches for mining from northern side (from 21<sup>st</sup> to 25<sup>th</sup> year for the expansion project). LUMPL is required to construct a garland drain to guide rainwater to continue to flow west to east from northern part into the Umiam River. The garland drain will prevent rainwater entering into the mine from outside and maintain flow from mine area into Umiam River.</p> | <p>5. Monthly monitoring of surface water quality</p> | <p>Monitoring of surface water quality (annual budget)</p> | <p>~5.00*</p> | <p>Expenditures towards the water analysis for the period April to September 2024 was INR 3.60 Lakhs.</p> |
|--|---|--|---------------|---|

|    |  |  |                                      |  |  |
|----|--|--|--------------------------------------|--|--|
|    | <p>LUMPL will ensure that the drainage through garland drain is provided with silt traps to arrest any scree coming from outside the mine.</p> <p>LUMPL will continue to monitor the quality of water of rivers and report the same to MSPCB and MoEFCC.</p>   |  |                                      |  |  |
| A6 | <p>The blasting for 5 MTPA will be undertaken as per the parameters already defined in the Blasting Study conducted by Central Institute of Mining and Fuel Research (CIMFR), Government of India in 2015.</p> <p>The details of impacts and mitigation measures have been included in the EIA study. LUMPL will continue to ensure proper design of blast hole drilling pattern and blast geometry, use of NONEL with TLD detonators and blasting operations to be carried out only during the day time between 1300 hours and 1500 hours. LUMPL will ensure that the explosive use is not exceeding 63 kg per hole as suggested by CIMFR.</p> <p>Ground vibrations will continue to be monitored with every blast. LUMPL monitors the limit and ensures that its internal norm of 5 mm/sec will continue to be adhered to at all</p> | 1. Implementation of mitigation measures related to blasting as stated above in serial no. A.5 | 1. As stated above in serial no. A 5 |  |  |

|          |  |  |  |  |  |
|----------|--|--|--|--|--|
|          | <p>the structures as against the DGMS prescribed limit of maximum ground vibrations of 10 mm/sec.</p> <p>LUMPL has also conducted ground vibrations monitoring in the surrounding villages i.e. Mawryngkhong, Nongrum, and Nongnong (all these villages are located across Umiam River and located beyond 1 km from the mine site). During the monitoring ground vibrations at all these villages have been found to be “not triggered” i.e. it remained below 1 mm/sec.</p> <p>LUMPL has been monitoring ambient air quality at villages surrounding the mine site twice a week every week. The quality of ambient air quality has been observed to be well within the National Ambient Air Quality Standards (NAAQS).</p> <p>Monitoring has also been conducted by external laboratories including MSPCB and has been found to be well within the NAAQS.</p> | 2. Fugitive dust and air quality monitoring as per the frequency given in the EMP  | 2. Fugitive dust and air quality monitoring (annual budget)  | ~20.00*  | Expenditures towards monitoring on fugitive dust and air quality conducted during the period April to September 2024 was INR 1.95 Lakhs. |
| B1 a & b | GIEM (India) Consortium, Calcutta has carried out detailed investigation and exploration which confirmed presence of limestone in the 100 Ha mine lease area. Accordingly, Mining  | LUMPL has entered into land lease deed with Nongtra Village Durbar for mine lease area, crusher area and related infrastructure. As per the lease deed LUMPL will continue to pay an annual rent/royalty (the current rate | Annual amount will continue to be paid as per the rate agreed in the lease deed (current rate of INR 13 per tonne) | Up to 260.00 (for 2.0 MTPA)<br>Up to 650.00 (for 5.0 MTPA) | LUMPL has been making annual payments to the Nogntra Village Durbar as per the rate  |

|         |   |   |   |   |                                   |
|---------|---|---|---|---|-----------------------------------|
|         | <p>Lease was granted by the Government of Meghalaya as well as Mining Plan and Scheme of Mining approved by Indian Bureau of Mines, Government of India. The mine lease relates to mining of limestone only. LUMPL has been filing monthly returns to IBM and to Department of Mines and Geology, Meghalaya on the mineral limestone extracted during the previous month.</p> <p>For the mineral limestone extracted (which is the only mineral available in the mine), LUMPL has been paying rent to the Nongtraï Village Durbar as per the terms of the Agreement.</p> <p>As stated above and the current scheme relates to mining of limestone as the only mineral present within the 100 Ha of mine lease area. For limestone mining, LUMPL has also been complying with all the terms of the Agreement with the Durbar as well as the mining lease granted by Government of Meghalaya and Mining Plan approved by IBM. Accordingly, the revenues to the state and central governments are being paid by LUMPL.</p> | of INR 13 per tonne of limestone).  |   |   | agreed in the lease deed.         |
| B1<br>c | All the limestone mined is exported through long belt conveyor  | Accuracy of measurement system will continue to be ensured through annual | - | - | Accuracy of measurement system is |

|      |   |   |   |   |  |
|------|---|---|---|---|--|
|      | <p>across border to Bangladesh. LUMPL has installed the weighing system for measurement of limestone exported through the belt conveyor. The accuracy of the measurement system is calibrated and certified annually by the Legal Metrology Department, Government of Meghalaya.</p> <p>The fully automated online measurement system and export material i.e. limestone has been under direct supervision of Customs Department personnel who have been deployed at the loading point of the Nongtraï Limestone Mine.</p>    | <p>calibration and certification by the Legal Metrology Department, Government of Meghalaya</p> <p>Supervision of Customs Department will continue to be in place</p>                   |   |   | <p>being followed under the supervision of Legal Metrology Department, Government of Meghalaya and Customs Department.</p> |
| B1 d | <p>Based on the observations of Hon'ble Supreme Court, MoEFCC (vide file no. 07 - 31/2007 – FC dated March 30, 2010 in the matter of IA 1868 WP(C ) no. 202/95) appointed a committee consisting of team of officials led by (Mr. B. N Jha), Regional Chief Conservator of Forests, North Eastern Region, Shillong as Team Leader; Director/Additional Director in the North Eastern Region, Shillong as Member; Head Zonal Office of Central Pollution Control Board, Shillong as Member; and a senior Mining Officer of</p> | <p>Presently, there are ~200 local personnel (~35% of total manpower) are engaged from Nongtraï, Shella and surrounding villages. This employment of local personnel will continue.</p> | - | - | <p>Employment of personnel from local villages is continuing.</p>  |

|   |  |  |  |  |
|---|--|--|--|--|
| <p>State Mining Department as Member. The terms of reference of the Committee included the following:</p> <ol style="list-style-type: none"> <li>1. Assessment of compliance to conditions stipulated during the Environmental Clearance accorded under the EIA notification.</li> <li>2. Assessment of impact of the mining on forest, wildlife and surroundings – A detailed account of the vegetation and wildlife with their sample photographs may also be attached with the report.</li> <li>3. Interaction with the local population and institutions and to suggest effective measures for mitigating adverse impacts of mining on them.</li> <li>4. Assessment of limestone lying in the yard after quarrying and feasibility regarding their storage/transportation.</li> </ol> <p>The detailed findings of the Committee are included in <b>Annex G</b>. The extracts from the report of the MoEFCC constituted Committee are as following:</p> <ul style="list-style-type: none"> <li>▪ ToR 1: "... As a whole, compliance status appears as satisfactory since 8 out of 15 Specific</li> </ul> |  |  |  |  |
|---|--|--|--|--|

|  |  |  |  |  |  |
|--|--|--|--|--|--|
|  | <p>conditions were fully complied with while 5 were partially complied with. One of the Specific conditions is being complied with and another one is also mostly complied with at the time of visit of the Committee. Of the 12 General conditions, 11 were observed as complied with while 1 condition remained under process of compliance...”</p> <ul style="list-style-type: none"> <li>▪ ToR 2: “... Impact of mining on the surrounding villages in Nongtraï and Shella (especially Nongtraï) has been found very positive and beneficial to the residents due to huge amount of cash going to village Durbar and reaching individual household improving the financial health of the population of these villages....”</li> <li>▪ ToR3: “.... In the light of above salient points which emerged in the interactions with local population and institution, in plain and simple way the local population is very much benefitted with mining by LUMPL, they do not have any problem/grievance</li> </ul> |  |  |  |  |
|--|--|--|--|--|--|

|      |   |  |   |  |   |
|------|---|--|---|--|---|
|      | <p>with LUMPL and they want that mining should be allowed to take place and Govt of India to give all clearance needed for the same.”</p> <ul style="list-style-type: none"> <li>ToR 4: “Committee assessed the stock pile lying in the stock yard at mining site.....”</li> </ul>  |  |   |  |   |
| B1 e | <p>Special Purpose Vehicle (SPV) has been set up by the State Government of Meghalaya in relation to the welfare projects mandated upon it including the development of health, education, economy, irrigation and agriculture in the project area of 50 kms solely for the local community and welfare of Tribals. LUMPL has deposited to SPV a sum of INR 114.25 Crore as on September 30, 2015.</p> <p>During the pendency of the matter of IA no. 1868 in WP (C) 202 of 1995 in the Hon’ble Supreme Court, MoEFCC vide order F. No. 07-31/2007 dated March 30, 2010 constituted a Committee headed by Mr BN Jha, CCF, RO Shillong and the report was submitted by MoEFCC to the Hon’ble Supreme Court. Amongst other contexts the report stated that, “...According to the report, M/s. Lafarge has</p> | <p>1. Payments to SPV will continue as stated above in serial no. A 2.</p> <p>2. Implement mitigation measures as suggested in the EMP</p> | <p>Capital cost of EMP</p> <p>Recurring cost of EMP</p> | <p>710.00 (to be spent over the years)</p> <p>210.00 (upon achieving full production )</p> | <p>Capital expenditure of EMP after of 5.0 MTPA environment clearance up to September 2024 was INR 278.15 Lakhs</p> <p>Recurring expenditure of EMP after receipt of 5.0 MTPA environmental clearances up to September 2024 was INR 614.94 Lakhs.</p> |



|     |  |                                   |                                   |                                   |                       |
|-----|--|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------|
|     | <p>been contributing for the benefits of the village as well as for all the villagers by way of payment of rent for the use of the community land as well as towards the price of limestone exported to Bangladesh. The figures of such payments are also indicated in the report. Further, the report states that mining is not having any adverse effect on the human life... ..”</p> <p>For the proposed expansion Project, detailed mining impacts have been worked out in the EIA report. Detailed mitigation measures have been suggested to minimize adverse impacts.</p> |                                   |                                   |                                   |                       |
| B1f | <p>LUMPL has been making payment to Nongtraï Durbar based on current rate rental payment of INR 13 per tonne of limestone.</p> <p>The public hearing was attended by more than 300 people (refer to the attendance sheet – in <b>Annex A-2</b>) from surrounding villages including Nongtraï. The statements made by speakers as is obvious from the proceedings of the public hearing, supported the expansion Proposal due to the benefits LUMPL has been providing to the village.</p>  | As stated above in serial no. B1a | As stated above in serial no. B1a | As stated above in serial no. B1a | As given above in B1a |
| B2  |  |                                   |                                   |                                   |                       |

|                 |  |   |          |          |   |
|-----------------|--|---|----------|----------|---|
| <p>B2<br/>a</p> | <p>The blasting for 5 MTPA will be undertaken as per the parameters already defined by the Blasting Study conducted by Central Institute of Mining and Fuel Research (CIMFR), Government of India in 2015.</p> <p>The details of impacts and mitigation measures have been included in the EIA study. LUMPL will continue to ensure proper design of blast hole drilling pattern and blast geometry, use of NONEL with TLD detonators and blasting operations to be carried out only during the day time between 1300 hours and 1500 hours. LUMPL will ensure that the explosive use is not exceeding 63 kg per hole as suggested by CIMFR.</p> <p>Ground vibrations are to be monitored with every blast and it should adhere to the limits prescribed by DGMS which is maximum ground vibrations of 10 mm/sec.</p> <ul style="list-style-type: none"> <li>- LUMPL monitors the limit and ensures that its internal norm of 5 mm/sec which will be adhered to at all the structures.</li> <li>- LUMPL has also conducted ground vibrations monitoring in the surrounding</li> </ul> | <p>1. Implementation of blasting related mitigation measures as suggested in EMP and as stated above in serial no. A.5.</p> | <p>-</p> | <p>-</p> | <p>Mitigation measures are being implemented.</p> |
|-----------------|--|---|----------|----------|---|

|         |   |  |  |  |   |
|---------|---|--|--|--|---|
|         | villages i.e. Mawryngkhong, Nongrum, and Nongnong (all these villages are located across Umiam River and located beyond 1 km from the mine site). During the monitoring ground vibrations at all these villages have been found to be not triggered i.e. below 1 mm/sec.  |  |  |  |   |
| B2<br>b | LUMPL has been monitoring ambient air quality at villages surrounding the mine site twice a week every week. The quality of ambient air quality has been observed to be well within the National Ambient Air Quality Standards. Monitoring has also been conducted by external laboratories including MSPCB and has been found to be well within the NAAQS. | <p>1. Implementation of mitigation measures to control dust emissions as described in the EMP.</p> <p>2. Implementation of action plan on fugitive dust and air quality monitoring as stated in the serial no. A.6.</p> <p>3. Support to local community for providing health related services as part of CSR activities</p> | <p>Fugitive dust control through water sprinkling using rain gun fogger, water tankers and fixed sprinkling system set along the median of the haul road</p> <p>As stated above in serial no. A6</p> <p>As stated above in serial no. A1</p> | <p>40.00*</p> <p>-</p> <p>As stated above in serial no. A1</p> |   |
| B2<br>c | Mitigation measures have been suggested including proper drainage to be planned prior to start of development of new benches and prior to start of mining from northern side (21 <sup>st</sup> to 25 <sup>th</sup> year), for the northern drainage through northern part, LUMPL is required to construct a garland   | <p>1. Construction of Storm water drains (along northern boundary 1 km length (from 20<sup>th</sup> year onwards) and for pit water discharge from lowest bench from 10<sup>th</sup> year onwards</p> <p>2. Construction of drain along the haul road and approach road</p>  | <p>Cost of construction of garland drain</p> <p>Cost of drainage system along haul road and approach</p>   | <p>200.00*</p> <p>50.00*</p> <p>20.00*</p>                     | <p>Actions to be implemented from 20<sup>th</sup> year onwards from the year 2015-16.</p> |

|  |  |                                      |  |  |
|--|--|--------------------------------------|--|--|
| <p>drain to guide rainwater continue to flow west to east into the Umiam River. The garland drain will prevent rainwater entering into the mine from outside and maintain flow from mine area into Umiam River.</p> <p>LUMPL will ensure that the drainage through garland drain is provided with silt traps to arrest any scree coming from outside the mine.</p> <p>LUMPL will continue to monitor the quality of water of rivers and report the same to MSPCB and MoEFCC.</p> | <p>3. Setting up pit water evacuation pump</p> | <p>Cost of water evacuation pump</p> |  |  |
|--|--|--------------------------------------|--|--|

Note - \*Cost as included in the EMP.

# MEGHALAYA STATE POLLUTION CONTROL BOARD



"ARDEN", LUMPYNGGAD, SHILLONG - 793014

e-mail : memsecy.spcb-meg@gov.in; megspcb@rediffmail.com

Phone : 0364-2521533, 2521514, 2522726

Book No. : .....160.....

IS No. 15031.....

## VEHICLE EMISSION TEST REPORT (DIESEL DRIVEN)


Date of testing : 28/06/24

Certified that the exhaust emission of Vehicle No. M205 K 7532

has been tested and the result is as under :-

| Method of Test  | Maximum Smoke Density                        |                |                   | Result<br>(Hartridge<br>Smoke Unit) |
|---|--|----------------|-------------------|-------------------------------------|
|   | Light<br>Absorption<br>Co-efficient<br>(l/m) | Bosch<br>Units | Hartridge<br>Unit |                                     |
| a) For vehicles other than agricultural tractors : Full load at 60 to 70% of maximum engine rated rpm declared by the manufacturer.<br>or | 3.25   | 5.2            | 75                |                                     |
| Free acceleration for turbo charged engine<br>or<br>Free acceleration for naturally aspirated engine                                      | 2.45   | --             | 65                | 25.9                                |
| b) For agricultural tractors 80% load corresponding to maximum power developed in PTO performance tests.                                  | 3.25   | 5.2            | 75                |                                     |

Certified that the vehicle meets the emission standard and this certificate is valid for 6 (six) months from the date of issue. This Certificate is valid upto 28/12/2024



Signature of Issuing Official

*[Handwritten Signature]*

*[Handwritten Name]*

Authority vide Order No. Com/Trans/89/216/52 dt. 03/02/1990 of Commissioner of Transport, Govt. of Meghalaya.

## GOVERNMENT OF MEGHALAYA

## OFFICE OF THE CHIEF ENGINEER WATER RESOURCES DEPARTMENT

NO. CE/WRD-1194/2012-13/22-23/326

Dated Shillong, the 10<sup>th</sup> November 2022NO OBJECTION CERTIFICATE

In pursuance of application received from Narayan Sharma, Operations Director, M/S Lafarge Umiam Mining Private Ltd. Oakland, Shillong dated 22.11.2018 seeking NOC for drawal of surface water for enhancement of Nongtra Limestone Mine at Shella, East Khasi Hills District, Meghalaya and based on the recommendation of the DWRC East Khasi Hills District, the undersigned is pleased to grant No Objection Certificate to M/S Lafarge Umiam Mining Private Ltd. for drawal of surface water on the condition that there will not be any restriction for the Water Resources Department to utilise the required quantity of water from the river for any developmental and livelihood programmes along the Phlangkaruh stream and within its catchment area.

In addition, the following terms and conditions are to be strictly adhered to by M/S Lafarge Umiam Mining Private Ltd.:-

1. This No Objection Certificate (NOC) may be modified, suspended or revoked by the Department during its term for causes including, but not limited to (i) Violation of any Terms and Conditions of this consent and (ii) Obtaining the Consent by misrepresentation or failure to disclose fully all relevant facts.
2. M/S Lafarge Umiam Mining Private Ltd. shall not claim any rights over the river//stream/water source or any part of it.
3. This Particular NOC is with respect to approval for utilization of surface water only. M/S Lafarge Umiam Mining Private Ltd. should obtain other mandatory clearances or NOCs from concerned Departments, Local Authorities including the Autonomous District Council and landowners as and when necessary.
4. M/S Lafarge Umiam Mining Private Ltd. is to draw only 0.0002 MCM of water per day and for any additional requirement of water from Phlangkaruh stream, permission will have to be obtained from the concerned authorities.
5. Minimum environmental flow, as prescribed by the Ministry of Environment and Forest (MoEF), should be ensured and maintained at all time.
6. During the lean season, the water allocation priority shall be as specified in the Meghalaya State Water Policy 2019.



7. M/S Lafarge Umiam Mining Private Ltd. shall strictly abide by the rules and regulations laid down by the Government of Meghalaya from time to time including any regulation pertaining to payment of water royalty. Terms and conditions as specified in the State Water Policy shall be followed wherever applicable.
8. Monitoring as to the observance of the Terms and Conditions will be done by officials of the Water Resources Department in the presence of representatives of M/S Lafarge Umiam Mining Private Ltd on a yearly basis.
9. The NOC will remain valid for a period of 3 (three) years only from the date of issue. Revalidation of the NOC has to be applied 3(three) months before the expiry date. Revalidation will be granted after inspection conducted and recommendation made by the District Water Resources Development Council (DWRDC).
10. Any difference and/or dispute arising at any time between the parties in regard to terms and conditions above or interpretation thereof shall in the first instance be endeavoured to be resolved mutually and amicably by the parties hereto through good faith negotiation, failing which the matter shall be referred to the higher authority of the Government of Meghalaya. In the event that such a dispute persists or cannot be resolved, it shall be referred to a court of law within the jurisdiction of Shillong. The award there under shall be final and binding upon the parties, subject to legal remedies available under the law.

(Smt. A.S. Lyngdoh)  
Chief Engineer (WR)  
Meghalaya, Shillong

Memo No. CE/WRD-1194/2012-13/22-23/326-A

Dated Shillong, the 10<sup>th</sup> November 2022

Copy to :

1. ✓ Narayan Sharma, Operations Director, M/S Lafarge Umiam Mining Private Ltd.
2. Joint Secretary to the Government of Meghalaya, Water Resources Department.
3. Additional Chief Engineer (WR) HPD for information.
4. Superintending Engineer (WR) HPD/ Shillong Circle for information.
5. Executive Engineer (WR) & Member Secretary DWRDC, East Khasi Hills, Shillong for information and necessary action.
6. Office Copy

  
Chief Engineer (WR)  
Meghalaya, Shillong



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবিএনএছ চাইন্টিফিক চাৰ্ভিচেচ প্ৰাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

ইচ্-১৫২, কেতেকী পথ, পদুমবাৰী, জালুকবাৰী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/042724/31</b>  | <b>Date: 27/04/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Waste Water</b><br>Sample ID: <b>ABNS/GHY/041824/WW01</b><br>Sample Type: Grab Sample<br>Source: Sample 1  |
| Location: ETP Out let  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 16/04/2024<br>Analysis Start Date: 18/04/2024<br>Analysis End Date: 23/04/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.5°C<br>Relative Humidity:64%  |   |

### ANALYSIS RESULTS

| Sl No | Parameters                | Reference Methods         | Units | Permissible Limit(CPCB) | Results      |
|-------|---------------------------|---------------------------|-------|-------------------------|--------------|
| 1     | pH at 25°C                | IS 3025 Part 11, 2022     | -     | 5.5-9.0                 | <b>7.90</b>  |
| 2     | Total Suspended Solids    | IS 3025 Part 17, 2022     | mg/L  | 100                     | <b>35.0</b>  |
| 3     | Total Dissolved Solids    | IS 3025 Part 16, raf 2023 | mg/L  | 2100                    | <b>120.0</b> |
| 4     | Oil & Grease              | IS 3025 Part 39, 2021     | mg/L  | 10                      | <b>BDL</b>   |
| 5     | Biochemical Oxygen Demand | IS 3025 Part 44, 2023     | mg/L  | 30                      | <b>2.2</b>   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,



*[Signature]*  
27/04/2024

Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |  |
|--|--|
| <b>Report No: ABNS/EM/052924/26</b>  | <b>Date: 29/05/2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Waste Water</b><br>Sample ID: <b>ABNS/GHY/052324/WW01</b><br>Sample Type: Grab Sample<br>Source: Sample 1 |
| Location: ETP Out let  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021   |
| <b>Environmental Condition:</b><br>Temperature: 23.4°C<br>Relative Humidity:65%  | Sampling Date: 21/05/2024<br>Analysis Start Date: 23/05/2024<br>Analysis End Date: 27/05/2024  |

### ANALYSIS RESULTS

| Sl No | Parameters                | Reference Methods         | Units | Permissible Limit(CPCB) | Results |
|-------|---------------------------|---------------------------|-------|-------------------------|---------|
| 1     | pH at 25°C                | IS 3025 Part 11, 2022     | -     | 5.5-9.0                 | 7.8     |
| 2     | Total Suspended Solids    | IS 3025 Part 17, 2022     | mg/L  | 100                     | 42.0    |
| 3     | Total Dissolved Solids    | IS 3025 Part 16, raf 2023 | mg/L  | 2100                    | 110.0   |
| 4     | Oil & Grease              | IS 3025 Part 39, 2021     | mg/L  | 10                      | BDL     |
| 5     | Biochemical Oxygen Demand | IS 3025 Part 44, 2023     | mg/L  | 30                      | 3.2     |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services



29/05/2024  
Authorized Signatory

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড  
एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|   |  |
|---|--|
| <b>Report No:ABNS/EM/061824/14</b>  | <b>Date:18.06.2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangeruh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Waste Water</b><br>Sample ID: <b>ABNS/GHY/061224/WW01</b><br>Sample Type: Grab Sample<br>Source: Sample 1 |
| Location: ETP Out let   | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021   |
| <b>Environmental Condition:</b><br>Temperature: 25.4°C<br>Relative Humidity:71.0%   | Sampling Date: 10.06.2024<br>Analysis Start Date: 12.06.2024<br>Analysis End Date: 18.06.2024  |

### ANALYSIS RESULTS

| Sl No | Parameters                | Reference Methods         | Units | Permissible Limit(CPCB) | Results |
|-------|---------------------------|---------------------------|-------|-------------------------|---------|
| 1     | pH at 25°C                | IS 3025 Part 11, 2022     | -     | 5.5-9.0                 | 7.90    |
| 2     | Total Suspended Solids    | IS 3025 Part 17, 2022     | mg/L  | 100                     | 30      |
| 3     | Total Dissolved Solids    | IS 3025 Part 16, raf 2023 | mg/L  | 2100                    | 120     |
| 4     | Oil & Grease              | IS 3025 Part 39, 2021     | mg/L  | 10                      | BDL     |
| 5     | Biochemical Oxygen Demand | IS 3025 Part 44, 2023     | mg/L  | 30                      | 2.6     |


Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services



Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
18/06/2024  
Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিচেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

ইচ্-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/072524/35</b>  | <b>Date: 25/07/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraí Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Waste Water</b><br>Sample ID: <b>ABNS/GHY/072024/WW01</b><br>Sample Type: Grab Sample<br>Source: Sample 1  |
| Location: ETP Out let  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 18/07/2024<br>Analysis Start Date: 20/07/2024<br>Analysis End Date: 24/07/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.5°C<br>Relative Humidity:66%  |   |

### ANALYSIS RESULTS


| Sl No | Parameters                | Reference Methods         | Units | Permissible Limit(CPCB) | Results |
|-------|---------------------------|---------------------------|-------|-------------------------|---------|
| 1     | pH at 25°C                | IS 3025 Part 11, 2022     | -     | 5.5-9.0                 | 8.10    |
| 2     | Total Suspended Solids    | IS 3025 Part 17, 2022     | mg/L  | 100                     | 35.0    |
| 3     | Total Dissolved Solids    | IS 3025 Part 16, raf 2023 | mg/L  | 2100                    | 110.0   |
| 4     | Oil & Grease              | IS 3025 Part 39, 2021     | mg/L  | 10                      | BDL     |
| 5     | Biochemical Oxygen Demand | IS 3025 Part 44, 2023     | mg/L  | 30                      | 3.0     |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
  
25/07/2024  
Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্‌এছ চাইন্টিফিক চাৰ্ভিচেচ প্ৰাইভেট লিমিটেড

एबीएन्‌एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবাৰী, জালুকবাৰী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/082924/14</b>  | <b>Date: 29/08/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Waste Water</b><br>Sample ID: <b>ABNS/GHY/082124/WW01</b><br>Sample Type: Grab Sample<br>Source: Sample 1  |
| Location: ETP Out let  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 20/08/2024<br>Analysis Start Date: 21/08/2024<br>Analysis End Date: 29/08/2024 |
| <b>Environmental Condition:</b><br>Temperature: 24.7°C<br>Relative Humidity: 68.8%   |   |

### ANALYSIS RESULTS

| Sl No | Parameters                | Reference Methods         | Units | Permissible Limit(CPCB) | Results |
|-------|---------------------------|---------------------------|-------|-------------------------|---------|
| 1     | pH at 25°C                | IS 3025 Part 11, 2022     | -     | 5.5-9.0                 | 8.1     |
| 2     | Total Suspended Solids    | IS 3025 Part 17, 2022     | mg/L  | 100                     | 35.0    |
| 3     | Total Dissolved Solids    | IS 3025 Part 16, raf 2023 | mg/L  | 2100                    | 110.0   |
| 4     | Oil & Grease              | IS 3025 Part 39, 2021     | mg/L  | 10                      | BDL     |
| 5     | Biochemical Oxygen Demand | IS 3025 Part 44, 2023     | mg/L  | 30                      | 3.2     |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্‌এছ চাইন্টিফিক চাৰ্জিচেচ প্ৰাইভেট লিমিটেড

एबीएन्‌एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |  |
|--|--|
| Report No:ABNS/EM/100724/15  | Date:07/10/2024  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Waste Water</b><br>Sample ID: <b>ABNS/GHY/092324/WW01</b><br>Sample Type: Grab Sample<br>Source: Sample 1                                       |
| Location: ETP Out let  | Sample Collected by: Mr Chinmoy Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 21/09/2024<br>Analysis Start Date: 23/09/2024<br>Analysis End Date:04/10/2024 |
| <b>Environmental Condition:</b><br>Temperature:23..7°C<br>Relative Humidity:69.0%  |  |

### ANALYSIS RESULTS

| Sl No | Parameters                | Reference Methods         | Units | Permissible Limit(CPCB) | Results |
|-------|---------------------------|---------------------------|-------|-------------------------|---------|
| 1     | pH at 25°C                | IS 3025 Part 11, 2022     | -     | 5.5-9.0                 | 7.8     |
| 2     | Total Suspended Solids    | IS 3025 Part 17, 2022     | mg/L  | 100                     | 32.0    |
| 3     | Total Dissolved Solids    | IS 3025 Part 16, raf 2023 | mg/L  | 2100                    | 118.0   |
| 4     | Oil & Grease              | IS 3025 Part 39, 2021     | mg/L  | 10                      | BDL     |
| 5     | Biochemical Oxygen Demand | IS 3025 Part 44, 2023     | mg/L  | 30                      | 5.5     |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



07/10/2024  
Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)

## Ground water level results for the period April to September 2024

(Vibrating Wire Piezometer)

| Location   | Apr                   |       |       | May                   |       |       | Jun                   |       |       |
|--|-----------------------|-------|-------|-----------------------|-------|-------|-----------------------|-------|-------|
|  | Reading in Unit meter |       |       | Reading in Unit meter |       |       | Reading in Unit meter |       |       |
|  | Min                   | Max   | Avg   | Min                   | Max   | Avg   | Min                   | Max   | Avg   |
| PWD Road (To the south west of the Mine)           | 47.88                 | 51.50 | 49.61 | 51.50                 | 53.24 | 51.87 | 53.58                 | 55.62 | 54.71 |
| Near Mine entry gate (To the South of the Mine)    | 50.20                 | 52.78 | 51.54 | 52.78                 | 53.96 | 53.02 | 54.02                 | 55.70 | 55.00 |
| Near Transit House (To the South East of the Mine) | 47.85                 | 51.20 | 49.38 | 51.22                 | 52.32 | 51.55 | 52.68                 | 54.66 | 53.79 |
| Location   | Jul                   |       |       | Aug                   |       |       | Sep                   |       |       |
|  | Reading in Unit meter |       |       | Reading in Unit meter |       |       | Reading in Unit meter |       |       |
|  | Min                   | Max   | Avg   | Min                   | Max   | Avg   | Min                   | Max   | Avg   |
| PWD Road (To the south west of the Mine)           | 54.28                 | 55.68 | 54.91 | 54.20                 | 55.04 | 54.67 | 54.18                 | 54.78 | 54.43 |
| Near Mine entry gate (To the South of the Mine)    | 54.12                 | 55.74 | 54.88 | 54.04                 | 54.78 | 54.30 | 54.00                 | 54.46 | 54.22 |
| Near Transit House (To the South East of the Mine) | 53.16                 | 54.78 | 53.84 | 53.08                 | 53.72 | 53.33 | 53.12                 | 53.44 | 53.30 |



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্সএছ চাইন্টিফিক চাৰ্ভিচেচ প্ৰাইভেট লিমিটেড  
এবীএন্স সাইন্টিফিক সৰ্বিসেস প্ৰাইভেট লিমিটেড

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/042724/38</b>  | <b>Date: 27/04/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/041824/SW01</b><br>Sample Type: Grab Sample<br>Source: LWQ-1 Up Stream Umiã River                    |
| Location:Umiã River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 17/04/2024<br>Analysis Start Date: 18/04/2024<br>Analysis End Date: 25/04/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.2°C<br>Relative Humidity:65%  |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.80    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 238     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.7     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 156     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 25.4    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.04    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 88.6    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 72.5    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.22    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 36.6    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 27.8    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 12.3    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.88    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.4  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 13.2 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.6  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2.3  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 10.4 |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.15 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 3.22 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 1.14 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 133  |

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,



Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)





# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ সাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|   |   |
|---|---|
| <b>Report No: ABNS/EM/042724/39</b>   | <b>Date: 27/04/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtra Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/041824/SW02</b><br>Sample Type: Grab Sample<br>Source: LWQ-2 Down Stream Umiam River                 |
| Location: Umiam River   | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 17/04/2024<br>Analysis Start Date: 18/04/2024<br>Analysis End Date: 25/04/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.2°C<br>Relative Humidity: 65%  |   |

## ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.70    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 210     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 10.5    |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 173     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 17.3    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 118.4   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 59.4    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 50.3    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 23.4    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 6.4     |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 15      |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 3.31    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |


|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019   | mg/L   | 6.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 17.5 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 3.1  |
| 19 | Potassium                 | IS 3025 Part 45, (raf 2019) | mg/L   | 2.6  |
| 20 | Sodium                    | IS 3025 Part 45, (raf 2019) | mg/L   | 11.6 |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raf 2019) | mg/L   | 0.25 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 4.16 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019 | mg/L   | 0.27 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raf: 2019)   | /100ml | 327  |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবিএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|   |   |
|---|---|
| <b>Report No: ABNS/EM/042724/40</b>   | <b>Date: 27/04/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtra Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/041824/SW03</b><br>Sample Type: Grab Sample<br>Source: LWQ-3 Up Stream Phlangkarue River             |
| Location: Phlangkarue River   | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 17/04/2024<br>Analysis Start Date: 18/04/2024<br>Analysis End Date: 25/04/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.2°C<br>Relative Humidity: 65%  |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.90    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 184     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 6.5     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 127     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 30.6    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.06    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 99.5    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 67.2    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.20    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 27.6    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 33.6    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 15.5    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 14.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 2.74    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019   | mg/L   | 5.6  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 9.8  |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 2.8  |
| 19 | Potassium                 | IS 3025 Part 45, (raf 2019) | mg/L   | 3.1  |
| 20 | Sodium                    | IS 3025 Part 45, (raf 2019) | mg/L   | 8.5  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raf 2019) | mg/L   | 0.44 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 1.27 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019 | mg/L   | 1.25 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raf: 2019)   | /100ml | 75   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  
 ABNS
   
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)
   
 27/04/2024





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক চার্ভিচেস প্রাইভেট লিমিটেড

एबीएनएस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ্-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/042724/41</b>  | <b>Date: 27/04/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/041824/SW04</b><br>Sample Type: Grab Sample<br>Source: LWQ-4 Down Stream Phlangkarue River           |
| Location: Phlangkarue River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 17/04/2024<br>Analysis Start Date: 18/04/2024<br>Analysis End Date: 25/04/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.2°C<br>Relative Humidity: 65%   |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.80    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 193     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 8.2     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 136     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 27.7    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 75.5    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 80.3    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 27      |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 41.7    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 17.2    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 12.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 1.93    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019   | mg/L   | 5.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 22.3 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 4    |
| 19 | Potassium                 | IS 3025 Part 45, (raf 2019) | mg/L   | 3.7  |
| 20 | Sodium                    | IS 3025 Part 45, (raf 2019) | mg/L   | 15.6 |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raf 2019) | mg/L   | 0.82 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 5.42 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019 | mg/L   | BDL  |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raf: 2019)   | /100ml | 35   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইটিফিক চার্জিটেচ প্রাইভেট লিমিটেড  
एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/052924/33</b>  | <b>Date: 29/05/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraí Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/052324/SW01</b><br>Sample Type: Grab Sample<br>Source: LWQ-1 Up Stream Umiám River                   |
| Location: Umiám River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 22/05/2024<br>Analysis Start Date: 23/05/2024<br>Analysis End Date: 28/05/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.5°C<br>Relative Humidity: 64%   |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.90    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 225     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 4.2     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 118     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 21.9    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.04    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 62.1    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 116.0   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 36.6    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 32.53   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 7.3     |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 20      |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.82    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 12   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.4  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 3    |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 15   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.13 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 2.54 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.75 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 28   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  
 ABNS
 
  
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)





# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইনিটিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/052924/34</b>  | <b>Date: 29/05/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/052324/SW02</b><br>Sample Type: Grab Sample<br>Source: LWQ-2 Down Stream Umiã River                  |
| Location: Umiã River   | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 22/05/2024<br>Analysis Start Date: 23/05/2024<br>Analysis End Date: 28/05/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.5°C<br>Relative Humidity: 64%   |   |

## ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.80    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 185     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 4.16    |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 89      |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 21      |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 64.18   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 94      |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.20    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 27.5    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 28.16   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 4.73    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.57    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019   | mg/L   | 6.2  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 16   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 3    |
| 19 | Potassium                 | IS 3025 Part 45, (raf 2019) | mg/L   | 4.2  |
| 20 | Sodium                    | IS 3025 Part 45, (raf 2019) | mg/L   | 14   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raf 2019) | mg/L   | 0.09 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 1.82 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019 | mg/L   | 0.93 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raf: 2019)   | /100ml | 21   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,



Authorized Signatory

Dr. Bidyut Jyoti Sarmah (TM)

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইনটিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

ইচ্-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/052924/35</b>  | <b>Date: 29/05/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/052324/SW03</b><br>Sample Type: Grab Sample<br>Source: LWQ-3 Up Stream Phlangkarue River             |
| Location: Phlangkarue River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 22/05/2024<br>Analysis Start Date: 23/05/2024<br>Analysis End Date: 28/05/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.5°C<br>Relative Humidity: 64%   |   |

## ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.80    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 196     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.8     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 112     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 19.5    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 70.25   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 78.12   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.22    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 32.0    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 35.77   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 5.03    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16      |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.66    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 5.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 14   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.2  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2    |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 12   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.11 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 2.19 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.81 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 46   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
  
 29/05/2024  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবিএনএছ চাইনিটিক চার্ভিচেচ প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/052924/36</b>  | <b>Date: 29/05/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/052324/SW04</b><br>Sample Type: Grab Sample<br>Source: LWQ-4 Down Stream Phlangkarue River           |
| Location: Phlangkarue River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 22/05/2024<br>Analysis Start Date: 23/05/2024<br>Analysis End Date: 28/05/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.5°C<br>Relative Humidity:64%  |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.90    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 225     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.9     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 92      |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 18.3    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.06    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 58.46   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 82.52   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 29      |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 42.76   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 6.21    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 14.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.28    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |


|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019   | mg/L   | 6.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 16   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 3    |
| 19 | Potassium                 | IS 3025 Part 45, (raf 2019) | mg/L   | 2.4  |
| 20 | Sodium                    | IS 3025 Part 45, (raf 2019) | mg/L   | 11   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raf 2019) | mg/L   | 0.16 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 3.10 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019 | mg/L   | 0.91 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raf: 2019)   | /100ml | 25   |

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
 29/05/2024
   
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/061824/21</b>   | <b>Date:18.06.2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/061224/SW01</b><br>Sample Type: Grab Sample<br>Source: LWQ-1 Up Stream Umiam River                   |
| Location:Umiam River   | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 10.06.2024<br>Analysis Start Date: 12.06.2024<br>Analysis End Date: 18.06.2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.4°C<br>Relative Humidity:71.0%  |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.10    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 220     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 4.2     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 117     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 21.5    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.06    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 61.53   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 76      |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.20    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 28.5    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 34.19   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 5.92    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.69    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |



|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 7.2  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 11   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 3    |
| 19 | Potassium                 | IS 3025 Part 45, (raaf 2019) | mg/L   | 1.8  |
| 20 | Sodium                    | IS 3025 Part 45, (raaf 2019) | mg/L   | 11   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raaf 2019) | mg/L   | 0.17 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 1.86 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.24 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raaf: 2019)   | /100ml | 30   |

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

18/06/2024
   
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)



# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ সাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

PHONE: 98640 68513, 98640 89951

## TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/061824/22</b>   | <b>Date:18.06.2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraí Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/061224/SW02</b><br>Sample Type: Grab Sample<br>Source: LWQ-2 Down Stream Umiám River                 |
| Location: Umiám River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 10.06.2024<br>Analysis Start Date: 12.06.2024<br>Analysis End Date: 18.06.2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.4°C<br>Relative Humidity:71.0%  |   |

## ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.0     |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 176     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.5     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 124     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 23.0    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 64.19   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 54.82   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 21.7    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 24.95   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 3.07    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.78    |



|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.4  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 18   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.2  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2.2  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 9    |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.21 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.37 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.37 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 12   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  
 18/06/2024  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)



# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্সএচ্ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড  
एबीएन्एस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

ইচ্-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/061824/23</b>   | <b>Date:18.06.2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/061224/SW03</b><br>Sample Type: Grab Sample<br>Source: LWQ-3 Up Stream Phlangkarue River             |
| Location: Phlangkarue River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 10.06.2024<br>Analysis Start Date: 12.06.2024<br>Analysis End Date: 18.06.2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.4°C<br>Relative Humidity:71.0%  |   |

## ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.90    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 185     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 4.2     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 102     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 19.3    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 42.82   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 65.1    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 26.4    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 19.76   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 4.07    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.42    |



|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 5.6  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 20   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 5.4  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2.8  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 17   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.25 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.52 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.89 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 32   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



*[Handwritten Signature]*  
18/06/2024

Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্‌এছ চাইন্টিফিক চাৰ্ভিচেচ প্ৰাইভেট লিমিটেড

एबीएन्‌एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/061824/24</b>   | <b>Date:18.06.2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/061224/SW04</b><br>Sample Type: Grab Sample<br>Source: LWQ-4 Down Stream Phlangkarue River           |
| Location: Phlangkarue River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 10.06.2024<br>Analysis Start Date: 12.06.2024<br>Analysis End Date: 18.06.2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.4°C<br>Relative Humidity:71.0%  |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.80    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 235     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.7     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 134     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 31      |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.04    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 38.16   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 85.71   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.22    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 25.3    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 22.05   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 2.97    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.59    |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 5.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 14   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 4.2  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 3.2  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 14   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.19 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.93 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.74 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 57   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/072524/42</b>  | <b>Date: 25/07/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/072024/SW01</b><br>Sample Type: Grab Sample<br>Source: LWQ-1 Up Stream Umiam River                   |
| Location: Umiam River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 19/07/2024<br>Analysis Start Date: 20/07/2024<br>Analysis End Date: 25/07/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.4°C<br>Relative Humidity: 66%   |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.90    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 240     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 2.9     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 116     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 19.2    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.04    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 54.90   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 57.25   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.22    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 28.5    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 31.84   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 8.74    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.28    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |



|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019   | mg/L   | 6.4  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 16   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 5.0  |
| 19 | Potassium                 | IS 3025 Part 45, (raf 2019) | mg/L   | 2.5  |
| 20 | Sodium                    | IS 3025 Part 45, (raf 2019) | mg/L   | 20   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raf 2019) | mg/L   | 0.08 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 0.44 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019 | mg/L   | 0.56 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raf: 2019)   | /100ml | 18   |

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  
 ABNS
   
 High Assent
   

  
 25/01/2024
   
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএস্ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/072524/43</b>  | <b>Date: 25/07/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/072024/SW02</b><br>Sample Type: Grab Sample<br>Source: LWQ-2 Down Stream Umiam River                 |
| Location: Umiam River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 19/07/2024<br>Analysis Start Date: 20/07/2024<br>Analysis End Date: 25/07/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.4°C<br>Relative Humidity:66%  |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.0     |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 196     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.1     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 76      |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 18.5    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 57.28   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 63.15   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 21.5    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 24.93   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 7.62    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.41    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.2  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 10   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 4.8  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2.7  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 18   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.13 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.51 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.28 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 14   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)
   
 25/07/2024





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ সাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/072524/44</b>  | <b>Date: 25/07/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/072024/SW03</b><br>Sample Type: Grab Sample<br>Source: LWQ-3 Up Stream Phlangkarue River             |
| Location: Phlangkarue River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 19/07/2024<br>Analysis Start Date: 20/07/2024<br>Analysis End Date: 25/07/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.4°C<br>Relative Humidity:66%  |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.01    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 184     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 2.8     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 74      |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 23.7    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.06    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 45.18   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 102.44  |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 23.4    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 26.75   |
| 12    | Magnesium as Mg                       | IS 3025 Part 16, 2023            | mg/L  | 6.52    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.64    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 7.2  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 13   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 4.6  |
| 19 | Potassium                 | IS 3025 Part 45, (raef 2019) | mg/L   | 2.4  |
| 20 | Sodium                    | IS 3025 Part 45, (raef 2019) | mg/L   | 24   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (raef 2019) | mg/L   | 0.12 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.74 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), raef 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), raef 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.19 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (raef: 2019)   | /100ml | 11   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)



# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইটিফিক চার্জিচেচ প্রাইভেট লিমিটেড

एबीएनएस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एइच्-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|   |   |
|---|---|
| <b>Report No: ABNS/EM/072524/45</b>   | <b>Date: 25/07/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtra Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/072024/SW04</b><br>Sample Type: Grab Sample<br>Source: LWQ-4 Down Stream Phlangkarue River           |
| Location: Phlangkarue River   | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 19/07/2024<br>Analysis Start Date: 20/07/2024<br>Analysis End Date: 25/07/2024 |
| <b>Environmental Condition:</b><br>Temperature: 23.4°C<br>Relative Humidity:66%   |   |

## ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.10    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 175     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.5     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 62      |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 19.7    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 39.42   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 59.16   |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.20    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 41.0    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 25.19   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 5.03    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.73    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |



|    |                           |                             |        |      |
|----|---------------------------|-----------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, ref 2019   | mg/L   | 6.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023       | mg/L   | 16   |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023       | mg/L   | 5.2  |
| 19 | Potassium                 | IS 3025 Part 45, (ref 2019) | mg/L   | 5    |
| 20 | Sodium                    | IS 3025 Part 45, (ref 2019) | mg/L   | 16   |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (ref 2019) | mg/L   | 0.17 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022 | mg/L   | 0.68 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022       | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022     | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), ref 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), ref 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), ref 2019 | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), ref 2019 | mg/L   | 0.64 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023     | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), ref 2019 | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023     | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (ref: 2019)   | /100ml | 22   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএস চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognized laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এড্ ১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/082924/21</b>  | <b>Date:29/08/2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/082124/SW01</b><br>Sample Type: Grab Sample<br>Source: LWQ-1 Up Stream Umiã River                    |
| Location: Umiã River   | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 20/08/2024<br>Analysis Start Date: 21/08/2024<br>Analysis End Date: 29/08/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity:68.5%  |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.90    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 197.9   |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 4.4     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 102.0   |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 12.7    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.04    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 102.0   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 53.5    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.22    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 38.0    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 31.1    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 6.0     |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 2.04    |



|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.2  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 10.5 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.9  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2.7  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 6.3  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.18 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 2.15 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.13 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 112  |

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



  
29/08/2024  
Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/082924/22</b>  | <b>Date:29/08/2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraí Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/082124/SW02</b><br>Sample Type: Grab Sample<br>Source: LWQ-2 Down Stream Umiám River                 |
| Location: Umiám River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 20/08/2024<br>Analysis Start Date: 21/08/2024<br>Analysis End Date: 29/08/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity: 68.5%   |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.0     |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 282     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 8.3     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 156.0   |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 9.8     |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 161.2   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 99.0    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 43.0    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 43.3    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 12.9    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 16.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 2.23    |





|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.6  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 6.8  |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.1  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 1.6  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 5.5  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.13 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.16 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.27 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 85   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



  
29/08/2024  
Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)



# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড  
एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/082924/23</b>  | <b>Date: 29/08/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtrai Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/082124/SW03</b><br>Sample Type: Grab Sample<br>Source: LWQ-3 Up Stream Phlangkarue River             |
| Location: Phlangkarue River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 20/08/2024<br>Analysis Start Date: 21/08/2024<br>Analysis End Date: 29/08/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity: 68.5%   |   |

## ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.0     |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 217     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.2     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 134     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 39      |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.06    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 28.6    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 54.4    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.21    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 44.5    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 20.2    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 10.9    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 0.38    |



|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 4.9  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 8.7  |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.3  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 0.18 |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 7.2  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.22 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 1.86 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | BDL  |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 31   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



*[Signature]*  
29/08/2024  
Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইটিফিক চার্জিটেচ প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৬৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/082924/24</b>  | <b>Date: 29/08/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/082124/SW04</b><br>Sample Type: Grab Sample<br>Source: LWQ-4 Down Stream Phlangkarue River           |
| Location: Phlangkarue River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 20/08/2024<br>Analysis Start Date: 21/08/2024<br>Analysis End Date: 29/08/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity: 68.5%   |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.10    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 157     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 6.5     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 86.4    |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 21.7    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.05    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 50.6    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 65.5    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.20    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 38.8    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 73.8    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 4.7     |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2023            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 1.77    |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 7    |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 14.2 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 3.6  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 2.2  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 10.8 |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.53 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 2.86 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | BDL  |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 49   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



  
 29/08/2024  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)



# ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

ইচ্-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

## TEST REPORT

|  |   |
|--|---|
| <b>Report No: ABNS/EM/100724/11</b>  | <b>Date:07/10/2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraí Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/092324/SW01</b><br>Sample Type: Grab Sample<br>Source: LWQ-1 Up Stream Umiám River                   |
| Location: Umiám River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 21/09/2024<br>Analysis Start Date: 23/09/2024<br>Analysis End Date: 01/10/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity:68.5%  |   |

## ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.78    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 187.2   |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.8     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 122.0   |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 18.6    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | BDL     |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 82.0    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 54.6    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.19    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 21.0    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 23.6    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 3.40    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 10.0    |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 14 | Nitrate- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | 3.40 |
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 6.6  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 12.8 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 3.2  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 0.8  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 4.6  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.12 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 1.8  |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.28 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 194  |

Note: The results relate to the parameter tested only. BDL: Below Detection Limit

-----End of Report-----

For ABNS Scientific Services,



*[Signature]*  
07/10/2024

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)

Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্স চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएन्एस साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/100724/12</b>   | <b>Date:07/10/2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/092324/SW02</b><br>Sample Type: Grab Sample<br>Source: LWQ-2Down Stream Umiã River                   |
| Location:Umiã River  | Sample Collected by: Mr Chinmay Kalita (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 21/09/2024<br>Analysis Start Date: 23/09/2024<br>Analysis End Date: 03/10/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity: 68.5%   |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.06    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 272     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 7.4     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 186.0   |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 9.4     |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | 0.04    |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 122.8   |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 98.0    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.18    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 23.0    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 48.20   |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 9.54    |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 18.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 4.60    |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 5.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 9.0  |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.2  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 1.2  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 5.8  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | 0.18 |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.24 |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | 0.27 |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | 42   |


Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



  
 07/10/2024  
 Authorized Signatory  
 Dr. Bidyut Jyoti Sarmah (TM)





## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএন্‌এছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएन्‌एस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

एड्‌-१५२, केतेकी पथ, पदुमबारी, जालुकबारी, गुवाहाटी ७८१०११, असम

Email: info@abnsscscientific.com, abnsscscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/100724/13</b>   | <b>Date:07/10/2024</b>  |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/092324/SW03</b><br>Sample Type: Grab Sample<br>Source: LWQ-3Up Stream Phlangkarue River              |
| Location: Phlangkarue River  | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 21/09/2024<br>Analysis Start Date: 23/09/2024<br>Analysis End Date: 03/10/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity: 68.5%   |   |

### ANALYSIS RESULTS

| SI No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 7.82    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 217     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 3.6     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 143     |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 23.0    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | BDL     |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 58.4    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 69.6    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.09    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 8.4     |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 18.6    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 6.2     |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 24.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 1.02    |
| 15    | Nitrite- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | BDL     |

|    |                           |                              |        |      |
|----|---------------------------|------------------------------|--------|------|
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | 4.8  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | 10.6 |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | 2.4  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | 1.9  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | 6.0  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | BDL  |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | 0.8  |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | BDL  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | BDL  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | BDL  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | BDL  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | BDL  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | BDL  |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | BDL  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | BDL  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | BDL  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | N.D. |

Note: The results relate to the parameter tested only. N.D.: Not Detected

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)



*[Signature]*  
09/10/2024

Authorized Signatory  
Dr. Bidyut Jyoti Sarmah (TM)



## ABNS SCIENTIFIC SERVICES PRIVATE LIMITED

এবীএনএছ চাইন্টিফিক সার্ভিসেস প্রাইভেট লিমিটেড

एबीएनएस् साइंटिफिक सर्विसेस प्राइवेट लिमिटेड

(Meghalaya State Pollution Control Board recognised laboratory)

H-152, Keteki Path, Padumbari, Jalukbari, Guwahati 781011, Assam

এইচ্-১৫২, কেতেকী পথ, পদুমবারী, জালুকবারী, গুৱাহাটী ৭৮১০১১, অসম

Email: info@abnsscientific.com, abnsscientific@gmail.com

Phone: 98640 68513, 98640 89951

### TEST REPORT

|  |   |
|--|---|
| <b>Report No:ABNS/EM/100724/14</b>   | <b>Date: 07/10/2024</b>   |
| Name & Address of the Customer:<br><b>LAFARGE UMIAM MINING PVT LTD</b><br>Nongtraï Limestone Mines, Phalangharuh,<br>Shella Confederacy, East Khasi Hills, Shella<br>Meghalaya 793112, INDIA | Ref.: PO: 3960022674<br>Sample Description: <b>Surface Water</b><br>Sample ID: <b>ABNS/GHY/092324/SW04</b><br>Sample Type: Grab Sample<br>Source: LWQ-4Down Stream Phlangkarue River            |
| Location:Phlangkarue River   | Sample Collected by: Mr Nabajit Pathak (Sampler)<br>Sampling Protocol: IS 17614 (Part 1): 2021<br>Sampling Date: 21/09/2024<br>Analysis Start Date: 23/09/2024<br>Analysis End Date: 03/10/2024 |
| <b>Environmental Condition:</b><br>Temperature: 25.8°C<br>Relative Humidity: 68.5%   |   |

### ANALYSIS RESULTS

| Sl No | Parameters                            | Reference Methods                | Units | Results |
|-------|---------------------------------------|----------------------------------|-------|---------|
| 1     | pH at 25°C                            | IS 3025 Part 11, 2022            | -     | 8.24    |
| 2     | Conductivity                          | IS 3025 Part 14, (reaf 2019)     | µS/cm | 152     |
| 3     | Turbidity                             | IS 3025 Part 10, 2023            | NTU   | 6.5     |
| 4     | Total Dissolved Solids                | IS 3025 Part 16, raf 2023        | mg/L  | 89.0    |
| 5     | Chloride                              | IS 3025 Part 32, (reaf 2019)     | mg/L  | 20.6    |
| 6     | Fluoride                              | IS 3025 Part 60, (reaf 2019)     | mg/L  | BDL     |
| 7     | Total Hardness as CaCO <sub>3</sub>   | IS 3025 Part 21, (reaf 2019)     | mg/L  | 43.2    |
| 8     | Total Alkalinity as CaCO <sub>3</sub> | IS 3025 Part 23, 2023            | mg/L  | 62.5    |
| 9     | Iron                                  | IS 3025 Part 53, (reaf 2019)     | mg/L  | 0.23    |
| 10    | Sulphate                              | IS 3025 : Part 24 : Sec 1 : 2022 | mg/L  | 29.6    |
| 11    | Calcium as CaCO <sub>3</sub>          | IS 3025 Part 40, (reaf 2019)     | mg/L  | 20.8    |
| 12    | Magnesium as Mg                       | IS 3025 Part 46, 2023            | mg/L  | 3.4     |
| 13    | Total Suspended Solids                | IS 3025 Part 17, 2022            | mg/L  | 25.0    |
| 14    | Nitrate- Nitrogen                     | IS 3025 Part 34, (reaf 2019)     | mg/L  | 3.84    |



|    |                           |                              |        |             |
|----|---------------------------|------------------------------|--------|-------------|
| 15 | Nitrite- Nitrogen         | IS 3025 Part 34, (reaf 2019) | mg/L   | <b>BDL</b>  |
| 16 | Dissolved Oxygen          | IS 3025 Part 38, raf 2019    | mg/L   | <b>6.2</b>  |
| 17 | Chemical Oxygen Demand    | IS 3025 Part 58, 2023        | mg/L   | <b>18.0</b> |
| 18 | Biochemical Oxygen Demand | IS 3025 Part 44, 2023        | mg/L   | <b>4.8</b>  |
| 19 | Potassium                 | IS 3025 Part 45, (reaf 2019) | mg/L   | <b>1.0</b>  |
| 20 | Sodium                    | IS 3025 Part 45, (reaf 2019) | mg/L   | <b>9.4</b>  |
| 21 | Ammoniacal Nitrogen       | IS 3025 Part 34, (reaf 2019) | mg/L   | <b>BDL</b>  |
| 22 | Phosphate as P            | IS 3025 Part 31 Sec 1, 2022  | mg/L   | <b>0.82</b> |
| 23 | Sulphide                  | IS 3025 Part 29, 2022        | mg/L   | <b>BDL</b>  |
| 24 | Arsenic                   | IS 3025 (Part 37), 2022      | mg/L   | <b>BDL</b>  |
| 25 | Copper                    | IS 3025 (Part 42), reaf 2019 | mg/L   | <b>BDL</b>  |
| 26 | Lead                      | IS 3025 (Part 47), reaf 2019 | mg/L   | <b>BDL</b>  |
| 27 | Chromium                  | IS 3025 (Part 52), raf 2019  | mg/L   | <b>BDL</b>  |
| 28 | Zinc                      | IS 3025 (Part 49), raf 2019  | mg/L   | <b>BDL</b>  |
| 29 | Cadmium                   | IS 3025 (Part 41), 2023      | mg/L   | <b>BDL</b>  |
| 30 | Nickel                    | IS 3025 (Part 45), raf 2019  | mg/L   | <b>BDL</b>  |
| 31 | Manganese                 | IS 3025 (Part 59), 2023      | mg/L   | <b>BDL</b>  |
| 32 | Total Coliform            | IS 1622: 1981 (reaf: 2019)   | /100ml | <b>68</b>   |

Note: The results relate to the parameter tested only.

-----End of Report-----

For ABNS Scientific Services,

Report reviewed by: Dr. Mayur Jyoti Mahanta (QM)


  

  
 07/10/2024
   
 Authorized Signatory
   
 Dr. Bidyut Jyoti Sarmah (TM)